

cas update restarts it with Tailscale and checks it works.

SURFACE		CLOSED
Only reply:	no listed issues	0
Factory	no listed issues	0
Verification	no listed issues	0

The closure map is empty until release evidence names verified issues.

One dot, one closed issue. 0 issue-bearing surfaces.

[Read the map data](#) ↓

Release at a glance

01 / 06

0	2	0	11
Issues closed	Features added	Changed entries	Fix entries
Named, verified closed issues in this report	Top-level Added entries in the CHANGELOG section	Top-level Changed entries in the CHANGELOG section	Top-level Fixed entries in the CHANGELOG section

56m 29s

Green to published

gate.green.epoch to the published receipt, when available

▼ Change map · data and reading guide

One filled dot represents one closed issue. Dots have equal weight: this is a count of closures, not a measured impact score.

Change map data · closed issues by surface

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
Only reply:	0	No listed issues
Factory	0	No listed issues
Verification	0	No listed issues
Total	0	0 issue-bearing themes

Source: CHANGELOG /Users/pippenz/Petrastella/cas-src/.cas/release-3.29.0/CHANGELOG.md, release-notes /Users/pippenz/Petrastella/cas-src/.cas/release-3.29.0/docs/release-notes/2026-09-24-v3.29.0-slack.md; retrieved 2026-09-24T14:31:28Z.

What you can do now

02 / 06

Only reply (user)

Hub comes back after update

WAS a stuck or crashed hub stayed down after `cas` update, and Commander showed "Degraded". →

NOW update stops it, restarts it with Tailscale, checks the public address, and tries once more if needed.

No needless restarts

WAS n/a. →

NOW a healthy, current hub is only checked, so updating doesn't drop your Commander session.

Honest status

WAS `cas` hub status said "exited" for a hub that was running but frozen. →

NOW it says exactly what state the hub is in and what to run.

Clean Tailscale routes

WAS a forced restart could leave your `ts.net` address pointing at nothing. →

NOW the dead route is cleaned up or taken back automatically.

Mac service

WAS a Mac hub service without Tailscale made `cas` update fail. →

NOW it's updated to add Tailscale, like on Linux.

Mac tools

WAS image generation, drawings and background jobs broke on a stock Mac. →

NOW they work with the built-in macOS tools.

Commander shows every reply

WAS the Commander thread stayed blank unless you'd messaged first. →

NOW every reply from your session shows up there automatically.

Only reply (dev)

Update hub convergence	WAS <code>restart_stale_hub</code> returned early when <code>record_is_live</code> was false, so a wedged hub was never touched. → NOW the new binary's post-swap child classifies the prior state and force-stops a wedged holder. It restarts with the recorded or receipted Tailscale setting and checks the lock, loopback <code>/v1/health</code>, the Serve route to the live shim and the public <code>/v1/health</code>. On failure it saves evidence and recovers once. A current healthy hub is verified without a restart, and a public-DNS-only failure is a warning. Tested against real v3.27.8, v3.28.1 and v3.28.2 hubs in 4 states each, 12 of 12 passing (PR #979).
launchd parity	WAS <code>restart_supervised</code> bailed on a plist without Tailscale. → NOW the plist <code>ProgramArguments</code> are rewritten atomically, with <code>bootout</code> and <code>bootstrap</code>. It takes over from a detached or stuck no-phase holder, refuses ambiguous holders, and adds <code>PATH</code> to <code>EnvironmentVariables</code> (PR #979).
Lifecycle state	WAS one boolean readiness check drove every message. → NOW <code>HubDisplayState</code> is exited, starting, <code>startup_wedged</code>, stopping, unresponsive or running, in text, <code>--json</code> and <code>authorize</code> (PR #979).
Serve ownership	WAS the receipt was written after <code>serve --bg</code>, and the process record was overwritten before <code>ensure</code>. → NOW the receipt is written before publishing, the prior target is passed to the replacement, and a dead loopback shim on a Cassy-receipted port is reclaimed (PR #979).
macOS suite	WAS 96 failures running the full nextest suite on macOS. → NOW 9788 of 9789 pass in each of two loops (two separate timing-sensitive flakes are tracked). Includes a shared <code>warm_stub</code> for dyld first-launch stalls, BSD socket and <code>/private/var</code> fixes, a Rust flock/timeout for light-lane jobs, and unknown-safe Mac worker liveness with a <code>proc_pidpath</code> kill check (PR #979).
Commander mirroring	WAS Commander history held only Commander-sent messages and explicit <code>target=operator</code> rows. → NOW the factory daemon tails the supervisor transcript (Claude and Codex) and queues each completed turn's final text as a schema-2 operator reply. It is an answer with <code>reply_to</code> when a verified Commander message started the turn, otherwise a status to all devices. Text is redacted, capped at 4,000 characters and deduped by turn key, and it only starts after first pairing (PR #983).
Close gate	WAS a red base on the host blocked every close, the parked-task anchor followed branch reuse, and the parser read "failure" in test names as failures. → NOW an audited inherited-failure close path, frozen parked anchors, and structured result parsing that accepts short bases (PRs #974, #975, #977).

Assets

WAS n/a. →

NOW cas-x86_64-unknown-linux-gnu.tar.gz

5a50078e73aa465fac235780f16586250b1e580a523994ed853a4a0c4eca0a08; cas-aarch64-apple-darwin.tar.gz

370c6e0776d641cefeb8265aae3ae5d5a72f9b13bd33301c89f52bbaea6b9445.

Fixes ledger

04 / 06

Issue register · 0 verified closures

ISSUE	STATE	CLOSED	THEME
-------	-------	--------	-------

Install

05 / 06



```
cas update # install v3.29.0 through the project's normal release channel
```

Change map data · closed issues by surface

ASSET	DIGEST	SIZE
No published assets	unavailable	unavailable

Evidence and scope

06 / 06

Retrieved: 2026-09-24T14:31:28Z.

Source: CHANGELOG /Users/pippenz/Petrastella/cas-src/.cas/release-3.29.0/CHANGELOG.md, release-notes /Users/pippenz/Petrastella/cas-src/.cas/release-3.29.0/docs/release-notes/2026-09-24-v3.29.0-slack.md; retrieved 2026-09-24T14:31:28Z.

GitHub issue theme assignment uses labels first, then the keyword table in the CLI. Any issue classified as Unclassified is shown in the map so a human can correct the Markdown before rendering.

Release-notes draft: docs/release-notes/2026-09-24-v3.29.0-slack.md.

CHANGELOG source: CHANGELOG.md.

GitHub release: unavailable.

Release receipt: /Users/pippenz/.cas/artifacts/release/v3.29.0-release-3.29.0/release-published.receipt.

Source warnings:

- GitHub sources: issues.repo is unset; remedy `cas config set issues.repo owner/name`

cas-src v3.29.0 / Release report

[Markdown source](#) · [Print edition](#)