

It keeps both and shows the connection honestly.

SURFACE		CLOSED
Only reply:	no listed issues	0
Memory	no listed issues	0
Verification	no listed issues	0
Release	no listed issues	0

The closure map is empty until release evidence names verified issues.

One dot, one closed issue. 0 issue-bearing surfaces.

[Read the map data](#) ↓

Release at a glance

01 / 06

0

Issues closed

Named, verified closed issues in this report

0

Features added

Top-level Added entries in the CHANGELOG section

0

Changed entries

Top-level Changed entries in the CHANGELOG section

16

Fix entries

Top-level Fixed entries in the CHANGELOG section

35m 6s

Green to published

gate.green.epoch to the published receipt, when available

3m 45s — within budget (10m 0s budget)

Tag to published

First tag workflow to publication; measured budget result

▼ Change map · data and reading guide

One filled dot represents one closed issue. Dots have equal weight: this is a count of closures, not a measured impact score.

Change map data · closed issues by surface

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
---------	---------------	---------------

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
Only reply:	0	No listed issues
Memory	0	No listed issues
Verification	0	No listed issues
Release	0	No listed issues
Total	0	0 issue-bearing themes

Source: CHANGELOG /home/pippenz/Petrastella/cas-src/.cas/worktrees/release-3.44.0/CHANGELOG.md, release-notes /home/pippenz/Petrastella/cas-src/.cas/worktrees/release-3.44.0/docs/release-notes/2026-10-02-v3.44.0-slack.md, GitHub Richards-LLC/cassy release v3.44.0; retrieved 2026-10-02T10:11:05Z.

What you can do now

02 / 06

Only reply (user)

A steady connection picture

WAS a machine that dropped could show a stale "Reconnecting to hub" card, hand back the wrong words after a refused pairing, or stick on Reconnecting. →

NOW one word, "Unsteady", covers a shaky machine, messages wait until it is steady, control comes back with the machine, and every card names the machine.

Nothing you typed is lost on reload

WAS a reload threw away drafts and any message that was waiting or unconfirmed. →

NOW drafts and those messages survive, each in its own state, a waiting one goes out exactly once, and they show at once even during an outage.

Your place is kept

WAS a reconnect or reload could jump you away from what you were reading and re-stamp every turn to now. →

NOW you stay where you were, history ends where it should, each turn keeps its own time and session, and opening a conversation lands on the latest turn.

Easier to find and start conversations

WAS grouped session rows looked alike, a search result kept its filter, and New session hid why it couldn't start. →

NOW rows lead with the session and what it last did, search clears when you open a result, and New session says plainly what is needed, with a copyable command.

Calmer on a phone

WAS the Attention panel could lose its place after the phone slept, and the footer overflowed with long machine names. →

NOW Attention opens as a proper sheet that keeps focus, and the footer names the machine you can't reach.

Only reply (dev)

Connection state machine	WAS a stale opening could open a second machine socket whose handshake timeout downgraded the page, and blockAuthentication left the heartbeat running so a refused pairing flipped back to live. → NOW machine sockets carry a generation, a superseded socket only closes itself, and an auth block stops the heartbeat until re-pairing.
Persistent conversation store	WAS drafts, pending sends and turn times were memory-only. → NOW a per-conversation ConversationStore persists them with write and read bounds, purges a machine's entries on revoke or removal, and never auto-sends an over-bound or malformed entry.
History anchoring	WAS a reconnect re-offered "Load earlier" and the browser silently reset scroll, and late file-card growth left a following thread short of the tail. → NOW the history cursor survives reconnects, the reader's turn is restored, and the thread re-pins on content-height changes while following.
Delivery proof binds to the parked anchor	WAS close and verification measured a worker's live HEAD, so a worker moving to another task invalidated its parked delivery's proof. → NOW a delivery reachable from its parked or origin factory ref keeps its proof; rewritten heads are still refused. Delivery also retries a declined wake after the turn instead of marking the message read (#1082, #1080, #1084).
Release and journey tooling	WAS fast gate rows crashed after a force-push, and several journeys ran on wall-clock budgets that timed out under host load. → NOW rows fall back to merge-base (#1075), J3/J5/J8/J9 wait on hub-double and DOM events with budgets sized from measured runtime, and every HUB-J12 test leaves receipts.

Fixes ledger

Issue register · 0 verified closures

ISSUE	STATE	CLOSED	THEME
-------	-------	--------	-------

Install



cas update # install v3.44.0 through the project's normal release channel

Change map data · closed issues by surface

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz	sha256:e32a04571adf6eec5a1c2e2b5c4d95b32d8c5b306a9cfb27f288bc2a9369d736	28391389
cas-x86_64-unknown-linux-gnu.tar.gz	sha256:46a5e2875f86beee08b2d23061aee65805c6ed62ca4672211891948a2a137fbb	32682840

Evidence and scope

06 / 06

Retrieved: 2026-10-02T10:11:05Z.

Source: CHANGELOG /home/pippenz/Petrastella/cas-src/.cas/worktrees/release-3.44.0/CHANGELOG.md, release-notes /home/pippenz/Petrastella/cas-src/.cas/worktrees/release-3.44.0/docs/release-notes/2026-10-02-v3.44.0-slack.md, GitHub Richards-LLC/cassy release v3.44.0; retrieved 2026-10-02T10:11:05Z.

GitHub issue theme assignment uses labels first, then the keyword table in the CLI. Any issue classified as Unclassified is shown in the map so a human can correct the Markdown before rendering.

Release-notes draft: docs/release-notes/2026-10-02-v3.44.0-slack.md.

CHANGELOG source: CHANGELOG.md.

GitHub release: <https://github.com/Richards-LLC/cassy/releases/tag/v3.44.0> (published or unknown).

Release receipt: /home/pippenz/.cas/artifacts/release/v3.44.0-release-3.44.0/release-published.receipt.

Source warnings:

- GitHub issues: referenced closures unavailable or not closed: #1075, #1080, #1082, #1084