

Seven closures
strengthen delivery checks. Clearer conversations broaden the release.

SURFACE		CLOSED
Checks		2
Release		1
Factory		4
Hub	no listed issues	0

Four of seven verified closures strengthen delivery verification and integration.

One dot, one closed issue. 3 issue-bearing surfaces.

[Read the map data](#) ↓

Release at a glance

01 / 06

7 Issues closed Unique completed closures in the stated window with delivered source references	1 Features added Top-level Added entry in CHANGELOG 3.25.4	4 Changed entries Top-level Changed entries in CHANGELOG 3.25.4	8 Fix entries Top-level Fixed entries in CHANGELOG 3.25.4
--	---	--	--

Counts describe different units: 13 changelog entries, 13 User changes, 16 Dev changes and seven verified closures are not interchangeable. The 29 Was → Now articles below preserve every change in the reviewed announcement draft. Closures must be after 2026-09-11T04:25:37Z and no later than 2026-09-11T17:07:51Z; open issues and non-completion closures are excluded.

Full gate: 20/20 rows passed on source e9693386b1d14520740512997868a0974ae5f310. Workspace coverage is 9,382 archive passes plus 13 snapshot-complement passes, totaling 9,395. The archive recorded 113 skips and two leaky tests included in that passed count; doctests recorded two passes and 25 ignored. This tested tree is identical to published commit 875e353b39da01a9576c0e3e35b555a5845c4f20.

Gate green to published: 44m 06s (2,646 seconds), from 16:23:45Z to 17:07:51Z. Tag workflow creation to published: 3m 25s (205 seconds), from 17:04:26Z to 17:07:51Z; the separate 600-second tag-publication budget passed. Neither interval measures local installation or Slack publication.

▼ Change map · data and reading guide

One filled dot is one completed issue closed in the release window and tied to the delivered source. Equal areas measure closures, not importance. Hub improvements have no verified issue closure in this ledger.

Change map data · closed issues by surface

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
Checks	2	#825, #844
Release	1	#855

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
Factory	4	#821, #840, #845, #848
Hub	0	Improved without a verified closed issue
Total	7	Three issue-bearing surfaces

Source: the linked Fixes ledger, GitHub completed-closure timestamps and delivered references in [v3.25.3...v3.25.4](https://github.com/Richards-LLC/cassy/compare/v3.25.3...v3.25.4) (<https://github.com/Richards-LLC/cassy/compare/v3.25.3...v3.25.4>). Checks abbreviates the previous edition's Checks and notices surface, covering shell guards and report hygiene; Factory covers verification and integration. These editorial groups preserve the previous report's order, with Hub appended.

What you can do now

02 / 06

Your computers and conversations

Paired computers

WAS saved computers were hard to inspect.

NOW see connection, last-seen and installed-version details, and confirm removal from this browser.

A current conversation list

WAS stale or empty conversations could linger.

NOW the default list follows recent activity and reachability, with recovery views and pending work still accessible.

Clearer identity

WAS cloud and local screens shared confusing branding.

NOW Cassy Cloud and local Commander identify themselves distinctly.

Counts with context

WAS status did not make its session scope clear.

NOW explicit session labels and counts distinguish participants here from those elsewhere.

Fewer false stops

Scripts understood correctly

WAS examples, comments and quoted text could trigger editing restrictions.

NOW checks examine executable commands while retaining real write protections.

Reports in the right place

WAS a missing issue destination or the wrong artifact folder could derail reporting.

NOW configured fallback destinations and the resolved artifact folder are used.

Finished changes verified correctly

WAS merge history or another checkout could mislead completion checks.

NOW checks follow the intended destination and confirm the delivered edits survive.

Checks matched to the change

WAS checks could name nonexistent tests or use the wrong comparison.

NOW they use the intended destination, valid test groups and the latest recorded result.

Combined changes included

WAS live branches could be missed during combined validation.

NOW eligible branches are included, and repeated existing failures share consistent evidence.

Usable recovery instructions

WAS a suggested command could belong to another coding tool or break on quoted text.

NOW recovery guidance matches its recipient and preserves the original explanation.

Reliable resumption

WAS valid recovery notices could be ignored or interrupted delivery repeated.

NOW trusted notices can resume work and partial delivery continues from recorded progress.

Consistent instructions

WAS startup and completion guidance could disagree.

NOW acceptance, completion and interruption instructions align across supported coding tools.

One announcement identity

WAS publication guidance allowed a personal-account fallback.

NOW announcements stay on the MechaCassy bot, preserving receipts when delivery is interrupted.

Under the hood

03 / 06

Visibility and shell checks

Paired-machine controls

WAS saved endpoints lacked a management view.

NOW connection, runtime and last-seen details accompany confirmed browser-local removal and distinct Cloud/Commander branding.

Conversation freshness

WAS cached sessions could outlive their reachability or active membership.

NOW heartbeat refresh and freshness expiry govern the default catalog, preserving recovery views and pending work.

Session-scoped counts	WAS name deduplication could obscure cross-session records. NOW status partitions registered membership by session before deduplication and labels its scope.
Structural shell guards	WAS literal script content could look like an executable write. NOW heredocs, comments and quoted arguments are parsed without relaxing real write or formatter restrictions.
Reporting destinations	WAS missing project issue configuration or an implicit home scan could misroute reporting. NOW the Cassy repository fallback and resolved hygiene artifact root are explicit.

Proof and recovery

Merge-content proof	WAS merge topology could obscure retained edits. NOW verification preserves valid content evidence while rejecting merges that drop delivered changes.
Declared proof destination	WAS checkout HEAD or a main-only comparison could determine evidence scope. NOW post-merge proof and scoped receipts resolve the declared WorkTarget branch.
Valid scoped tests	WAS nested roots, repeated <code>--lib</code> arguments or older receipts could distort validation. NOW target discovery, multi-module arguments and latest-receipt selection agree.
Stable integration inputs	WAS ownership and delivery-target confusion could omit live source branches. NOW the shared task set resolves live open coordination branches and excludes terminal or missing branches.
Stable failure evidence	WAS reruns could repeat notices for unchanged main failures or invent a classification. NOW normalized base-failure evidence deduplicates notices, and unknown assertions stay unclassified.
Recipient-aware commands	WAS recovery hints could inherit the daemon's tool prefix. NOW request-local callers and persisted role-specific CLI evidence select Claude, Codex, Grok or OpenCode aliases.
Resumable relay delivery	WAS recovery prose was bound too early and partial retries could duplicate work. NOW neutral facts render for the recipient at delivery, with recorded outbox progress.
Safe rejection context	WAS quotes or newlines could break the suggested close reason. NOW a stable audit argument accompanies the unchanged rejection context.

Authenticated recovery wakes

WAS merged_close_blocked and pr_lane_failed were missing from the accepted daemon kinds.

NOW valid daemon envelopes can wake processing, while forged or unattributed copies remain rejected.

Guidance and publication

Consistent role contracts

WAS startup, acceptance and close instructions could conflict.

NOW task-start acceptance, close ownership and trusted wake guidance align, with Codex-specific startup and retained recall coverage within prompt budgets.

MechaCassy-only publication

WAS release guidance permitted a personal Slack connector fallback.

NOW mirrored instructions and project runbooks require the same authenticated hub, including direct access, with partial-receipt and uncertain-write safeguards intact.

Fixes ledger

04 / 06

Issue register · 7 verified closures

ISSUE	COMPLETED CLOSURE (UTC)	SURFACE	DELIVERED EVIDENCE
#825 (https://github.com/Richards-LLC/cassy/issues/825)	2026-09-11T14:00:28Z	Checks	6ea6f558 (https://github.com/Richards-LLC/cassy/commit/6ea6f558)
#844 (https://github.com/Richards-LLC/cassy/issues/844)	2026-09-11T14:00:29Z	Checks	b702893e (https://github.com/Richards-LLC/cassy/commit/b702893e)
#855 (https://github.com/Richards-LLC/cassy/issues/855)	2026-09-11T16:42:01Z	Release	2ba01441 (https://github.com/Richards-LLC/cassy/commit/2ba01441)
#821 (https://github.com/Richards-LLC/cassy/issues/821)	2026-09-11T14:00:28Z	Factory	5cbc0dcc (https://github.com/Richards-LLC/cassy/commit/5cbc0dcc)
#840 (https://github.com/Richards-LLC/cassy/issues/840)	2026-09-11T14:00:30Z	Factory	0eae190 (https://github.com/Richards-LLC/cassy/commit/0eae190)
#845 (https://github.com/Richards-LLC/cassy/issues/845)	2026-09-11T14:00:29Z	Factory	bc9df0f5 (https://github.com/Richards-LLC/cassy/commit/bc9df0f5)
#848 (https://github.com/Richards-LLC/cassy/issues/848)	2026-09-11T14:00:30Z	Factory	fdbe7d7d (https://github.com/Richards-LLC/cassy/commit/fdbe7d7d)

Each issue appears once in this ledger and once in the map. A linked source change is necessary but not sufficient: GitHub must also record a completed closure in the window. Issue titles and raw state evidence are retained in the retrieval snapshot.



For an existing installation, the normal updater can select the published version:

```
cas update --version 3.25.4 --yes
```

This is an available command, not a record that the local host ran it. Normal updating also refreshes host projects and may restart the Hub. The local host refresh remains held pending operator direction; no local-host-updated claim is made.

Published downloads

Linux x86_64: [cas-x86_64-unknown-linux-gnu.tar.gz](https://github.com/Richards-LLC/cassy/releases/download/v3.25.4/cas-x86_64-unknown-linux-gnu.tar.gz) (https://github.com/Richards-LLC/cassy/releases/download/v3.25.4/cas-x86_64-unknown-linux-gnu.tar.gz) — 30,476,079 bytes.

SHA-256: 98b9c05d6408d776c298699e2737fdd57d6c99386f23eadd3f64fdddbecc00b8

macOS ARM64: [cas-aarch64-apple-darwin.tar.gz](https://github.com/Richards-LLC/cassy/releases/download/v3.25.4/cas-aarch64-apple-darwin.tar.gz) (<https://github.com/Richards-LLC/cassy/releases/download/v3.25.4/cas-aarch64-apple-darwin.tar.gz>) — 26,612,212 bytes.

SHA-256: d974ff806271fcad0db33d940b0f6fa7ec0ec0461b6c0c5fae9e2a7677a44f25

Both archive digests were verified from fresh published downloads, not a local audit build. Hosted install-path proof (<https://github.com/Richards-LLC/cassy/actions/runs/34625944825>) completed successfully for v3.25.4 and the published source on Linux and macOS. Hosted proof does not replace the manual consumer-Mac Gatekeeper GUI/SIP checklist or prove local host refresh.

Evidence and scope

Retrieved issue state at 2026-09-11T17:24:39.691416+00:00. Published release metadata and canonical receipts were checked on 2026-09-11 during this report preparation.

Published source: [875e353b39da01a9576c0e3e35b555a5845c4f20](https://github.com/Richards-LLC/cassy/commit/875e353b39da01a9576c0e3e35b555a5845c4f20) (<https://github.com/Richards-LLC/cassy/commit/875e353b39da01a9576c0e3e35b555a5845c4f20>), tagged v3.25.4. Release (<https://github.com/Richards-LLC/cassy/releases/tag/v3.25.4>) published at 2026-09-11T17:07:51Z. Protected PR (<https://github.com/Richards-LLC/cassy/pull/857>) landed at 16:42:00Z; merge queue (<https://github.com/Richards-LLC/cassy/actions/runs/34622291283>) passed on the landed source. Release workflow (<https://github.com/Richards-LLC/cassy/actions/runs/34625618765>) and hosted install workflow both completed successfully at that source.

Content sources: CHANGELOG 3.25.4 (<https://github.com/Richards-LLC/cassy/blob/v3.25.4/CHANGELOG.md>) and reviewed four-body draft (<https://github.com/Richards-LLC/cassy/blob/v3.25.4/docs/release-notes/2026-09-11-v3.25.4-slack.md>). All 13 User and 16 Dev changes are reproduced as Was → Now without treating editorial bullets as issue closures.

Closure query: `gh issue list --repo Richards-LLC/cassy --state closed --search 'closed:2026-09-11' --limit 100 --json number,title,closedAt,url,state,stateReason.`

Individual `gh api repos/Richards-LLC/cassy/issues/<number>` reads confirm current state, reason and closed timestamp. Reconcile those records with `git log v3.25.3..v3.25.4`: the seven included issues have source references and completed closures within the publication-to-publication window. Snapshot: `/home/pippenz/.cas/artifacts/cas-a412/issues.json`. The previous release endpoint is [v3.25.3](#) (<https://github.com/Richards-LLC/cassy/releases/tag/v3.25.3>), published at 2026-09-11T04:25:37Z.

Issues 832, 834, 838, 842, 847 and 850 remain open at retrieval, despite references in delivered commits. They contribute no dots and are not claimed closed. Issue 843 was closed as not planned, and 829 has no delivered fix in this tag diff; both are excluded. The open [Git fixture ENOENT issue](https://github.com/Richards-LLC/cassy/issues/854) (<https://github.com/Richards-LLC/cassy/issues/854>) remains unresolved: a clean rerun is not a root cause or fix. The open [report adapter integrity issue](https://github.com/Richards-LLC/cassy/issues/856) (<https://github.com/Richards-LLC/cassy/issues/856>) also remains unfixed.

Evidence directory: `/home/pippenz/.cas/artifacts/release/v3.25.4-release-3.25.4-prepare/`. Full-gate proof is `gate.log`, numeric-zero `gate.done`, `gate.full.sha` and `rows/20260911T160457Z-1884358/` (timing, archive, complement and doctest logs). Gate ran 16:04:57Z–16:23:45Z. The two leaky tests were the unreachable-Neon doctor check and noninteractive integration check.

Published download proof: `published-asset-receipt.log` and its zero exit, staged as `release-published.receipt`. Timing proof: `latency-receipt.log` and its zero exit, staged as `release-latency.receipt`. Source-bound workflow JSON identifies Release 34625618765 and install proof 34625944825. `gate.green.epoch` is 1789143825 (16:23:45Z); tag time uses Release workflow creation (17:04:26Z). Both elapsed intervals end at `publishedAt` (17:07:51Z), as defined above.

This report is a post-publication source follow-up, not a new runtime or tag. Slack POSTED and new report-upload integrity receipts are unavailable. Local report QA does not prove uploaded bytes. After the four announcement messages, MechaCassy must attach the PDF to the User parent and link the HTML from the Dev parent. Require independent PDF download, source-hash equality, decode, page count and correct thread binding; independently verify the HTML link destination. The adapter's local hash receipt alone does not satisfy those duties. Preserve partial receipts and never retry an uncertain write. Publication through personal Slack connectors is not authorized.