Proven work is reused, so releases go out much faster.

SURFACE		CLOSED
Release	no listed issues	0

The closure map is empty until release evidence names verified issues.

One dot, one closed issue. 0 issue-bearing surfaces.

Read the map data ↓

Release at a glance

01 / 06

0
Issues closed
Named, verified closed issues in this report

0
Features added
Top-level Added entries in the CHANGELOG section

0
Changed entries
Top-level Changed entries in the CHANGELOG section

0
Fix entries
Top-level Fixed entries in the CHANGELOG section

50m 56s
Green to published
gate.green.epoch to the published receipt, when available

11m 17s — over budget (10m 0s budget)
Tag to published
First tag workflow to publication; measured budget result

2
Manual interventions
Distinct rescued stages plus recorded hand fixes; receipt INTERVENTIONS

▼ Change map · data and reading guide

One filled dot represents one closed issue. Dots have equal weight: this is a count of closures, not a measured impact score.

Change map data · closed issues by surface

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
Release	0	No listed issues
Total	0	0 issue-bearing themes

Source: CHANGELOG `/mnt/rewind/cas/scratch/release-3.52.0/CHANGELOG.md`, release-notes `/mnt/rewind/cas/scratch/release-3.52.0/docs/release-notes/2026-10-14-v3.52.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.52.0; retrieved 2026-10-14T18:50:47Z.

What you can do now

02 / 06

Faster, steadier releases

Proof is reused

WAS every release re-ran the full set of checks several times on work that had already passed. →

NOW the release reuses the checks it already passed, so the final step skips the repeats.

Checks no longer block each other

WAS a browser check could wait ten minutes and fail while a background build check was running. →

NOW both run side by side when there is room.

Parallel work merges cleanly

WAS two pieces of work that both added release notes, or both changed the web app, collided when merged. →

NOW they combine automatically.

Fewer wasted retries

WAS small mistakes were found only after a long remote check, and old checks kept running after a newer change. →

NOW they are caught before sending, and outdated checks stop on their own.

Clearer messages

WAS some finished work was wrongly called already merged, and a missing proof note asked for a full re-run. →

NOW each is judged on its own and the message says exactly what is missing.

Phone conversations

WAS scrolling up through a long thread on a phone could pull you back to the bottom as new messages arrived. →

NOW you stay where you are, and "Jump to latest" appears when you want it.

Under the hood

03 / 06

Release latency (PR #1193)

Merge-queue reuse

WAS Fast Validation re-ran nextest, doctests, preflight and the Commander journeys on the release commit the full gate had just proved. →

NOW `--pipeline` posts `cas/full-gate`, and `cas/full-journeys` when `journey-receipt.py verify-full` passes, naming the proven tree. A queue entry with exactly that tree skips those steps. Compile checks and `macOS Check` still run, and any other tree runs everything.

QA beside an assembly proof	**WAS** a bounded Playwright, visual-QA or Vitest run waited 600 s for proof memory admission and expired. → **NOW** one bounded run is admitted when the proof's reserve and fresh memory keep its estimate plus headroom. The sweep waits `[factory].merge_sweep_quiet_secs` (default 300 s) after the last merge, so one proof covers a burst.
Merge drivers	**WAS** parallel `## [Unreleased]` sections and `hub-web/dist` conflicted. → **NOW** `cas-changelog` unions Unreleased sections (released sections still conflict) and `cas-generated` keeps the target bundle, then `regenerate-generated-artifacts.sh` rebuilds it. Both are installed by Cassy's merges and are available via `scripts/cas-merge-drivers.py install`. A QA verdict carries over a rebase whose source patch, excluding dist, is byte-identical.
Fewer CI rounds	**WAS** a park accepted a tip with no fast-rows receipt, and superseded `factory/*` pushes kept running CI. → **NOW** park requires a `release-gate.sh --fast-rows` PASS for the exact commit, and a newer push cancels the run it supersedes.
Close and merge correctness	**WAS** a resumed per-task merge request was judged by the worker's default branch, and a missing `qa-bundle:` citation was reported as "missing journey receipt". → **NOW** it is judged by `factory/<worker>-<task>`, and the close message names the bundle to cite (GH #1179).
Hub	**WAS** a phone reader scrolling off the tail could be re-pinned while a pin was pending or after unseen growth. → **NOW** that scroll counts as reading, and "Jump to latest" shows.

Fixes ledger

04 / 06

Issue register · 0 verified closures

ISSUE	STATE	CLOSED	THEME

Install

05 / 06

```
cas update  # install v3.52.0 through the proje
ct's normal release channel
```

Change map data · closed issues by surface

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz	sha256:53078c85dd6fd2aec60bdb65a9ff06359c46fe6f2ac3bdc002aba8b71fcf9a29	31896843
cas-x86_64-unknown-linux-gnu.tar.gz	sha256:b95fe9a46cb87956fc698bee75ab7913fb32eb5cc9234d8465a34ea714cf0397	35659984

Evidence and scope

06 / 06

Retrieved: 2026-10-14T18:50:47Z.

Source: CHANGELOG `/mnt/rewind/cas/scratch/release-3.52.0/CHANGELOG.md`, release-notes `/mnt/rewind/cas/scratch/release-3.52.0/docs/release-notes/2026-10-14-v3.52.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.52.0; retrieved 2026-10-14T18:50:47Z.

GitHub issue theme assignment uses labels first, then the keyword table in the CLI. Any issue classified as `Unclassified` is shown in the map so a human can correct the Markdown before rendering.

Release-notes draft: `docs/release-notes/2026-10-14-v3.52.0-slack.md`.

CHANGELOG source: `CHANGELOG.md`.

GitHub release: <https://github.com/Richards-LLC/cassy/releases/tag/v3.52.0> (published or unknown).

Release receipt: `/home/pippenz/.cas/artifacts/release/v3.52.0-release-3.52.0/release-published.receipt`.

Source warnings:

- GitHub issues: referenced closures unavailable or not closed: #1179, #1193