

Pick the machine,
project and account in
Commander and
press Start.

SURFACE		CLOSED
Only reply:	no listed issues	0
Memory	no listed issues	0
Factory	no listed issues	0
Release	no listed issues	0

The closure map is empty until release evidence names verified issues.

One dot, one closed issue. 0 issue-bearing surfaces.

[Read the map data ↓](#)

Release at a glance

01 / 06

0	8	2	0
Issues closed	Features added	Changed entries	Fix entries
Named, verified closed issues in this report	Top-level Added entries in the CHANGELOG section	Top-level Changed entries in the CHANGELOG section	Top-level Fixed entries in the CHANGELOG section

31m 40s

Green to published

gate.green.epoch to the published receipt, when available

▼ Change map · data and reading guide

One filled dot represents one closed issue. Dots have equal weight: this is a count of closures, not a measured impact score.

Change map data · closed issues by surface

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
Only reply:	0	No listed issues
Memory	0	No listed issues
Factory	0	No listed issues
Release	0	No listed issues
Total	0	0 issue-bearing themes

What you can do now

02 / 06

Only reply (user)

Start from Commander

WAS to start a session on another computer you had to SSH in and run a wrapper. →

NOW New session picks the machine, project and account, then starts it there.

Keeps running

WAS a remote session lived in a terminal you had to keep open. →

NOW it keeps running after you close the browser, and when the machine's hub restarts.

Every account listed

WAS a remote start used whichever account that machine happened to pick. →

NOW every Claude and Codex account on it is listed, logged-out ones show their login command.

Your permission

WAS any paired phone or browser could only watch and type. →

NOW starting sessions is a separate permission you grant to each device on purpose.

Team-only projects

WAS a team project also kept personal copies of every task and memory. →

NOW a project can opt in to syncing only with its team.

Under the hood

03 / 06

Only reply (dev)

Launch endpoint

WAS /v1/sessions was read-only. →

NOW POST /v1/sessions takes a registry or browse target, a CLI, an optional profile and workers; it is single-flight per project, returns Attach for a running project, and is audited.

Survives hub restarts

WAS a hub child would die with `cas-hub.service (KillMode=control-group)`. →

NOW each session runs as a transient `cas-factory-<session>` user unit under a `cas hub reap-daemon` reaper that writes the exit receipt.

Service environment	WAS a service-started CLI saw an empty PATH and the main profile. → NOW <code>hub: :launch_env</code> probes the login-shell PATH once, sets the account from <code>[hub.launch_profiles]</code>, and strips ambient tokens.
Targets and profiles	WAS no project or account catalog. → NOW <code>GET /v1/projects</code> lists main repo roots only, <code>/v1/projects/browse</code> stays inside <code>[hub] launch_roots</code>, and <code>GET /v1/launch/profiles</code> reports each CLI on its own.
Team-only sync	WAS every project write was queued for personal and team scope. → NOW <code>cloud.team_only</code> routes project rows to the team only and holds personal rows, since the server requires a project identity.

Fixes ledger

04 / 06

Issue register · 0 verified closures

ISSUE	STATE	CLOSED	THEME
-------	-------	--------	-------

Install

05 / 06



```
cas update # install v3.35.0 through the project's normal release channel
```

Change map data · closed issues by surface

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz	sha256:afa624dccd275d05171af2b5461ebcb96a8213e9b0c951d10a45514fe705299c	27752308
cas-x86_64-unknown-linux-gnu.tar.gz	sha256:cc4e8b083d5745073d5c194a5b876860a635b140d5f3640a3b3c9df416c11e0d	31071695

Evidence and scope

06 / 06

Retrieved: 2026-09-29T01:31:43Z.

Source: CHANGELOG /home/pippenz/Petrastella/cas-src/.cas/release-train-assembly/CHANGELOG.md,
release-notes /home/pippenz/Petrastella/cas-src/.cas/release-train-assembly/docs/release-notes/2026-
09-29-v3.35.0-slack.md, GitHub Richards-LLC/cassy release v3.35.0; retrieved 2026-09-29T01:31:43Z.

GitHub issue theme assignment uses labels first, then the keyword table in the CLI. Any issue classified as
Unclassified is shown in the map so a human can correct the Markdown before rendering.

Release-notes draft: docs/release-notes/2026-09-29-v3.35.0-slack.md.

CHANGELOG source: CHANGELOG.md.

GitHub release: <<https://github.com/Richards-LLC/cassy/releases/tag/v3.35.0>> (published or unknown).

Release receipt: /home/pippenz/.cas/artifacts/release/v3.35.0-release-train-assembly/release-
published.receipt.

No source warnings.