
Keys echo at once even when every session is busy, tool calls stay under two seconds under load, and Commander looks the same on every machine.



16 changes shipped across 4 areas; Sessions has the most, 9.

One dot, one shipped change. 1 GitHub issue closed with this release, listed in the fixes ledger.

See every change ↓

Release at a glance

01 / 06

▼ What shipped, by area

One dot is one change listed in the v3.59.0 CHANGELOG. Dots count changes, not their size or importance.

AREA	CHANGES	WHAT CHANGED
Commander	3	Commander renders its designed type on every machine; Commander Interrupt names the device holding control; The Write access receipt is clear of the rail's fade
Sessions	9	A rate-limited shutdown no longer leaves a stale agent listed; After /clear the heartbeat stays with the new session; Two supervisors on one clone keep their own Slack watches; `cas serve` starts while another agent is creating a task; Supervisors get one alert when several workers die together; Stale relays stop reaching the supervisor; The factory loop does no store or file I/O on the input path; Agent tool calls stay under 2 s while the database is busy; An empty `prompt_queue.db` no longer misleads diagnosis
Tasks	3	A batch QA mode: one staging walk covers every task in a batch; Epic branches are published and current when work starts; A parked delivery merges even when the worker has moved on
Safety	1	Operator-authenticated commands stay out of reach, read-only searches stay allowed
Total	16	4 areas

Source: CHANGELOG `CHANGELOG.md`, release-notes draft `docs/release-notes/2026-10-16-v3.59.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.59.0; retrieved 2026-10-16T14:02:54Z.

16	1	77.7 → 12.8 ms	50 → 1 ms
Changes shipped	**GitHub issues closed**	**Key to echo, p99**	**Control pass, p99**
1 added, 14 fixed, 1 changed; tests and docs not counted	Closed from PR #1227 opening to 15 min after merge	A keystroke's echo under write pressure with 16 agents	One daemon loop pass in its worst 5 s window, same load

2.23 → 1.88 s	54 → 14 ms	36 m 48 s	3 m 7 s
Tool call, p99	**Message, p50**	**Cut → published**	**Merged → published**
Task and coordination tool calls under the same 16-agent pressure	One unloaded `coordination.message` call on a single serve	Release PR #1227 opened at 08:56:17Z to publication at 09:33:05Z	Main landing at 09:29:58Z to release publication at 09:33:05Z

Changes and GitHub issues are counted separately. A change is one titled entry in the v3.59.0 CHANGELOG section; tests and documentation entries are listed under the hood but not counted. A GitHub issue counts when release PR #1227 or the CHANGELOG section references it and it closed between the PR opening (08:56:17Z) and 15 minutes after its merge (09:44:58Z). Issues are closed by hand shortly after the merge, so a report run inside that window waits for referenced issues that are still open. The latency rows compare a build without the change against a build with it, from the factory's load receipts rather than production telemetry: 16 agents, synthetic writers at 38, 63 and 236 writes/s, and 300 s per phase. Key to echo and control pass compare build 0b85372 with ddce962; tool call compares ddce962 with 3ad81fd, rerun on a quiet host; message compares the 54 ms baseline with 004ea9a, with no background writers. The cut and merge rows use GitHub's PR `createdAt` and `mergedAt` and the release `publishedAt`. Not measured for this release: green to published, request to published, blockers, lesson recurrence, manual interventions.

What you can do now

02 / 06

Smoother sessions

Instant typing

WAS with many sessions busy, a keystroke could take about 80 ms to appear.

NOW it appears in about 13 ms.

Faster tools under load

WAS tool calls could take over 2 seconds while the database was busy.

NOW they stay under 2 seconds.

Starts reliably

WAS a session could fail to start while another was creating a task.

NOW it starts.

One alert for a crash

WAS when several helpers stopped at once you got one alert per helper plus a group alert.

NOW one alert lists each helper's last output.

No stale alerts

WAS alerts for finished work, moved branches or old checks could arrive hours late.

NOW out-of-date alerts expire quietly, and the banner of undelivered alerts clears itself.

Focus kept on shutdown

WAS a project focus chosen just before shutdown could be lost.

NOW it is saved.

Commander

Designed type everywhere

WAS Commander used each machine's own fallback fonts.

NOW it ships Inter and JetBrains Mono, so it looks the same on every machine.

Interrupt says who has control

WAS Interrupt could fail with "Couldn't take control" when another device held the session.

NOW it names that device, and an admin pairing takes control and says from whom.

Readable receipts

WAS the last line of the Write access receipt sat in a faded edge.

NOW it is fully readable.

Projects, Slack and the cloud

Batch QA

WAS every change needed its own QA pass.

NOW a project can choose one review walk for a whole batch of changes.

Two leads, one project

WAS starting a second lead session on the same project stopped the first one's Slack watches.

NOW each keeps its own.

Clean sign-off

WAS a busy cloud could leave a closed session listed for up to a day.

NOW sign-off retries until it goes through, and "rate limited" is named as the cause.

Right session after /clear

WAS after /clear, the old session could keep the heartbeat.

NOW the new session keeps it.

Fresh project branches

WAS new work could start from an unpublished or months-old project branch.

NOW the branch is published and brought up to date first.

Finished work merges

WAS finished work could not merge while its author had already started on something else.

NOW it merges, and the new work is left untouched.

Safer commands

WAS some read commands could be made to run other programs, while harmless searches were refused.

NOW risky options are refused and plain searches work.

Under the hood

03 / 06

Daemon loop (#1211, in part)

Relay and director I/O

WAS relay, director-inject and director-refresh store I/O ran inline on the loop.

NOW it runs as store-worker jobs.

Spawn and wake gate

WAS the per-pass spawn-queue poll and prompt-queue wake gate blocked the loop.

NOW both are off-loop; key-to-echo p99 under write pressure is 77.7 ms → 12.8 ms.

Turn probes

WAS the idle-unacked and normal-delivery probes read the agent store and transcripts on the loop.

NOW they run as off-loop relay jobs.

Epic focus

WAS `set_active_epic` wrote session metadata on the loop and could drop the last write at shutdown.

NOW the store worker writes it, and shutdown flushes and drains.

Lane enforcement

WAS nothing stopped I/O from creeping back onto the input path.

NOW `enforce_lane` panics under the test harness and logs once per site otherwise, and a synthetic-PTY load harness writes p99 receipts.

Worker exit

WAS `mark_worker_crashed` reaped process groups and checked worktrees inside the PTY exchange.

NOW that runs after the exchange; names stay reserved until crash cleanup ends.

Store and serve

Write lock only on writes

WAS prompt-queue opens, inbox stale sweeps, empty drains and the Viktor watch expiry took the SQLite write lock without writing.

NOW they read first; MCP p99 under 16-agent pressure is 2.23 s → 1.88 s.

Heartbeat transaction

WAS a heartbeat and its task and worktree lease renewals took the write lock three times.

NOW one transaction that rolls back together.

Boot under concurrent creates

WAS `cas serve` exited when task-sync recovery found another agent's unclassified intent.

NOW a retired snapshot is rechecked under the write lock and skipped; real ambiguity still fails.

Empty prompt_queue.db

WAS a 0-byte `.cas/prompt_queue.db` sat beside the live queue in `cas.db`.

NOW a regular empty file with no sidecars is removed on a writable open.

Relays and alerts

Folded deaths

WAS N Critical `worker_died` relays plus `workers_died_together`.

NOW one Critical fold per recipient with each worker's cleaned tail; the sweep owns recovery and a give-up is logged.

Lifecycle expiry

WAS an `awaiting_merge` relay for a closed task reached the supervisor 8.5 h late.

NOW terminal-obsolete lifecycle relays expire atomically in every drain with a durable reason.

Other stale relays

WAS CI-red for moved heads, verification dispatches past deadline and old attention alerts were still delivered.

NOW they expire the same way; fresh and uncertain relays stay eligible.

Dead-letter rows

WAS `reminder_fired` and `task_lifecycle` rows were never processed, and the undelivered-relay banner never aged.

NOW rows are reconciled and the banner is capped.

Cloud, Violet and git

HTTP 429

WAS a 429 on session-end shutdown was one-shot, leaving the agent listed for up to 24 h.

NOW `Retry-After` or bounded backoff for shutdown, claim release and peer ack, plus a durable shutdown intent and a named "rate limited" health cause.

Shutdown snapshot

WAS new shutdown intents were detected only by directory mtime.

NOW exact file identity, so a coarse mtime cannot hide a change.

Heartbeat after /clear

WAS `ensure_agent_active` moved heartbeat ownership to the fenced old agent.

NOW owner precedence keeps it with the new session.

Violet watches

WAS `watches.json` was per clone, so a second daemon stopped a peer's watches.

NOW watches are keyed per session with owner routing and a login retry.

Epic publication

WAS `focus_epic` and the first spawn left a missing or stale epic branch.

NOW the branch is published to origin and fast-forwarded before lanes are cut.

Dirty reused worktree

WAS `worktree_merge` refused a pushed delivery when the worker's worktree was dirty with its next task.

NOW it merges the parked SHA through an isolated temporary worktree.

Policy, QA and Commander

Command policy

WAS base readers and `git` accepted flags that run other programs, and read-only `awk`, `find | xargs grep` and `gh | grep` were refused.

NOW fail-closed per-tool flag allowlists; grep-only `xargs`; direct `cas config get` only.

Batch QA (#1203)

WAS `qa.evidence_gate` required a per-task QA bundle.

NOW with `qa.mode = "batch"`, one immutable batch receipt (ledger, task ids, staging SHA) satisfies each listed task.

Squash and stale-origin closes

WAS a squash-merged or stale-origin batch delivery was refused at close.

NOW the squash maps to its anchor and the local target counts; override never clears batch debt.

Bundled fonts

WAS Commander shipped no fonts, so CI and users rendered fallbacks.

NOW Inter and JetBrains Mono woff2 (88,660 B) under `font-src 'self'`.

Interrupt on 409

WAS a refused take showed a generic failure.

NOW the holder is read and named; hub-admin pairings retry with force.

Write access receipt

WAS its last line sat in the rail's bottom fade at about 3.4:1.

NOW it is clear of the fade.

Tests

WAS `flv2` inject and slot-cap tests flaked under parallel load, and the Doctor Neon test leaked MCP children.

NOW both are deterministic and hermetic.

Fixes ledger

04 / 06

GitHub issues closed with this release · 1

ISSUE	TITLE	CLOSED	AREA
#1203 (https://github.com/Richards-LLC/cassy/issues/1203)	QA: support a batch QA receipt and a project 'batch' QA mode (one staging walk per batch instead of per-task bundles)	2026-10-16T09:35:48Z	Tasks

Referenced and still open at retrieval, so not counted: #1211 (https://github.com/Richards-LLC/cassy/issues/1211).

Referenced but closed outside this release's counting window, so not counted: #1225 (https://github.com/Richards-LLC/cassy/issues/1225).

Install

05 / 06

```
cas update --yes --version 3.59.0
```

Release assets

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz	sha256:d67984ae8d0540b602b8d37b158299d9977d786cdb636fcade161e854dae5ded	33166313
cas-x86_64-unknown-linux-gnu.tar.gz	sha256:df8f3818d3d5492d08f77f245fe542f635d861aa4373ffc47258f1e77b000c14	37563538

Evidence and scope

06 / 06

Retrieved: 2026-10-16T14:02:54Z.

Source: CHANGELOG `CHANGELOG.md`, release-notes draft `docs/release-notes/2026-10-16-v3.59.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.59.0; retrieved 2026-10-16T14:02:54Z.

Each change is placed in a product area by the words in its title, then its text; a change that matches no area is listed under Other. Correct an area in the Change map table before rendering.

Release PR: <https://github.com/Richards-LLC/cassy/pull/1227> (merged 2026-10-16T09:29:58Z).

Release-notes draft: `docs/release-notes/2026-10-16-v3.59.0-slack.md`.

CHANGELOG source: `CHANGELOG.md`.

GitHub release: <https://github.com/Richards-LLC/cassy/releases/tag/v3.59.0> (published or unknown).

Release receipt: unavailable.

Pipeline latency

Stage timings are unavailable: the latency receipt records no STAGE_SECS.

Source warnings:

- release receipts: green-to-published latency is unavailable under ~/.cas/artifacts/release/