
Cassy v3.67.0

RELEASE REPORT · PUBLISHED 20 OCTOBER 2026 · 5:08 PM ET

See delivery clearly, hear back sooner and keep work moving to the next person.



One dot, one shipped change. No GitHub issues are counted in this report's fixes ledger.

See every change ↓

01 / 06

Release at a glance

▼ What shipped, by area

One dot is one titled change group in the v3.67.0 CHANGELOG. Dots count changes, not their size or importance.

AREA	CHANGES	WHAT CHANGED
Commander	1	Release reports use the Commander brand
Sessions	2	Accepted work keeps its target and its history; Setup and status follow user choices
Tasks	8	Cleanup proves ownership before removal; Verification asks for focused evidence; Review messages match current work; Proof and ownership follow the delivered task; Epic splits preserve claims and progress; Merge and close checks use current evidence; Cross-project proposals keep one identity; Client delivery reports carry evidence
Messages	3	Messages arrive with an acknowledgement; Managed Slack replies can include local files; Stakeholder contact is shared and explicit
Releases	3	Release reports stay scoped and readable; Hub updates protect the installed service; Codex setup stays bounded
Slack and Cloud	1	Cloud recovery preserves content and shows the next step
Safety	2	Credential guards follow command paths; Credential isolation design
Total	20	7 areas

Source: published v3.67.0 CHANGELOG (https://github.com/Richards-LLC/cassy/blob/acfb0b0185e00f049426509d339217b954d1d610/CHANGELOG.md).

20

Changes shipped

15 fixed, 5 changed; tests and docs not counted

Changes and GitHub issues are counted separately. A change is one top-level titled section in the v3.67.0 CHANGELOG; detailed items within each group appear under the hood but do not add dots. Tests and documentation entries are not counted. A GitHub issue counts when release PR #1322 or the CHANGELOG section references it and it closed between the PR opening (3:56 PM ET) and 15 minutes after its merge (5:07 PM ET). Issues are closed by hand shortly after the merge, so a report run inside that window waits for referenced issues that are still open. No GitHub issues are counted in this report's fixes ledger. Not measured for this release: green to published, request to published, cut to published, blockers, lesson recurrence, manual interventions.

02 / 06

What you can do now

Messages that get through

Did it arrive?

WAS

a sent message could leave you guessing.

NOW

see RECEIVED when it reaches the recipient, or PENDING while Cassy keeps trying.

Honest delivery status

WAS

a message that could not reach its reader could still look complete.

NOW

see it as undelivered with a reason, and keep its content for the next person handling the conversation.

Peer handoff

WAS

a message for someone who signed out could stall or be called stale.

NOW

it reaches the next available person or explains why it could not.

Faster follow-up

WAS

an idle conversation could wait two minutes for another nudge.

NOW

Cassy checks after 30 seconds and tries again each minute.

Earlier alerts

WAS

an unread message could wait two hours before an alert.

NOW

the default alert tells you and the people responsible for your workspace after five minutes.

The right conversation

WAS
a message could be picked up by a different conversation.

NOW
it stays with the person it was meant for.

The next instruction

WAS
an older closed request could hide a new assignment.

NOW
each request stays clear, and an expired assignment gets an explanation.

Brief Slack outages

WAS
a short connection loss could be handled differently by different Cassy actions.

NOW
Cassy tries to reconnect briefly and gives the same clear answer if it cannot.

Safer cleanup and recovery

Keep another project's work

WAS
cleanup could miss a matching owner.

NOW
it checks every relevant project and stops when ownership is uncertain.

Preview before signing in

WAS
seeing which saved changes could move to your team required a login.

NOW
preview locally without signing in; log in only to apply it.

A clearer next step

WAS
saved updates waiting for a fix could hide a second problem or suggest a useless retry.

NOW
see accurate counts, both findings and the right remedy.

Shared contact limits

WAS
Cassy could miss a contact limit stored on another device.

NOW
it checks that shared limit before sending and tells you when it cannot reach the other device.

Keep the whole note

WAS
one invisible character could block a note's sync, and a workaround would delete it.

NOW
the text stays unchanged and the note stays safely queued.

Replies and setup

Files in Slack replies

WAS
adding a file to an existing Slack reply needed manual setup.

NOW
include the file when you send the reply.

Delivery handoff reports

WAS
completion reports required manually assembling requirements and feedback rounds.

NOW
a guided report tracks both in one branded handoff.

Quieter reminders

WAS
prompts could repeat after action was taken or while a review was still underway.

NOW
only reminders that still need action are sent.

Quicker Codex checks

WAS
checking an installed version could add another wait.

NOW
Cassy checks only when needed within its existing setup timeout.

Reliable updates

WAS
an update could leave Cassy's hub on an older version or say it had stopped while it was still starting.

NOW
Cassy gives a repair step and shows `starting` until ready.


Branded release reports

WAS


release reports looked different from the rest of Cassy.

NOW

the report and printout share Cassy's colors, lettering and logo, with clean page breaks.



BEFORE



AFTER

Source: CHANGELOG at the published commit (`https://github.com/Richards-LLC/cassy/blob/acfb0b0185e00f049426509d339217b954d1d610/CHANGELOG.md`).

03 / 06

Under the hood

Acknowledged delivery

Receipt verdict

WAS

a pane handoff looked like completion.

NOW

`message_status` leads with RECEIVED or PENDING from recipient evidence, and names ended deliveries without a receipt.

Abandoned messages

WAS

an item could still report Delivered after wake checks were declined; the sender saw no cause and a successor lacked the message.

NOW

it reports Undelivered, names the reason and carries content to the next live session.

Idle wake cadence

WAS

the normal watchdog waited 120 seconds and retried once.

NOW

it checks after 30 seconds, then nudges every 60 seconds up to five times while no turn has started.

Wake bursts

WAS
several messages could repeat wake work, and an optional batch failure could interrupt delivery.

NOW
directed wakes are debounced, share bounded deadlines and still deliver when batching fails.

Escalation

WAS
unread messages could wait hours before escalation.

NOW
priority and normal thresholds both default to 300 seconds, notifying the sender and operator.

Caller identity

WAS
response fallback could drain a parent's mail for a child call.

NOW
caller identity is checked before mail is surfaced or consumed.

Correct message context

WAS
a message mentioning older work could be treated as a stale delivery.

NOW
it is tied to the intended context, and a truly closed target gets an explicit refusal.

Violet reconnects

WAS
command-line and background delivery classified proxy outages differently.

NOW
both use the shared MCP reconnect mapping and bounded retry policy.

Peer succession

WAS
messages for an ended or signed-out recipient could stall or look stale.

NOW
they reach a verified successor when available, or return a clear refusal with bounded recovery details.

Cloud and command safety

Cleanup ownership

WAS
global task ownership and concurrent checkpoints could go unverified.

NOW
project and global stores are checked read-only, with bounded retries and uncertain ownership refused.

Credential path resolution

WAS
a command could reach saved credentials with relative paths after changing directories.

NOW
directory changes and recursive path operands are checked before access.

Local queue preview

WAS
a dry-run migration could trigger Cloud credential preflight.

NOW
the read-only plan loads no credentials; applying it still requires authentication.

Queue diagnostics

WAS
held personal rows counted even when they could not migrate, and generic retry advice obscured the cause.

NOW
counts cover migratable rows and held-only queues point to the migration remedy.

Stable migration plans

WAS
duplicate personal rows could make preview differ from apply.

NOW
both use one deduplicated eligibility plan without discarding original rows.

Transient sync recovery

WAS
a temporary network failure could leave personal sync work parked.

NOW
bounded retries re-arm it without duplicating the queued work.

Lossless task notes

WAS
NUL rejection advice blocked recovery and an interim repair stripped text.

NOW
stored notes and queued payloads stay exact; rows remain parked until Cloud can round-trip NUL losslessly.

Replies and review flow

Managed-thread files

WAS
a local-file reply lacked automatic reply-intent fields and could be refused as external.

NOW
the caller's intent supplies thread and claim checks for a normal file reply, with the same request id for a safe retry.

Replaced drafts

WAS
a newer message from the same task could be reported as a dropped delivery after a sync changed its draft.

NOW
its own replacement is recognized as a superseding update.

Actionable notifications

WAS
already handled events or activity that still needed a review could trigger another prompt.

NOW
notices follow current state and appear only when they still need action.

Cross-project proposals

WAS
aliases could make an accepted task's target mismatch or leave ownership dependent on notes.

NOW
registered project identity is resolved consistently and a local acceptance record grounds the receipt.

Accepted proposal history

WAS
accepted work could disappear from its board or be pruned from untrusted notes.

NOW
it stays visible and its acceptance record controls retention.

Delivery accounting

WAS
shared or reassigned branches could make completed deliveries look stranded.

NOW
close checks each delivery's own branch, including earlier owners' remaining commits.

Named task handoff

WAS
a caller-supplied assignment tag or a busy session could start the wrong task.

NOW
untrusted tags are discarded and each start binds to its named task.

Planning scope

WAS
a plan could hide overlapping work or a local outage, or include work outside a peer's scope.

NOW
warnings remain visible and plans stay within the requested scope.

Lifecycle-safe rework

WAS
an older sync event could reopen work after a newer delivery decision.

NOW
rework follows the latest task lifecycle action.

Merge alert completion

WAS
a terminal fallback or delayed native alert could lose an unfinished merge notice.

NOW
alert work is rechecked against the current inbox and completion is retained through fallback.

Generated skill history

WAS
a close check could run an unsupported generator or compare stale generated references.

NOW
it uses the supported scoped generator and rebuilds each output from merged history.

Task delivery range

WAS
target-branch syncs could make a task's own delivery look like extra work.

NOW
delivery checks skip target-sync merges and follow that task's branch tip.

Shared contact authority

WAS
named-contact posts could proceed without a shared contact check, or leave the outcome unclear on timeout.

NOW
authority is reserved before sending, retries keep one request identity and local uncertainty is visible.

Proof, splits and setup

Portable proof

WAS
evidence and its task context could stay on one machine or branch.

NOW
synced notes carry proof artifacts, and parked reviews recover only for the owning machine and session.

ARTIFACT_PROOF field refusals

WAS
selected evidence fields could accept caller-supplied markers.

NOW
close/cancel/reopen/request_changes/QA reasons, transfer notes, stranded override, spawn_brief and worktree_merge reason refuse them.

Fair work splits

WAS
a split needed both sides to request or grant at once, and expired claims could strand child work.

NOW
either side can initiate, decisions are recorded, old children are retired before reuse, and a live successor can cancel an expired orphan after verifying its owner is gone.

Parked checkout adoption

WAS
a receiving session could lose commits from a parked source checkout.

NOW
adoption preserves its history and reconciles the linked checkout before work resumes.

Viktor opt-out

WAS
a saved opt-out could be ignored by later prompts, and an explicit re-add could remain disabled.

NOW
opt-out persists and an explicit add enables Viktor again.

Developer and release tooling

Elegant tests

WAS
test-first required a new file, and one verifier verdict could create a project rule.

NOW
a changed test case in an existing file qualifies, while reusable lessons stay candidates until separate tasks repeat them.

Release reports

WAS
empty issue captions could count outside the report ledger, and a closing folio could create a footer-only page.

NOW
counts stay scoped to that ledger and the final page keeps its content.

Commander-branded reports

WAS
report pages did not follow the Cassy hub's visual system.

NOW
shared colors, type, mark, Was→Now cards and example captures carry through HTML and print.

Installed hub binary

WAS
update could restart a stale launchd or systemd executable, with no repair guidance.

NOW
it checks the service definition before restart and points to `cas hub service install` when they differ.

Startup readiness

WAS
service install reported not running just after activation.

NOW
it reports `starting` until the runtime is ready.

Hub status phases

WAS

status could lose the startup phase or give drift advice outside the affected service.

NOW

it retains the phase and scopes repair guidance to the detected drift.

Codex version probe

WAS

suffixes and abbreviated versions confused model-cache checks.

NOW

versions compare consistently, and an on-demand probe fits the existing five-second account deadline.

Linux isolation design

WAS

changing HOME alone left absolute credential paths visible.

NOW

the Linux prototype recommends a mount boundary and explicit tool/auth grants; production enforcement and macOS support remain pending.

SOW delivery reports

WAS

completing client work relied on manually assembling requirements, feedback rounds and screenshots.

NOW

a built-in workflow checks each outcome, tracks feedback, pairs requested changes with real captures and prepares a branded report and PM handoff.

SOW report hygiene

WAS

ambiguous client terms or a sign-in redirect could pass as report evidence.

NOW

client identifiers and standards are bounded, and login success is checked before capture.

Viktor import cleanup

WAS

case and import variants could create duplicate or mismatched accounts.

NOW

identities are normalized before cleanup.

Actionable login check

WAS

a login preflight could overflow a narrow terminal.

NOW

its explanation wraps and keeps the next action visible.

Readable SOW captures

WAS

report evidence could be cramped on phones or lose full-width print flow.

NOW

client identifiers are preserved and captures fit phone and print layouts.

04 / 06

Fixes ledger

GitHub issues closed with this release · 0

ISSUE	TITLE	CLOSED	AREA

No GitHub issues are counted in this report's fixes ledger.

05 / 06

Install

```
cas update --yes --version 3.67.0
```

- macOS ARM64 archive (https://github.com/Richards-LLC/cassy/releases/download/v3.67.0/cas-aarch64-apple-darwin.tar.gz) — cas-aarch64-apple-darwin.tar.gz · SHA-256 a08d0bb25b88c191dda22bd359e33ce8be18d7231912d3057dfb209f17dfe57d · 33,574,588 bytes.
- Linux x86_64 archive (https://github.com/Richards-LLC/cassy/releases/download/v3.67.0/cas-x86_64-unknown-linux-gnu.tar.gz) — cas-x86_64-unknown-linux-gnu.tar.gz · SHA-256 8e6aaed97d40f87641460d692d65ae24b62ff847f01153f4922b19f30f894c66 · 38,818,822 bytes.

06 / 06

Evidence and scope

Retrieved 20 October 2026 · 5:17 PM ET from the published CHANGELOG (https://github.com/Richards-LLC/cassy/blob/acfb0b0185e00f049426509d339217b954d1d610/CHANGELOG.md), release-notes draft (https://github.com/Richards-LLC/cassy/blob/acfb0b0185e00f049426509d339217b954d1d610/docs/release-notes/2026-10-20-v3.67.0-slack.md), release PR #1322 (https://github.com/Richards-LLC/cassy/pull/1322) and published release v3.67.0 (https://github.com/Richards-LLC/cassy/releases/tag/v3.67.0).

The map groups each CHANGELOG section by its title and body. The issue window is the release PR opening at 3:56 PM ET through 15 minutes after its 4:52 PM ET merge (5:07 PM ET); no issues named by the PR or CHANGELOG closed in that window. The release was published at 5:08 PM ET.

Green-to-published, request-to-published, cut-to-published and stage timings are unavailable because no latency receipt was recorded. No tag timing is used as a substitute.