

Both recover by themselves, and every message arrives once.

SURFACE		CLOSED
Staying connected	no listed issues	0
Conversations	no listed issues	0
Finding your way	no listed issues	0
Reviews	no listed issues	0
Factory	no listed issues	0
Hub, daemon and protocol	no listed issues	0
hub-web	no listed issues	0
Verification		1

Verification leads the closure map with 1 issue.

One dot, one closed issue. 1 issue-bearing surfaces.

[Read the map data](#) ↓

Release at a glance

01 / 06

1

Issues closed

Named, verified closed issues in this report

4

Features added

Top-level Added entries in the CHANGELOG section

5

Changed entries

Top-level Changed entries in the CHANGELOG section

17

Fix entries

Top-level Fixed entries in the CHANGELOG section

81m 20s

Green to published

gate.green.epoch to the published receipt, when available

▼ Change map · data and reading guide

One filled dot represents one closed issue. Dots have equal weight: this is a count of closures, not a measured impact score.

Change map data · closed issues by surface

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
Staying connected	0	No listed issues

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
Conversations	0	No listed issues
Finding your way	0	No listed issues
Reviews	0	No listed issues
Factory	0	No listed issues
Hub, daemon and protocol	0	No listed issues
hub-web	0	No listed issues
Verification	1	#1023
Total	1	1 issue-bearing themes

Source: CHANGELOG /home/pippenz/Petrastella/cas-src/.cas/release-train-assembly/CHANGELOG.md, release-notes /home/pippenz/Petrastella/cas-src/.cas/release-train-assembly/docs/release-notes/2026-09-27-v3.34.0-slack.md, GitHub Richards-LLC/cassy release v3.34.0; retrieved 2026-09-27T20:44:27Z.

What you can do now

02 / 06

Staying connected

Hub stays up

WAS a browser closing mid-reply could stop the hub, and it stayed down. →

NOW the hub carries on, and the system service restarts it if it ever stops.

Network switches

WAS moving between Wi-Fi, cellular or a VPN could leave Commander stuck or lose a message. →

NOW it reconnects without a reload and sends each waiting message exactly once.

Phone after sleep

WAS a phone waking from a long sleep could read as signed out and go dark. →

NOW it signs in again by itself and stays paired.

Session blips

WAS a message sent while a session briefly lost its link read "Not sent". →

NOW it waits in the conversation and goes out once the session is back.

Messages that wait too long

WAS after two minutes a waiting message told you to re-pair this device, while the line below still promised it would go out. →

NOW it says the session didn't come back, with a Retry.

Quick recovery after a blip

WAS after a session came back, the next brief drop could wait up to 8 seconds before trying again. →

NOW it retries within about a second.

One conversation reconnecting

WAS when only one conversation's link dropped, the banner said the whole machine was lost. →

NOW it says "Reconnecting to" that conversation, and the machine stays Connected.

Pairing needed

WAS a pairing that had been revoked could still read as reconnecting. →

NOW it says "needs pairing again" everywhere, with a Re-pair button on the phone.

No double messages

WAS a message sent again after a reconnect could arrive twice. →

NOW it arrives once.

Conversations

Failed sends

WAS failed messages piled up and crowded out the conversation. →

NOW swipe one away or tap its ×, and a small chip brings them back.

Old questions

WAS a pinned question stayed open and took up the screen. →

NOW it folds to a one-line bar you can dismiss, and a question still waiting on you keeps its choices.

Delivery status

WAS "Not confirmed" lingered and blamed the hub after the reply had come. →

NOW it settles once the reply arrives, shows Delivered when the receipt lands, and offers a quiet Send again.

Blockers

WAS a blocker you had answered stayed alarm red. →

NOW it quiets and says "Acknowledged — you replied".

Take control

WAS a refused Take control repeated its reason in several places. →

NOW it says why once, plainly, and waits for the other device.

Files

WAS a file that failed to open left an empty tab. →

NOW its card says it couldn't open, and no tab is left behind.

Earlier messages

WAS loading earlier messages lost your place. →

NOW you stay where you were reading.

Finding your way

Names

WAS headers and lists led with machine names and could cut a session's name to a sliver. →

NOW they lead with the project, and names stay readable at any width.

Fleet overview

WAS it read like a debug page, and projects that repeated looked identical. →

NOW it reads as a product page, and repeated projects carry a short name tag.

Same session on two machines

WAS in the Fleet overview, one session name running on two machines showed as two identical rows. →

NOW each row carries a short machine tag that stays whole at any width.

Connection status

WAS the header could say "live" next to Degraded, or "Status unavailable". →

NOW it says Checking... and then the machine's real state, and Degraded clears once the machine is back.

Keyboard

WAS focus fell to the page after pairing or opening a conversation. →

NOW it lands where you were going.

Pairing from a phone

WAS pairing a new machine from a phone left you on the list. →

NOW it opens that machine's conversation.

Shortcuts and narrow screens

WAS the palette shortcut always read ⌘K, and a narrow header could hide Back. →

NOW it reads Ctrl K or ⌘K for your platform, and the title gives way first.

Reviews

No review bypass

WAS a change could be merged on GitHub without its independent review. →

NOW the review's verdict is required first.

Fair reviews

WAS a review could fail a change for problems that were already there. →

NOW it judges only what changed, and older problems become follow-ups.

Under the hood

03 / 06

Hub, daemon and protocol

SIGPIPE

WAS `main` sets `SIGPIPE` to `SIG_DFL`, so a `writew` to a gone peer killed the hub, MCP server, bridge and factory daemon. →

NOW long-lived servers ignore it and drop only that peer.

Hub service

WAS the `systemd` unit left a signal-killed hub down. →

NOW it restarts after signal deaths, and doctor flags an inactive service.

upstream_unavailable

WAS a missing daemon upstream was refused as `forbidden`. →

NOW an audited, retryable `upstream_unavailable`; the hub closes the session stream and the page re-holds the send and resends it once.

Held-send retries

WAS while the daemon link stayed down the page resent about once a second, and a legacy-socket send after a refusal ended Not confirmed. →

NOW retries back off 1, 2, 4, then 8 s, and later legacy sends are re-held.

Held-send expiry

WAS the expired bubble fell through to "re-pair this device" and the composer still said "will go out by itself". →

NOW "The session didn't come back while it waited", Retry, and the composer points at the message.

Backoff reset

WAS the held-send backoff kept its last step after the session recovered, so the next blip waited up to 8 s. →

NOW it resets after 10 s of live settle, and the hub double stops reading the legacy socket after a refusal, as the hub does (HUB-J12 step 8).

Session-scoped outage

WAS an `upstream_unavailable` stream close read "Lost connection to <machine>" in the banner, composer and controls. →

NOW all three name the conversation, say the machine is still connected, and keep that wording past the resubscribe timeout.

Auth-loss alarm

WAS a revoked pairing's rail notice still said reconnecting, and its alarm outlived a pairing that worked again. →

NOW the notice reads "needs pairing again" with Re-pair, and a working pairing resolves the alarm.

SendMessage dedupe	WAS a resent SendMessage could queue twice. → NOW the daemon answers a repeated <code>client_ref</code> with its first receipt and queues it once.
DPoP	WAS every 401 read as a revoked pairing, so proofs signed before a long idle darkened the phone. → NOW a refused proof is retried with a fresh one, and the audit row records the denial reason.
Welcome decode	WAS an older client failed to decode a Welcome that advertised an unknown capability. → NOW unknown capabilities are ignored.
Hub logs and audit	WAS a detached <code>cas hub serve</code> traced into the project it started from, and a failing audit writer was silent. → NOW traces go to <code>~/cas/hub/logs</code>, and <code>cas hub status</code> and <code>doctor</code> show audit-writer failures.

hub-web

Network switches	WAS a half-open socket after a route change stuck the connection, and a send into it vanished. → NOW wake and online events probe the socket and replace it, and sends are held while it is in doubt (HUB-J12).
Failed sends and questions	WAS refused sends stacked up and a pinned question stayed open. → NOW dismiss by swipe or ×, restore from a chip; the question folds, and it retires only on evidence it was answered.
Receipts	WAS Not confirmed outlived the supervisor's reply and a late receipt never showed Delivered. → NOW both settle correctly, and a settled card offers a quiet Send again.
Identity and layout	WAS machine-first rows, codename slivers, and a Terminal header that clipped Back or ⌘K. → NOW project-first everywhere, the machine name yields first, and the title gives way before Back or ⌘K.
Status and focus	WAS the header chip said "live" beside Degraded, and focus dropped to body after pairing, Load earlier or opening. → NOW Checking... then the machine's state, and focus lands on the control or conversation.
Fleet overview	WAS a debug page whose plot rows repeated the same project label. → NOW a product page with the shortest distinct codename tag on repeated projects.

Fleet twin tags	WAS one codename on two machines fell back to the full machine label and collapsed to "· <codename>". → NOW rail initials, a short name prefix ("Atl"/"Att") or an ordinal ("BS1"), capped at 12 characters so the tag stays whole in the 132px column.
------------------------	---

QA and close gates

GitHub merges	WAS a raw GitHub merge or a taskless worktree merge could land without the independent QA verdict. → NOW both are held to it (GH #1023, #1024).
Delivery-scoped QA	WAS reviewers rejected for defects already on the page. → NOW only delivery regressions or unmet acceptance reject; pre-existing findings become linked follow-ups.
QA dispatch	WAS user-facing parks without a demo skipped QA. → NOW they get it, supervisors can request it, and reviewers get a credential and account-capacity preflight.
Evidence gate	WAS local auth was the only accepted proof. → NOW deployed authenticated staging runs count when local auth is impossible, and visual-qa captures declared interaction, loading and error states.
visual-qa parsing	WAS OKLCH colours, single-source JSON and non-content surfaces tripped the gate. → NOW all three are handled, and final Expect outcomes are counted (GH #1013, #1017, #1025, #1027, #1037).
Close checks	WAS a hunk the task itself rewrote read as DELIVERY CONTENT DROPPED, and per-task delivery branches confused B2 and the pre-close check. → NOW both are right, and the refusal names the missing lines (GH #1040).
Receipts at close	WAS merge-tip proof, epic headlines and target-sync receipts could miss the real delivery. → NOW all three follow the task's commits and targets (GH #895, #1018, #1028, #1038).

Config and orchestration

Config keys	WAS <code>cas config get/list</code> missed most <code>factory.*</code> keys, including <code>epic_base_branch</code>. → NOW every settable key round-trips, and an unset <code>artifacts_root</code> reads as its default (GH #1011).
Workers	WAS shared-clone supervisors could reap each other's workers, and a worker parked on a decision slept through it. → NOW neither happens, and approved verification commits wake the worker (GH #1036).

Liveness and reminders

was

Codex workers read as dead after MCP reparenting, and cross-session reminders could reach the wrong recipient. →

now

both are fixed, and the rolling sweep finds its runner (GH #1039).

Fixes ledger

04 / 06

Issue register · 1 verified closures

ISSUE	STATE	CLOSED	THEME
#1023 (https://github.com/Richards-LLC/cassy/issues/1023)	CLOSED	2026-09-27T15:35:42Z	Factory

Install

05 / 06



cas update # install v3.34.0 through the project's normal release channel

Change map data · closed issues by surface

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz	sha256:a1a75de4c8c67987f6cd5985287eb6f4d275184811257ec0abfd3882790cdd87	27544871
cas-x86_64-unknown-linux-gnu.tar.gz	sha256:cf63ccb21f24de598e74980776f5a5c77eee96671100627e832bf535e4b28b9c	31775292

Evidence and scope

06 / 06

Retrieved: 2026-09-27T20:44:27Z.

Source: CHANGELOG /home/pippenz/Petrastella/cas-src/.cas/release-train-assembly/CHANGELOG.md, release-notes /home/pippenz/Petrastella/cas-src/.cas/release-train-assembly/docs/release-notes/2026-09-27-v3.34.0-slack.md, GitHub Richards-LLC/cassy release v3.34.0; retrieved 2026-09-27T20:44:27Z.

GitHub issue theme assignment uses labels first, then the keyword table in the CLI. Any issue classified as Unclassified is shown in the map so a human can correct the Markdown before rendering.

Release-notes draft: docs/release-notes/2026-09-27-v3.34.0-slack.md.

CHANGELOG source: CHANGELOG.md.

GitHub release: <<https://github.com/Richards-LLC/cassy/releases/tag/v3.34.0>> (published or unknown).

Release receipt: /home/pippenz/.cas/artifacts/release/v3.34.0-release-train-assembly/release-published.receipt.

Source warnings:

- GitHub issues: referenced closures unavailable or not closed: #895, #1011, #1013, #1017, #1018, #1024, #1025, #1027, #1028, #1036, #1037, #1038, #1039, #1040

cas-src v3.34.0 / Release report

[Markdown source](#) · [Print edition](#)