PUBLISHED 16 OCTOBER 2026 · 09:33:05 UTC · RELEASE COMMIT 42DABFB3744EF36DE3F63809EFE9DF5611D98E0F.

Keys echo at once even when every session is busy, tool calls stay under two seconds under load, and Commander looks the same on every machine.

SURFACE		CLOSED
Sessions	no listed issues	0
Projects	●	1
Commander	no listed issues	0

Projects carries the one verified closure, batch QA; the session speed-ups and the Commander fixes shipped without a closing GitHub issue.

One dot, one closed issue. 1 issue-bearing surfaces.

Read the map data ↓

Release at a glance

01 / 06

1

Verified closures

Issues referenced by PR #1227 and closed after its merge

28

Changelog entries

2 Added, 3 Changed and 23 Fixed top-level entries in the v3.59.0 CHANGELOG section

77.7 → 12.8 ms

Key to echo, p99

A keystroke's echo under write pressure with 16 agents

50 → 1 ms

Control pass, p99

One daemon loop pass in its worst 5 s window, same load

2.23 → 1.88 s

Tool call, p99

Task and coordination tool calls under the same 16-agent pressure

54 → 14 ms

Message, p50

One unloaded `coordination.message` call on a single serve

36 m 48 s

Cut → published

Release PR #1227 opened at 08:56:17Z to publication at 09:33:05Z

3 m 7 s

Merged → published

Main landing at 09:29:58Z to release publication at 09:33:05Z

Closures and changelog entries are counted separately: a changelog entry is a shipped change, and only an issue referenced by the release PR that closed after the merge counts as a closure. One such issue closed, at 09:35:48 UTC; the section's 4 Tests and docs entries are not counted as changelog entries. The latency rows compare a build without the change against a build with it, from the factory's load receipts rather than production telemetry. The pressure profile is 16 agents, synthetic writers at 38, 63 and 236 writes/s, and 300 s per phase. Key to echo and control pass compare build 0b85372 (r5) with the C2d build ddce962. Tool call compares C2d with the cas-1bc7 build 3ad81fd, rerun on a quiet host. Message compares the 54 ms baseline with build 004ea9a, with no background writers. Timing endpoints are GitHub's PR `createdAt` and `mergedAt` and the release `publishedAt`; cut to main took 33 m 41 s. The merge queue ejected the first attempt on a GitHub macOS runner fault, and the release re-entered it once at 09:14:48Z with no product change. No release-latency receipt was written for this release, so green-to-published and per-stage timings are unavailable.

▼ Change map · data and reading guide

Each equal-area dot represents one issue that release PR #1227 references and that closed after it merged. The figure counts closures, not impact, effort, or severity.

Change map data · closed issues by surface

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
Sessions	0	The typing, tool-call and alert improvements are part of the factory-loop work, whose issue stays open
Projects	1	#1203
Commander	0	The bundled fonts, the Interrupt holder and the readable receipt shipped without a GitHub issue
Total	1	1 issue-bearing surface

Sources: release PR #1227 (https://github.com/Richards-LLC/cassy/pull/1227), CHANGELOG at the release commit (https://github.com/Richards-LLC/cassy/blob/42dabfb3744ef36de3f63809efe9df5611d98e0f/CHANGELOG.md), and the linked issue record in the fixes ledger. Retrieved 16 October 2026 at 09:38 UTC.

What you can do now

02 / 06

Smoother sessions

Instant typing

WAS with many sessions busy, a keystroke could take about 80 ms to appear.

NOW it appears in about 13 ms.

Faster tools under load

WAS tool calls could take over 2 seconds while the database was busy.

NOW they stay under 2 seconds.

Starts reliably

WAS a session could fail to start while another was creating a task.

NOW it starts.

One alert for a crash

WAS when several helpers stopped at once, you got one alert per helper plus a group alert.

NOW one alert lists each helper's last output.

No stale alerts

WAS alerts for finished work, moved branches or old checks could arrive hours late.

NOW out-of-date alerts expire quietly, and the banner of undelivered alerts clears itself.

Focus kept on shutdown

WAS a project focus chosen just before shutdown could be lost.

NOW it is saved.

Projects, Slack and the cloud

Batch QA

WAS every change needed its own QA pass.

NOW a project can choose one review walk for a whole batch of changes.

Two leads, one project

WAS starting a second lead session on the same project stopped the first one's Slack watches.

NOW each keeps its own.

Clean sign-off

WAS a busy cloud could leave a closed session listed for up to a day.

NOW sign-off retries until it goes through, and "rate limited" is named as the cause.

Right session after /clear

WAS after /clear, the old session could keep the heartbeat.

NOW the new session keeps it.

Fresh project branches

WAS new work could start from an unpublished or months-old project branch.

NOW the branch is published and brought up to date first.

Finished work merges

WAS finished work could not merge while its author had already started on something else.

NOW it merges, and the new work is left untouched.

Safer commands

WAS some read commands could be made to run other programs, while harmless searches were refused.

NOW risky options are refused and plain searches work.

Commander

Designed type everywhere

WAS Commander used each machine's own fallback fonts.

NOW it ships Inter and JetBrains Mono, so it looks the same on every machine.

Interrupt says who has control

WAS Interrupt could fail with "Couldn't take control" when another device held the session.

NOW it names that device, and an admin pairing takes control and says from whom.

Readable receipts

WAS the last line of the Write access receipt sat in a faded edge.

NOW it is fully readable.

Under the hood

03 / 06

Daemon loop (#1211, in part)

Relay and director I/O

WAS relay, director-inject and director-refresh store I/O ran inline on the loop.

NOW it runs as store-worker jobs.

Spawn and wake gate

WAS the per-pass spawn-queue poll and the prompt-queue wake gate blocked the loop.

NOW both run off the loop; key-to-echo p99 under write pressure is 77.7 ms → 12.8 ms.

Turn probes

WAS the idle-unacked and normal-delivery probes read the agent store and transcripts on the loop.

NOW they run as off-loop relay jobs.

Epic focus

WAS `set_active_epic` wrote session metadata on the loop and could drop the last write at shutdown.

NOW the store worker writes it, and shutdown flushes and drains.

Lane enforcement

WAS nothing stopped I/O from creeping back onto the input path.

NOW `enforce_lane` panics under the test harness and logs once per site otherwise; a synthetic-PTY load harness writes p99 receipts.

Worker exit

WAS `mark_worker_crashed` reaped process groups and checked worktrees inside the PTY exchange.

NOW that runs after the exchange, and names stay reserved until crash cleanup ends.

Store and serve

Write lock only on writes

WAS prompt-queue opens, inbox stale sweeps, empty drains and the Viktor watch expiry took the SQLite write lock without writing.

NOW they read first; MCP p99 under 16-agent pressure is 2.23 s → 1.88 s.

Heartbeat transaction

WAS a heartbeat and its task and worktree lease renewals took the write lock three times.

NOW one transaction that rolls back together.

Boot under concurrent creates

WAS `cas serve` exited when task-sync recovery found another agent's unclassified intent.

NOW a retired snapshot is rechecked under the write lock and skipped; real ambiguity still fails.

Empty prompt_queue.db

WAS a 0-byte `.cas/prompt_queue.db` sat beside the live queue in `cas.db`.

NOW a regular empty file with no sidecars is removed on a writable open.

Relays and alerts

Folded deaths

WAS N Critical `worker_died` relays plus `workers_died_together`.

NOW one Critical fold per recipient with each worker's cleaned tail; the sweep owns recovery, and a give-up is logged.

Lifecycle expiry

WAS an `awaiting_merge` relay for a closed task reached the supervisor 8.5 h late.

NOW terminal-obsolete lifecycle relays expire atomically in every drain, with a durable reason.

Other stale relays

WAS CI-red relays for moved heads, verification dispatches past their deadline and old attention alerts were still delivered.

NOW they expire the same way; fresh and uncertain relays stay eligible.

Dead-letter rows

WAS `reminder_fired` and `task_lifecycle` rows were never processed, and the undelivered-relay banner never aged.

NOW rows are reconciled, and the banner is capped.

Cloud, Violet and git

HTTP 429

WAS a 429 at session end was one-shot, leaving the agent listed for up to 24 h.

NOW `Retry-After` or bounded backoff for shutdown, claim release and peer ack, plus a durable shutdown intent and a named "rate limited" health cause.

Shutdown snapshot

WAS new shutdown intents were detected only by directory mtime.

NOW exact file identity, so a coarse mtime cannot hide a change.

Heartbeat after /clear

WAS `ensure_agent_active` moved heartbeat ownership to the fenced old agent.

NOW owner precedence keeps it with the new session.

Violet watches

WAS `watches.json` was per clone, so a second daemon stopped a peer's watches.

NOW watches are keyed per session, with owner routing and a login retry.

Epic publication

WAS `focus_epic` and the first spawn could leave a missing or stale epic branch.

NOW the branch is published to origin and fast-forwarded before lanes are cut.

Dirty reused worktree

WAS `worktree_merge` refused a pushed delivery while the worktree held the next task.

NOW it merges the parked SHA through an isolated temporary worktree.

Policy, QA and Commander

Command policy

WAS base readers and `git` accepted flags that run other programs, while read-only `awk`, `find … | xargs grep` and `gh … | grep` were refused.

NOW fail-closed per-tool flag allowlists; grep-only `xargs`; a direct `cas config get` only.

Batch QA (#1203)

WAS `qa.evidence_gate` required a per-task QA bundle.

NOW with `qa.mode = "batch"`, one immutable batch receipt (ledger, task ids, staging SHA) satisfies each listed task.

Squash and stale-origin closes

WAS a squash-merged or stale-origin batch delivery was refused at close.

NOW the squash maps to its anchor and the local target counts; an override never clears batch debt.

Bundled fonts

WAS Commander shipped no fonts, so CI and users rendered fallbacks.

NOW Inter and JetBrains Mono woff2 (88,660 B) are served under `font-src 'self'`.

Interrupt on 409

WAS a refused take showed a generic failure.

NOW the holder is read and named; hub-admin pairings retry with force.

Write access receipt

WAS its last line sat in the rail's bottom fade at about 3.4:1.

NOW it is clear of the fade.

Deterministic tests

WAS the `flv2` inject and slot-cap tests flaked under parallel load, and the Doctor Neon test leaked MCP children.

NOW both are deterministic and hermetic.

Fixes ledger

04 / 06

Issue register · 1 verified closures

ISSUE	STATE	CLOSED	THEME
#1203 (https://github.com/Richards-LLC/cassy/issues/1203)	CLOSED	2026-10-16T09:35:48Z	Projects

Install

05 / 06

```
cas update --yes --version 3.59.0
```

- macOS ARM64 — download archive (https://github.com/Richards-LLC/cassy/releases/download/v3.59.0/cas-aarch64-apple-darwin.tar.gz), SHA-256 `d67984ae8d0540b602b8d37b158299d9977d786cdb636fcade161e854dae5ded`, 33,166,313 bytes.
- Linux x86_64 — download archive (https://github.com/Richards-LLC/cassy/releases/download/v3.59.0/cas-x86_64-unknown-linux-gnu.tar.gz), SHA-256 `df8f3818d3d5492d08f77f245fe542f635d861aa4373ffc47258f1e77b000c14`, 37,563,538 bytes.

Evidence and scope

06 / 06

The report covers the v3.59.0 runtime published from release commit `42dabfb3744ef36de3f63809efe9df5611d98e0f` (tag v3.59.0). The closure window is the issues referenced by PR #1227 (https://github.com/Richards-LLC/cassy/pull/1227) that closed after its merge at 09:29:58Z on 16 October 2026. The changelog is at the release commit (https://github.com/Richards-LLC/cassy/blob/42dabfb3744ef36de3f63809efe9df5611d98e0f/CHANGELOG.md), the published release is v3.59.0 (https://github.com/Richards-LLC/cassy/releases/tag/v3.59.0), and the user-facing wording follows the release-notes draft `docs/release-notes/2026-10-16-v3.59.0-slack.md`.

Timing sources: GitHub PR #1227 (`createdAt` 08:56:17Z, `mergedAt` 09:29:58Z) and release `publishedAt` 09:33:05Z. The merge queue ejected the first attempt on a GitHub macOS runner fault: no log was uploaded, and Release Prebuild macOS built fine. The release re-entered the queue once, at 09:14:48Z, with no product change. The release was installed on the release host about 18 s after publication (09:33:23Z). No release-latency receipt exists under `~/.cas/artifacts/release/` for v3.59.0, so green-to-published, request-to-published and stage timings are unavailable, and no budget verdict is claimed. Retrieved 16 October 2026 at 09:38 UTC.

Latency sources: the factory loop v2 load receipts. Key-to-echo and control-pass p99 come from `load-flv2-c2d-ddce962-n16.json` (16 of 16 agents live, writers delivered at 38.1, 63.1 and 236.4 writes/s) against the r5 receipt for build 0b85372. Tool-call p99 comes from the cas-1bc7 rerun on a quiet host, `load-c1bc7-3ad81fd-r2-n16.json`, against the C2d pressure phase. Message p50 comes from the cas-1bc7 single-serve check on build 004ea9a (20 calls per tool). All are pre-release candidate builds of this release's changes, not the published binary.

Not counted as closures: #1225 closed on 16 October at 05:11:12Z with v3.58.0, before this release; this release ships its follow-up, merging a parked delivery from a dirty worktree. #1211 (the factory TUI architecture) is still open; the daemon-loop work here addresses it in part. Dots count issue closures, not impact, effort, or severity.