cas-src v3.72.0

RELEASE REPORT · PUBLISHED 22 OCTOBER 2026 · 6:06 AM ET

Parallel sessions stay coordinated, and Cassy reports what really happened.

AREA	CHANGES
Commander	1
Sessions	1
Tasks	5
Messages	1
Releases	2
Other	3

13 changes shipped across 6 areas; Tasks has the most, 5.

One dot, one shipped change. No GitHub issues are counted in this report's fixes ledger.

See every change ↓

01 / 06

Release at a glance

▼ What shipped, by area

One dot is one change listed in the v3.72.0 CHANGELOG. Dots count changes, not their size or importance.

AREA	CHANGES	WHAT CHANGED
Commander	1	Hub restarts under contention
Sessions	1	Shared-file edits are coordinated across sessions
Tasks	5	Task claims stay exclusive across upgrades; A restarting task keeps its fresh claim; Merges report what actually happened; Stacked and cross-host epics; Close and park accept the right evidence
Messages	1	Messages reach the right reader
Releases	2	Builds wait in priority order; Cleanup reclaims scratch and explains itself
Other	3	Configuration keys behave as advertised; Terminal output respects the locale; Rule observations survive load
Total	13	6 areas

Source: CHANGELOG `CHANGELOG.md`, release-notes draft `docs/release-notes/2026-10-22-v3.72.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.72.0; retrieved 22 October 2026 · 6:50 AM ET.

13

Changes shipped

12 fixed, 1 added; tests and docs not counted

31.3 min

Release PR open to published

PR #1332 opened 09:35:23 UTC; release published 10:06:42 UTC (GitHub API)

> Changes and GitHub issues are counted separately. A change is one titled entry in the v3.72.0 CHANGELOG section; tests and documentation entries are listed under the hood but not counted. A GitHub issue counts when release PR #1332 or the CHANGELOG section references it and it closed between the PR opening (5:35 AM ET) and 15 minutes after its merge (6:10 AM ET). Issues are closed by hand shortly after the merge, so a report run inside that window waits for referenced issues that are still open. No GitHub issues are counted in this report's fixes ledger. Not measured for this release: green to published, request to published, cut to published, blockers, lesson recurrence, manual interventions.

02 / 06

What you can do now

Shared work stays coordinated

Task ownership

WAS
overlapping sessions could clear a task's claim at the wrong time.

NOW
claims stay protected while another session takes over or restarts the task.

Shared files

WAS
two sessions on one project could edit the same file without either knowing.

NOW
the edit still goes ahead, and Cassy says who else holds the file, on which machine and for which task.

Handing work over

WAS
handing a task to someone else could leave it locked until a timer ran out.

NOW
release, reset, transfer and handing back free the task at once.

Merges and reviews report what actually happened

Merge results

WAS
a slow merge could report an unknown outcome even though it had finished.

NOW
a finished merge always says so, and the rest of the close is recorded on the task when it completes.

Branches in one place

WAS
merging into a branch that existed only online, or only on your machine, could fail with a confusing error.

NOW
both cases merge cleanly, and an unreachable server is reported as not pushed.

Build results

WAS
a reminder could fire before the build checks had really finished, or never fire when they were cancelled.

NOW
it fires once the checks are actually done.

Follow-on work

WAS
follow-up work planned on top of unreleased changes could not start.

NOW
it builds on the unreleased changes and warns when it falls behind them.

Fewer repeat test runs

WAS
changing only a doc after a passing test run forced the tests to run again.

NOW
a doc-only change keeps the earlier test proof.

Messages reach the right person

Questions are kept

WAS
a question could be silently dropped when other messages arrived at the same time.

NOW
every message is kept and shown once, oldest first.

Reminders

WAS
a reminder could appear to come from the wrong person, or stay pending forever.

NOW
reminders keep their real sender and expire when they no longer apply.

Picking up after a reset

WAS
resuming a session after a reset could forget answers it had already received.

NOW
the resume summary includes those answers.

Session handover

WAS
when a coordinating session ended, its open tasks and pending questions were lost.

NOW
they are handed to the next session, with a short preview at startup.

Builds and disk space

Urgent builds first

WAS
an urgent build waited behind routine ones.

NOW
builds start in priority order, and nobody can jump the queue by raising their own priority.

Disk space

WAS
review copies of the project piled up on disk and were never cleaned up.

NOW
they are reused, then cleaned up after their task, with unsaved changes kept.

Cleanup reports

WAS
the cleanup report overflowed the screen and called real changes a preview.

NOW
it fits the screen, explains each cleanup step and can be run from the command line.

Smoother everyday commands

Restarting the hub

WAS
two restarts at once could both report failure while a hub was left running.

NOW
each restart reports what really happened and leaves one healthy hub.

Settings

WAS
some listed settings were refused as unknown, and resetting one wrote the default back.

NOW
every listed setting works, and reset removes your override.

Plain terminals

WAS
setup, help and prompts printed symbols that plain terminals cannot show.

NOW
they fall back to plain characters and fit narrow windows.

Copy-paste fixes

WAS
some suggested git commands could be changed by the shell when pasted.

NOW
suggested commands are quoted so they run exactly as shown.

Under the hood

Claims and file leases

Claim fences

WAS

3.71 took no per-task fence; only unreleased development builds deleted settled fence files.

NOW

3.72 retains those files and releases their OS locks. Pending, synchronous and manual-claim releases all go through the fence.

Cross-session file leases

WAS

Edit/Write in two factory sessions on one repo never saw each other.

NOW

edits claim the repo path as a Cloud `File` claim, and a held file gets a holder/machine/task advisory. Codex `apply_patch` edits are claimed too.

Lease lifecycle

WAS

release, reset, force-transfer and a blocked yield left file or task leases until expiry.

NOW

they free them and name the real holder. Cloud claim release runs off the caller on park, close and cancel.

Merges

worktree_merge receipts

WAS

a merge past the 55 s MCP budget answered `Mutation outcome: UNKNOWN`.

NOW

COMMITTED once published, with merge and push state. The background close writes its outcome and task status to a note.

Merge targets

WAS

origin-only targets failed `not something we can merge`, and local-only re-merges hit `CONTAINMENT COULD NOT BE VERIFIED`.

NOW

origin-only targets are materialized, origin confirms local-only, one fetch is reused and a no-op skips the sync.

Parked delivery pinning

WAS

a merge could take the worker's unpushed local HEAD and treat an HTTP 422 CI lookup as advisory.

NOW

guards and git operations pin the reviewed SHA, and drift or missing remote commits are refused.

ci_completed

WAS

it fired while a check-run was still in progress, and never fired when every check-run was cancelled.

NOW

it settles exactly when merge admission would see CI finished.

Stacked epics

WAS

a successor epic created during an unreleased one was cut from main.

NOW

it stacks on its open predecessor, and `epic_status` warns about lag, cross-host local-only lanes and attributed supersessions.

Superseded merge alerts

WAS

fallback delivery paths kept the stale MERGE REQUIRED text for a superseded tip.

NOW

they deliver the Superseded body, without stale ref-disagreement or push-required lines.

Close and park gates

Proof inputs

WAS

a doc-only change after a receipt forced FOCUSED PROOF REQUIRED, and inputs were read from the checkout HEAD.

NOW

doc-only ranges rebind, while embedded crate files and manifests are read from the delivered tree.

Delivery anchors

WAS

re-closes, amended anchors and reused lanes were refused or misattributed.

NOW

approved receipts survive a re-claim, amended anchors rebind and delivery binds to the task's start base.

Concurrent close writes

WAS

the terminal close write could revert a concurrent `proof_scope_fix` or a note appended mid-close.

NOW

both survive, and an audited no-delivery declaration closes genuinely empty work.

Gate order with the new checks

WAS

3.71 had no parked-delivery or no-delivery checks to order against its QA and merge gates.

NOW

a backend-only squash closes without a QA round, a pending QA round refuses both merge paths first, and start resolves an origin-only epic base.

Priority guard

WAS

3.71 had no guard on a worker raising its own task's priority.

NOW

the guard runs only for a real priority change, after the proof-scope check, so a locked delivery scope is refused as such.

Messaging

Folded worker actions

WAS

a worker's question could be dropped as superseded by a control-policy message.

NOW

coalesced actions carry every body once, oldest first, and `message_status` answers local ids.

Reminders and resume briefs

WAS

reminders were misattributed or never expired, and recycle/clear briefs dropped received answers.

NOW

issuers are kept, orphans expire, and briefs include capped received history.

Supervisor handoff

WAS

session end lost owned tasks, live workers, parked PRs and pending asks.

NOW

the handoff keeps lease evidence and is bound to the successor's registration epoch.

SessionStart handoff pointer

WAS

SessionStart compaction could drop the handoff stub when other guidance grew.

NOW

the compact pointer (id, title and get command) is kept for every role within the unchanged budget.

Builds, gc and the hub

Build admission

WAS

P0 builds queued behind P2 at the cap, and verifier subagents built outside it.

NOW

priority-ordered admission refuses self-promotion, and `cas factory verifier-test` runs verifiers in the capped lane.

Capacity waits

WAS

every capacity refusal toggled the task to blocked and paged the supervisor.

NOW

a bounded wait keeps the lease and status, one notice past the bound wakes an idle supervisor, and fruitless admission GC cools down.

Scratch and gc

WAS

review scratch checkouts were never reclaimed, and `gc_report` overflowed the terminal.

NOW

task-owned checkouts are collected, and `cas factory gc report|cleanup` shows a bounded summary with full and JSON views.

gc durable-artifact counts

WAS

3.71's gc report printed raw, unbounded status lines.

NOW

the bounded summary keeps the durable-artifact counts on their own row, ahead of long paths, within 80 columns.

Hub restarts

WAS

concurrent `cas hub restart` calls could both report `status:error`, lose the hub's process record or leave an empty cgroup.

NOW

outcomes are attributed to the peer, and cleanup holds the machine lock.

Config and locale

WAS

registered keys were refused, editor resets wrote defaults and `LC_ALL=C` printed Unicode.

NOW

the keys work and `notifications.webhook_url` is operator-only. Resets remove the key, and output falls back to ASCII.

Other

Rule observation

WAS

`rule action=observe` failed with `database is locked` under load, losing rule candidates.

NOW

observation writes retry under contention.

Quoted git remedies

WAS

printed git remedies left `{ } , !` unquoted for bash to expand.

NOW

remedies are quoted atomically, synced branch names are sanitized, and doctor's JSON keeps standalone git advice.

MCP schema size

WAS

3.71's `tools/list` sat near its 59,000-byte budget.

NOW

3.72 adds `no_delivery`, gc `full`, `record_test_receipt` and `recover_branch` within it, with tightened descriptions and no rule dropped.

04 / 06

Fixes ledger

GitHub issues closed with this release · 0

ISSUE	TITLE	CLOSED	AREA

No GitHub issues are counted in this report's fixes ledger.

05 / 06

Install



```
cas update --yes --version 3.72.0
```

Release assets

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz	sha256:1e04d966999848dbdf1debab851fc7fc0374acf8363d35050696998f24f2d197	35251229
cas-x86_64-unknown-linux-gnu.tar.gz	sha256:fe387afb098fccc3499763f92a8942e745a9f7484f2b79e0fbae8d23484fde9c	40245711

06 / 06

Evidence and scope

Retrieved: 22 October 2026 · 6:50 AM ET.

Source: CHANGELOG `CHANGELOG.md`, release-notes draft `docs/release-notes/2026-10-22-v3.72.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.72.0; retrieved 22 October 2026 · 6:50 AM ET.

Each change is placed in a product area by the words in its title, then its text; a change that matches no area is listed under Other. Correct an area in the Change map table before rendering.

Release PR: https://github.com/Richards-LLC/cassy/pull/1332 `(https://github.com/Richards-LLC/cassy/pull/1332)` (merged 22 October 2026 · 5:55 AM ET).

Release-notes draft: `docs/release-notes/2026-10-22-v3.72.0-slack.md`.

CHANGELOG source: `CHANGELOG.md`.

GitHub release: https://github.com/Richards-LLC/cassy/releases/tag/v3.72.0 (`https://github.com/Richards-LLC/cassy/releases/tag/v3.72.0`) (published 22 October 2026 · 6:06 AM ET; `publishedAt` 2026-10-22T10:06:42Z).

Release receipt: no `release-latency.receipt` was written for this release. Timings come from the GitHub API, retrieved 22 October 2026 · 6:50 AM ET: PR #1332 opened 09:35:23 UTC and merged 09:55:35 UTC (20.2 min); the release was published 10:06:42 UTC, 11.1 min after the merge. The Slack Dev reply's 20.6 and 10.8 min use the release owner's endpoints instead: `release.sh` start (09:35:18 UTC) and the main landing (09:55:52 UTC). Green-to-published latency is not measured.

Pipeline latency

Stage timings are unavailable: the latency receipt records no STAGE_SECS.

Source warnings:

- release receipts: green-to-published latency is unavailable under ~/.cas/artifacts/release/; pass --latency-receipt <run-dir>/release-latency.receipt for a standalone measurement

---