Cassy v3.87.0

RELEASE REPORT · PUBLISHED 28 OCTOBER 2026 · 5:57 PM ET

Commander stays connected and makes the work readable.



One dot, one shipped change. No GitHub issues are counted in this report's fixes ledger.

See every change ↓

01 / 06

Release at a glance

▼ What shipped, by area

One dot is one titled CHANGELOG change. Section headings group changes; dots do not measure size or importance.

AREA	CHANGES	WHAT CHANGED
Commander	11	A connection that recovers; A smaller, faster sign-in store; Connection state means what it says; Readable tables and callouts; Code you can copy and wrap; Attachments stay with their previews; More faithful Show work detail; Find the right conversation; See progress without the whole board; Phone feedback stays usable; Released Commander deploys automatically
Sessions	3	A clear session ending; Terminal input belongs in the conversation; Sent messages keep their identity
Tasks	8	Review follows the actual delivery; Merged work stays recognizable; Review and completion notices arrive; Less repetition, clearer task state; Shared evidence is retrievable; Doctor reports partial checks honestly; Guards understand literal clipboard text; Targeted cleanup and test commands
Safety	5	Claude usage comes from Claude; Choose an account with useful context; Type ahead without losing the answer; Mac logins and startup work as expected; Portable Mac push checks
Total	27	4 areas

Source: CHANGELOG `CHANGELOG.md`, release-notes draft `docs/release-notes/2026-10-28-v3.87.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.87.0; retrieved 28 October 2026 · 6:07 PM ET.

27

Changes shipped

14 fixed, 4 added, 9 changed; titled entries, not group headings

30m 11s

Green to published

Over the 20-min budget; merge-queue CI completion to publication

29m 39s

Main to published

Over the 20-min budget by 9m 39s; main landing to published release

17 min

Second queue run

Within the 30-min budget; re-queue to successful landing, minute-rounded handoff

> Changes and GitHub issues are counted separately. A change is one titled entry in the v3.87.0 CHANGELOG section; tests and documentation entries are listed under the hood but not counted. A GitHub issue counts when release PR #1422 or the CHANGELOG section references it and it closed between the PR opening (4:22 PM ET) and 15 minutes after its merge (5:43 PM ET). Issues are closed by hand shortly after the merge, so a report run inside that window waits for referenced issues that are still open. No GitHub issues are counted in this report's fixes ledger. The final publication receipt contains no per-stage blocker or intervention records. The release timeline includes a queue ejection at 4:38 PM ET, one repair cycle and re-queue at 5:10 PM ET; those precede the final publication interval and are not a zero-intervention claim for the whole release. Not measured for this release: request to published, cut to published, lesson recurrence.

02 / 06

What you can do now

Stay connected and know what happened

Steadier connections

WAS

Commander could flicker between connected and disconnected or stay waiting after your machine recovered.

NOW

Slow background reads do not hold up connection checks, and recovery retries stay bounded.

Honest status

WAS

A machine starting up could look broken, and refused access could leave Working on.

NOW

Startup says Connecting; lost or refused access clears Working.

A clear ending

WAS

Leaving with /exit could leave a stale work panel.

NOW

A dated Session ended receipt tells you what stopped and what is still running.

Your messages stay yours

WAS

Terminal-typed messages could appear late, and a message already received could still say Not confirmed.

NOW

Terminal input appears in order, and sent messages retain their own identity through reload and replay.

Find the work and read it comfortably


Project navigation

WAS


Sessions were a flat list with little context.

NOW

Project cards, Needs you, machine filters and reported account details help you find the right conversation. Before/after screenshots compare project grouping.



BEFORE



AFTER

Release progress

WAS

A narrow panel dumped the whole task board beside unavailable buttons.

NOW

Read merged progress, current work and tasks that need you. All tasks opens the wider board; permission guidance folds into one line.

Room to read

WAS

The progress panel stayed narrow and phone feedback could cover a task.

NOW

Resize by dragging or keyboard, keep your chosen width, and read phone feedback without overlaps. Scrollbars match your theme.

Readable replies

WAS

Table words broke into single letters and headings and warnings blended together.

NOW

Tables wrap whole words and formatting, headings keep their levels, and notes and warnings stand out.


Code and files

WAS


Copying code meant selecting it, previews sat apart from files and sent pictures became paths.

NOW

Code has Copy and Wrap. Files stay with their previews; your sent pictures remain thumbnails after reload, including on another device. Before/after screenshots compare the code frames.



BEFORE



AFTER

Preview recovery

WAS

A failed picture could leave an empty panel and stay failed.

NOW

Failures are compact and retry after reconnect.

Accounts, Macs and updates

Account choices

WAS

The picker made capacity hard to compare and could lose text typed ahead.

NOW

Weekly usage leads each usable account's row, recommendations are clear, and typed answers keep their normal meaning.

Claude and Mac support

WAS

Claude usage came from a direct private request, and valid Mac logins could be refused.

NOW

Usage comes from Claude's own tool, Mac credentials are recognized consistently and startup handoffs stay compact.

The hosted app stays current

WAS

A runtime release did not update hosted Commander.

NOW

Publication deploys its released Commander bundle automatically.

Under the hood

Hub and Commander

Recovery

WAS

Slow subscription and catalog work blocked health checks and recovery churn shared retry pressure.

NOW

Health and interactive service are isolated, sessions retain independent backoff and outage recovery is bounded.

Measured recovery

WAS

A dropped connection could leave stale state waiting.

NOW

The measured check detects the drop in about 2 seconds and recovers in about 4 seconds; this is a measured check, not a network-wide guarantee.

Auth persistence

WAS

Requests repeatedly parsed and rewrote accumulated connection tickets and synchronously appended audit data.

NOW

Ticket pruning, cached identity reads and batched rotating audit writes reduce contention while retaining revocation checks and capability compatibility.

Measured store size

WAS

7.96 MB.

NOW

88 KB in the recorded comparison.

Measured lock-wait p95

WAS

504 ms.

NOW

0.07 ms in that comparison.

Session truth

WAS

Ended identity vanished during teardown, terminal capture could lag completion and durable sends lost their client reference.

NOW

Generation-bound exit receipts survive cleanup, terminal input orders by input time and durable history correlates the original client reference before text.

Scoped progress

WAS

The project-wide epic catalog was treated as session ownership.

NOW

Header and task groups share an open, pinned-first or owner-based filter, matching names and registration IDs. Optional verification ownership is carried on the wire; All tasks remains explicit.

Rich chat

WAS

Prose tables collapsed columns, split messages damaged fenced code and status folding could consume code-shaped replies.

NOW

Word-aware tables render inline formatting, code frames preserve source with Copy and Wrap, and headings and callouts keep their semantics.

Attachments and work detail

WAS

Preview failures stayed cached and sent uploads exposed host paths; background command output could disappear.

NOW

Session-bound previews recover on reconnect, sent uploads hydrate across devices and typed work facts retain background-command outcomes with legacy fallback.

Runtime and delivery correctness

Official Claude usage

WAS

Subscription credentials were used for a direct private usage request.

NOW

Capacity is consumed only from the official binary's native statusline output.

Account input and portability

WAS

Picker buffers crossed prompt boundaries, profile spelling affected Keychain lookup and push checks used GNU-only commands.

NOW

Buffered input retains terminal editing and EOF semantics, profile paths normalize and readable Mac credentials work, and distribution checks are portable.

Startup and help

WAS

Codex startup emitted raw context or invalid hook output; help could require a default Claude login and empty Codex homes propagated.

NOW

Native startup produces compact valid handoffs, help parses first and empty homes are unset.

Close and review identity

WAS

Accumulated branch changes, stale tips or competing proof pointers could misclassify a delivery.

NOW

Actual attributed commits and explicit final receipts govern classification; independent evidence, renamed paths, accepted drops and identical-tree repairs keep their identities.

Notifications and state

WAS

Background review dispatch could expire silently, later transitions could swallow completion relays and routine reads repeated settled bodies.

NOW

Dispatch is delivered, durable relays survive transitions, delayed notices are labelled and recipient projections retain intent without replaying settled content.

Artifacts and diagnostics

WAS

Peer artifact retrieval depended on local lookup, and partial issue queries or schema errors could yield misleading doctor results.

NOW

Visible Cloud metadata resolves committed evidence, authenticated metadata reads refuse redirects, and diagnostics retain partial results with explicit unavailable states.

Local safety and cleanup

WAS

Literal clipboard text could trip policy guards, expanding heredocs escaped inspection and retired-cache scans depended on a global budget.

NOW

Literal and expanding bodies are distinguished, missing bodies fail closed, memory writes stay bound to the active profile/project and known retired caches can be reclaimed while preserving proof.

Process ownership and checks

WAS

Cleanup could miss child processes, resumed sessions lost server ownership and push checks could inspect the wrong checkout.

NOW

Process-tree cleanup and resumed ownership are retained; checks bind to the pushed branch and accept named CommonJS browser cases.

Hosted deployment

WAS

Runtime publication left the hosted web build behind and transient promotion checks could roll back a healthy deployment.

NOW

Publication deploys its released bundle, pins the deployment CLI, removes the GitHub token from its environment and retries the live read before rollback.

04 / 06

Fixes ledger

GitHub issues closed with this release · 0

ISSUE	TITLE	CLOSED	AREA

No GitHub issues are counted in this report's fixes ledger.

05 / 06

Install

```
cas update --yes --version 3.87.0
```

Release assets

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz	sha256:6ff6ae02496232cdcc1ad117edb93b29499e40709dc13f475f877caebeef0cc2	37614942
cas-x86_64-unknown-linux-gnu.tar.gz	sha256:6a685ee78c7dfd8157b9dadce0fc47fe0afa53b5c31b9e0f24ed21769e4f4864	42238906
hub-deployment.json	sha256:5df690b99eea79d51933c2fecb2102b8b857ed6ec6338f30e06c68a5cfea63f8	643

06 / 06

Evidence and scope

Retrieved: 28 October 2026 · 6:07 PM ET.

Source: CHANGELOG `CHANGELOG.md`, release-notes draft `docs/release-notes/2026-10-28-v3.87.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.87.0; retrieved 28 October 2026 · 6:07 PM ET.

Each change is placed in a product area by the words in its title, then its text; a change that matches no area is listed under Other. Correct an area in the Change map table before rendering.

Release PR: release pull request `(https://github.com/Richards-LLC/cassy/pull/1422)` (merged 28 October 2026 · 5:28 PM ET).

Release-notes draft: `docs/release-notes/2026-10-28-v3.87.0-slack.md`.

CHANGELOG source: `CHANGELOG.md`.

GitHub release: v3.87.0 downloads `(https://github.com/Richards-LLC/cassy/releases/tag/v3.87.0)` (published 28 October 2026 at 5:57 PM ET).

Release receipt (relative to `~/.cas/artifacts`): `cassy-bbb8e75581403d3edc2689512df64eaf37780d70a032cb0d79850218dfada14a/cas-784a/latency/release-latency.receipt`.

Publication timing

The official receipt starts at queue green 5:27:42 PM ET, then main landed 5:28:14 PM ET and publication finished 5:57:53 PM ET. Green to published is 30m 11s; main to published is 29m 39s. Both exceed the 20-minute publication budget; the release is already live and the overrun is recorded honestly.

The handoff timeline, rounded to minutes, is PR opened 4:23 PM ET; queue ejection 4:38 PM; one repair; re-queue 5:10 PM; main 5:28 PM; publication 5:57 PM. The second queue run took 17 minutes against a 30-minute budget. Installation timing and granular stage durations are not established by this report's receipt.

Capture and counting scope

The release-range lookup returned 8 complete verified pairs and 135 findings for other evidence. Only two matching desktop-light pairs are used: project grouping and code frames. The remaining changes have no image here; no side was fabricated or reconstructed.

The change map counts 27 bold titled CHANGELOG entries, not its 7 section headings. GitHub issue counts and their closure window remain the generator's official-query result, unchanged.

Stage timings are unavailable: the latency receipt records no STAGE_SECS.

Source note: grouped CHANGELOG headings required manual entry counting; tracked as cas-711a. Pair PNGs exceeded the finalizer image budget; their existing matching JPG captures are embedded instead.
