
A rapid response mode for urgent fixes, and workers that move through their own task lists.



One dot, one shipped change. No GitHub issues are counted in this report's fixes ledger.

See every change ↓

01 / 06

Release at a glance

▼ What shipped, by area

One dot is one Added, Fixed or Removed entry in the v3.91.0 CHANGELOG. Dots count changes, not their size or importance. This section lists no known limits.

AREA	CHANGES	WHAT CHANGED
Commander	1	Quick rich-content inspections are counted
Sessions	3	Workers move through an ordered task list; Worker starts share one checkout safely; A removed Codex worker model stays removed
Tasks	6	Rapid response mode; Parked delivery anchors stay on the branch; Worker pushes keep required hooks; Park no longer reads local fast-row receipts or exceptions; Queued closes report completion before the handoff; Capture keeps its receipt when checkouts run out of time
Messages	1	Messages kept in two tabs all go out after an outage
Total	11	4 areas

Source: CHANGELOG `CHANGELOG.md` (3.91.0 section only), release-notes draft `docs/release-notes/2026-10-30-v3.91.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.91.0; retrieved 30 October 2026 · 1:53 AM ET. Product-area assignments are editorial; the release and titles are preserved.

11

Changes shipped

8 fixed, 2 added, 1 removed

1h 55m 32s

Release commit to main

30-minute target; 1h 25m 32s over after one queue ejection

11m 36s

Main to published

20-minute target; 8m 24s under

11m 56s

Queue green to published

20-minute budget; 8m 4s under

Changes and GitHub issues are counted separately. One titled Added, Fixed or Removed entry in the 3.91.0 CHANGELOG section is one change. Commander holds the inspection counter; Sessions groups how workers start and move through their work; Tasks groups rapid response and the delivery, close and capture fixes; Messages holds the two-tab send fix. Its code shipped in v3.90.0, and its CHANGELOG entry was recorded in the 3.91.0 section, so it is counted here once. Empty areas are omitted, and the generator's stable area order is retained. These editorial assignments replace keyword matching.

A GitHub issue counts when release PR #1428 or the CHANGELOG section references it and it closed between the PR opening (11:41 PM ET) and 15 minutes after its merge (1:51 AM ET). The generator counted zero issue closures; that count is unchanged, and there is no zero tile on page one. The publication receipt records no blocked stage and no manual intervention after main landed; it does not cover the queue before main. Not measured for this release: request to published, cut to published, per-stage times and lesson recurrence.

The release commit (11:41 PM ET) reached main at 1:36 AM ET, 1 hour 55 minutes later and over the 30-minute target. The merge queue rejected the release once, and one repair cycle followed. Publication then took 11 minutes 36 seconds from main, inside the 20-minute target. The prior release took 3 hours 39 minutes to main and 13 minutes 49 seconds to publish. Those intervals have separate endpoints and do not measure the same stage.

02 / 06

What you can do now

Commander

Quick inspections are counted

WAS

Opening and closing a diagram's source or a diff in quick succession could go uncounted.

NOW

Each opening is counted, even when the browser merges the two clicks.

Sessions

Work keeps moving

WAS

A worker finished one task and could wait a long time for the next assignment.

NOW

Each worker takes an ordered list of tasks and starts the next one on its own. The list can be inspected, reordered or cleared at any time.

One task per checkout at a time

WAS

Starting a task by hand could race a queued start, leaving two tasks running in the same checkout.

NOW

Every start waits its turn, so one checkout runs one task at a time.

A removed model stays removed

WAS

A Codex worker whose model and effort were removed after setup could still use them.

NOW

Only the launch's final model and effort are used.

Tasks

Rapid response mode

WAS

Every fix ran the full set of checks and reviews, even during an urgent outage.

NOW

The operator can open a time-boxed window, at most 12 hours, for one project board. Checks scale down while a safety floor stays on: build, changed-test and secret checks still refuse, database changes wait for the operator's review, and every skipped check is caught up when the window closes.

Finished work cannot be rewritten

WAS

Work already handed in could be overwritten.

NOW

Overwrites are refused, and a recovery merge that restores the handed-in work is accepted.

Required checks cannot be skipped

WAS

A push could skip the required checks with a skip flag or a settings trick.

NOW

Those pushes are refused, while ordinary pushes work as before.

Checks run where they cannot be faked

WAS

The finish line trusted a local "checks passed" note that anyone on the machine could write.

NOW

The shared build server decides, and the local note is only an early warning.

Closes report correctly

WAS

Closing a task could say nothing changed even though it had closed, when starting the next task ran late.

NOW

The close is recorded first, so the reply matches what happened.

Capture keeps its receipt

WAS

If time ran out while preparing before and after copies, a screenshot capture stopped with an error and no receipt.

NOW

It prints a receipt that names the timeout.

Messages

Kept messages all go out

WAS

With two Commander tabs open, a message kept during an outage could wait until the page was reloaded.

NOW

Each kept message is sent once when the connection returns, whichever tab sends it.

Source: this fix shipped in v3.90.0; its CHANGELOG entry was recorded in the 3.91.0 section.

03 / 06

Under the hood

Commander

Rich-content inspection counter

WAS

Opening and closing a diagram source or unified diff in quick succession could collapse into one toggle event, leaving the inspection uncounted.

NOW

The usage counter increments when the opening summary is activated, even if the browser coalesces the toggles.

Factory workflow

Ordered worker queues

WAS

One assignment at a time per worker.

NOW

Spawn and assignment accept an ordered task list; close or park starts the next eligible task on its own target branch and keeps the prior delivery ref. Stale entries are skipped with notes, and a returned delivery can resume while its successor is held in place.

One start lock per worker

WAS

A manual start could race the first queue assignment or a refilled queue and change branches in the same checkout.

NOW

Every start holds the worker's start lock through its Git and lease work; unqueued starts wait, queued starts refuse a busy lock, and both re-read queue state.

Final launch model only

WAS

A Codex worker launch whose model and effort were removed after setup still passed them to its CAS tools.

NOW

Only the launch's final model and effort reach the CAS tools.

Delivery process

Rapid response window and floor

WAS

Per-task QA, close verification and batch receipts always gated a fix, and nothing recorded checks skipped under pressure.

NOW

`cas qa rapid-response enable <epic> --for <duration>` opens an operator-only window of at most 12 hours: per-task QA is skipped, close verification runs for one task in four and fixes close without a batch receipt, while the post-release check stays a full gate. Build, touched-test and evidence secret checks still refuse; an unreadable diff, a secret-shaped line or a migration keeps every gate, and migrations wait for `cas qa rapid-response review-migration`. Each skip is recorded under `.cas/operator/`, and window close files one back-fill task.

Anchor rewrite refusal

WAS

A push could replace a published delivery with rewritten history, and re-parking could refuse the recovery merge that restored its anchor.

NOW

Worker pushes refuse non-fast-forward rewrites of a published factory tip, and re-parking accepts the unchanged recovery merge that restores the recorded anchor.

Hook bypass guard

WAS

`--no-verify`, exported `GIT_CONFIG_COUNT` or `GIT_CONFIG_PARAMETERS`, `core.hooksPath` changes or unsets, `declare -x` and `set -a` could bypass factory push checks.

NOW

Workers and reviewers are refused each form; inherited `GIT_CONFIG_GLOBAL` and `GIT_CONFIG_NOSYSTEM` no longer block a plain push, and supervisors keep the approved exception route.

CI-only fast-row proof

WAS

Park required a local fast-row PASS receipt or a supervisor-approved exception file, both written by the same user as the worker.

NOW

CI runs the fast rows once per lane and is the only fast-row proof; the pre-push hook stays early feedback, and the exception writer, validator and hook reader are gone. This closes the 3.90 known limit that same-user PASS receipts were still trusted.

Close before handoff

WAS

A close could finish writing Closed, then report its status unchanged when starting the next task ran past the response deadline.

NOW

The close is marked committed before the handoff; an interrupted handoff is recovered from the durable queue.

Capture timeout receipt

WAS

If the capture budget ran out while Git prepared the private before/after checkouts, `cas deliverable capture` exited with a usage error and no receipt.

NOW

It prints a receipt with a capture-timeout finding, as it already did for a slow server.

Messages

Two-tab kept messages

WAS

With two Commander tabs open, a message kept during an outage could stay "Waiting for the connection" under a Live header until reload.

NOW

Each kept message is sent once when the connection returns, whichever tab sends it. The code shipped in v3.90.0.

04 / 06

Fixes ledger

GitHub issues closed with this release · 0

ISSUE	TITLE	CLOSED	AREA

No GitHub issues are counted in this report's fixes ledger.

05 / 06

Install

```
cas update --yes --version 3.91.0
```

Release assets

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz	sha256:87c4fee44c6c25edeb5a106b3a1e169be92419021944852b4afce2f4e4933674	37706972

ASSET	DIGEST	SIZE
cas-x86_64-unknown-linux-gnu.tar.gz	sha256:96ad01b0b8051f3462c1393e8be8b65a343733ceb6399f88387b81071aef4457	42937516
hub-deployment.json	sha256:9e32c1973cf1a74d3eadaeed6e9ee13fac3b46bb4292d8b52f9236b3d14c252c	643

06 / 06

Evidence and scope

Source: CHANGELOG `CHANGELOG.md` (3.91.0 section), release-notes draft `docs/release-notes/2026-10-30-v3.91.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.91.0; retrieved 30 October 2026 · 1:53 AM ET.

Area groupings are editorial (see the counting note); every CHANGELOG title is preserved.

Release PR: https://github.com/Richards-LLC/cassy/pull/1428 (https://github.com/Richards-LLC/cassy/pull/1428) (merged into main 30 October 2026 · 1:36 AM ET).

GitHub release: https://github.com/Richards-LLC/cassy/releases/tag/v3.91.0 (https://github.com/Richards-LLC/cassy/releases/tag/v3.91.0) (published 30 October 2026 · 1:48 AM ET; tag v3.91.0 at 36f17f9399d51c974918f9f2ca219f9affd75171; release.yml run 41009405002).

Release commit: `9463d7bc2` (`release: v3.91.0`), committed 29 October 2026 · 11:41:17 PM ET. Release receipt: the standalone `release-latency.receipt`, kept with this report's proof under the Cassy artifacts root.

Pipeline latency

Command: `scripts/release-latency-receipt.sh v3.91.0 --budget-seconds 1200 --run-dir <proof>/latency`. Merge-queue green (run 41007947313) at 1:36:29 AM ET to publication at 1:48:25 AM ET is 716 seconds (11m 56s), inside the 1,200-second budget. Main landed at 1:36:49 AM ET, so main to published is 696 seconds (11m 36s). Release commit to main is 6,932 seconds (1h 55m 32s), from the release commit's committer time. No per-stage seconds were recorded. Neither value stands in for another.

No source warnings.