Cassy v3.75.0

RELEASE REPORT · PUBLISHED 23 OCTOBER 2026 · 8:29 AM CT

Cassy cleans up safely and names the next step.

AREA	CHANGES
Sessions	2
Tasks	7
Messages	1
Releases	4
Slack and Cloud	1

15 changes shipped across 5 areas; Tasks has the most, 7.

One dot, one shipped change. No GitHub issues are counted in this report's fixes ledger.

See every change ↓

01 / 06

Release at a glance

▼ What shipped, by area

One dot is one change listed in the v3.75.0 CHANGELOG. Dots count changes, not their size or importance.

AREA	CHANGES	WHAT CHANGED
Sessions	2	Dead session cleanup; Ignored signals stay ignored
Tasks	7	Project progress words; Rebased fix-forward merges; Recorded branch remedies; Blocked delivery rebinding; Same-branch parked closes; Review build seeding; Tests mounted beside a directory
Messages	1	Codex readiness paths
Releases	4	Report links on other default branches; Release PDF assets table; Version placeholders in drafts; Prompt prebuild refusals
Slack and Cloud	1	Successful pulls stay successful
Total	15	5 areas

Source: CHANGELOG `CHANGELOG.md`, release-notes draft `docs/release-notes/2026-10-23-v3.75.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.75.0; retrieved 23 October 2026 · 8:35 AM CT.

15

Changes shipped

1 added, 14 fixed; tests and docs not counted

14m 57s

Green to published

Over budget (10m 0s budget); Merge-queue CI completion to publication

Changes and GitHub issues are counted separately. A change is one titled entry in the v3.75.0 CHANGELOG section; tests and documentation entries are listed under the hood but not counted. A GitHub issue counts when release PR #1352 or the CHANGELOG section references it and it closed between the PR opening (7:53 AM CT) and 15 minutes after its merge (8:29 AM CT). Issues are closed by hand shortly after the merge, so a report run inside that window waits for referenced issues that are still open. No GitHub issues are counted in this report's fixes ledger. No release stage was blocked. No manual interventions. Not measured for this release: request to published, cut to published, lesson recurrence.

02 / 06

What you can do now

Everyday commands

Dead session cleanup

WAS

Records left by sessions that ended abruptly piled up and were rechecked for every project.

NOW

An update checks them once and safely removes the ones nothing still uses.

Ignored signals stay ignored

WAS

A Cassy screen started with nohup could still close when its terminal hung up.

NOW

Signals you chose to ignore stay ignored, and the background check wakes less often.

Successful pulls stay successful

WAS

A finished sync could be reported as failed because a later warning lookup failed.

NOW

The sync is reported as successful and the lookup problem is listed.

Codex readiness paths

WAS

Codex trust messages could print a folder path whose hidden characters disguised it.

NOW

Hidden characters in those paths are shown visibly.

Delivery and recovery

Rebased fix-forward merges

WAS

A rebased follow-up delivery could be refused and pointed at a branch that did not exist.

NOW

The rebased work merges directly and suggestions name only real branches.

Recorded branch remedies

WAS
Some delivery branch names were refused with no next step, or made every task look ambiguous.

NOW
The refusal names the fix, the task's own branch wins and interrupted merges resume.

Blocked delivery rebinding

WAS
A delivery blocked after review could be moved to a new branch before anyone asked for changes.

NOW
Cassy asks for a change request first and keeps the existing evidence.

Same-branch parked closes

WAS
Starting new work on the same branch name could block closing finished, merged work.

NOW
A validated merge receipt closes it, and merged work is no longer called never pushed.

Build and release tools

Review build seeding

WAS
A review build could change files in the build it borrowed from, and cleanup overstated the space it would free.

NOW
Changing build files are copied, interrupted setups are recovered and cleanup reports real savings.

Tests mounted beside a folder

WAS
A test included by a file next to its folder counted as missing coverage.

NOW
It counts, and a test included by two files names both instead of choosing silently.

Report links on other default branches

WAS
Release report links assumed a branch called main and could be dead.

NOW
The links use the repository's default branch.

Release PDF assets table

WAS
The printed report could leave the downloads table heading alone at the bottom of a page.

NOW
The heading stays with its first row, and the PDF check catches a stranded heading.

Prompt prebuild refusals

WAS

A permanent permission error could make a release wait half an hour for a ready-made build.

NOW

It stops at once with a clear reason, while temporary errors still retry.

Version placeholders in drafts

WAS

A release draft using the supported version placeholder failed its pre-publication check.

NOW

The draft passes before release, and posting still refuses unfilled placeholders.

Project progress words

WAS

Terminal checks flagged normal progress lines such as Building project... as cut off.

NOW

Projects can list their own progress words, and the single-character ellipsis works too.

03 / 06

Under the hood

Everyday commands

Dead session cleanup

WAS

Stale session cleanup ran only in tests, and binding checks spawned a thread and runtime per socket probe per project.

NOW

One inventory per cas update reaps owned, unchanged dead records with refused or missing GUI probes, and writer churn asks for a rerun.

Ignored signals stay ignored

WAS

The client signal guard replaced an inherited SIG_IGN, and its watcher polled every 20 ms.

NOW

Signals whose prior disposition is SIG_IGN keep it, the watcher polls at 100 ms and the second-signal re-raise is documented.

Successful pulls stay successful

WAS

A post-apply guard-report read error turned an applied pull with an advanced cursor into a failure.

NOW

The error is appended to the pull's errors, and LocalWins, non-superseding and owner-wins skips are documented exclusions.

Codex readiness paths

WAS

The codex_trust not-trusted and failed-to-parse readiness messages interpolated raw paths.

NOW

They use visible_hook_path, and one shared unsafe-character predicate serves hook labels and CLI remedies.

Delivery and recovery

Rebased fix-forward merges

WAS

worktree_merge checked the stale pre-rebase anchor and suggested a branch with a doubled task suffix.

NOW

Equivalent remote rebases rebind before the merge-source gate, and suggestions name only existing local or origin refs.

Recorded branch remedies

WAS

Non-pattern recorded branches had no remedy, an unsuffixed branch made every task ambiguous and resume stopped at 0 candidates.

NOW

Refusals name request_changes or rebind_branch, per-task refs outrank unsuffixed ones and receipt-backed resume runs first.

Blocked delivery rebinding

WAS

rebind_branch accepted a Blocked task with a parked delivery without request_changes.

NOW

It refuses while a parked branch or anchor exists, and the merge-source helper is a plain bool check.

Same-branch parked closes

WAS

Reusing a branch name made close refuse DELIVERY BRANCH UNRESOLVED, and a merged per-task ref read as never pushed.

NOW

A validated integrated commit_receipt closes and audits the old base, and target-contained parked refs count as integrated.

Build and release tools

Review build seeding

WAS

Seeding hardlinked build-script outputs, could orphan .target-seed-in-progress and counted hardlinked bytes at full size.

NOW

build/ outputs are copied, orphan stages are recovered and an inode counts once only when all its links are in the deletion scope.

Tests mounted beside a folder

WAS

The proof-scope sibling matcher searched only the test's own directory and silently chose the first of competing parents.

NOW

The adjacent directory-named .rs file is a candidate, and an alias mounted by two parents is refused naming both files.

Report links on other default branches

WAS

Report Markdown source and print-edition links hardcoded blob/main.

NOW

They use the detected repository default branch.

Release PDF assets table

WAS

The assets table header could separate from its row at a page end.

NOW

The template keeps header and first row together, and check-pdf.py reports orphaned_assets_headers.

Prompt prebuild refusals

WAS

A definite 4xx artifacts-query failure waited the full 1800 s prebuild window.

NOW

401, 403 and 404 decline at once, while rate limits, 408, 5xx, network errors and exits 124/137 retry, and a final run-list failure names its cause.

Version placeholders in drafts

WAS

Announcement lint rejected the supported version placeholder, failing pre-push fast rows.

NOW

Prepublication lint accepts it, while strict validation and posting still reject unresolved tokens before any write.

Project progress words

WAS

The terminal-qa progress exemption allowed five fixed nouns and only ASCII dots.

NOW

Repeatable --progress-noun flags or progressNouns declare whole nouns, and U+2026 is accepted under the same grammar.

04 / 06

Fixes ledger

GitHub issues closed with this release · 0

ISSUE	TITLE	CLOSED	AREA

No GitHub issues are counted in this report's fixes ledger.

05 / 06

Install

```
cas update --yes --version 3.75.0
```

Release assets

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz	sha256:8c218f3c0b94bed729039cf37768a25a3ff135005f15240c2a9a488091f4e54a	35668470
cas-x86_64-unknown-linux-gnu.tar.gz	sha256:54079f746e39bd5f6a5dc235d4627cf930b60ff6e9ba0b75b136c1ff8fc8e051	40604284

06 / 06

Evidence and scope

Sources retrieved 23 October 2026, 8:35 AM CT: CHANGELOG (https://github.com/Richards-LLC/cassy/blob/v3.75.0/CHANGELOG.md), the release draft (https://github.com/Richards-LLC/cassy/blob/v3.75.0/docs/release-notes/2026-10-23-v3.75.0-slack.md), and GitHub release v3.75.0 (https://github.com/Richards-LLC/cassy/releases/tag/v3.75.0). PR #1352 (https://github.com/Richards-LLC/cassy/pull/1352) opened at 7:53:32 AM CT and merged at 8:14:51 AM CT (21m 19s); publication completed at 8:29:38 AM CT, 14m 47s after the merge.

Each change is grouped by its title, then its text; unmatched changes appear under Other. Prompt prebuild refusals was moved from Sessions to Releases by hand, because it changes how a release waits for a ready-made build. Counts describe changes, not impact.

Merge-queue green at 8:14:41 AM CT to publication at 8:29:38 AM CT took 897 seconds, over the 600-second budget. The overrun is recorded, not hidden; the release was already live and was not held. Per-stage timings are unavailable.

The published archives were downloaded fresh and matched GitHub's SHA-256 metadata before any digest entered the release draft. Version 3.75.0 is installed on the release host through `cas update`. No source warnings.