Thirty-eight changes span five areas, led by releases and sessions.



38 named changes shipped across five product areas. Releases has the most, with 11.

One dot, one bold-titled CHANGELOG change. Later issue reconciliation is recorded in the ledger.

See every change ↓

Release at a glance

01 / 06

▼ What shipped, by area

One dot, one bold-titled CHANGELOG change. Later issue reconciliation is recorded in the ledger.

AREA	CHANGES	WHAT CHANGED
Commander	7	macOS lifecycle; One remedy after reboot; Uninstalled service; 80-column output; Commander catalog; Commander connection log; Commander reply composer
Sessions	9	Corrected identity; Peer ownership; Shared clones; Review and park races; Task start; Unread and wake signals; Escalation; Reply routes and nudges; Hook guards
Messages	5	Historical backlog; Wake age; Thread attachments; Unmanaged channels; Multipart receipts
Releases	11	Doctor database errors; Locale-aware notices; Claude sign-in line; Update failures in JSON; Sync output contrast; Store override notice; Coordination help; Issue tracker settings; Factory lanes; CI verdicts; Native macOS proof
Slack and Cloud	6	Claim receipts; Channel binding reconciliation; Pull echoes; Alias scope; Accepted proposals; Proposal receipts
Total	38	5 areas

Source: CHANGELOG `CHANGELOG.md`, release-notes draft `docs/release-notes/2026-10-19-v3.65.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.65.0; retrieved 20 October 2026 · 8:57 AM ET.

38

Changes shipped

Bold-titled entries across seven CHANGELOG groups; tests and docs not counted

14m 4s

Green to published

Over budget (10m 0s budget); Merge-queue CI completion to publication

Changes and GitHub issues are counted separately. A change is one bold-titled bullet in the v3.65.0 CHANGELOG section; tests and documentation entries are listed under the hood but not counted. A GitHub issue counts when release PR #1301 or the CHANGELOG section references it and it closed between the PR opening (4:26 PM ET) and 15 minutes after its merge (8:51 AM ET). Issues are closed by hand shortly after the merge, so a report run inside that window waits for referenced issues that are still open. No GitHub issues fall within the generator's referenced-issue counting window. Later release reconciliation is recorded separately below. The standalone latency receipt contains no per-stage blocker or intervention ledger, so those counts are unavailable. Two earlier queue entries were ejected before the successful third entry; this is not presented as an uninterrupted release. Not measured for this release: request to published, cut to published, lesson recurrence.

What you can do now

02 / 06

Slack replies

Fresh asks first

WAS days-old Slack messages could replay ahead of new asks.

NOW messages from before a channel was connected are set aside; new asks come first.

Message age

WAS an old message picked up late looked brand new.

NOW it shows when it was written, or unknown.

Reply attachments

WAS a reply could report success without its files.

NOW it names the missing files and how to check, and never posts twice.

Ordinary channels

WAS a refusal there read like "you may not reply".

NOW it says to reply as usual.

Long Slack posts

WAS split posts showed one part's id.

NOW every part is listed.

Hub on Mac and Linux

Mac hub start and stop

WAS start, stop and restart could race the system service or wait on a lock.

NOW they use the installed service and one fixed deadline; the wider Mac checks remain unverified.

After a reboot

WAS hub status could show two different fixes on one screen.

NOW it shows the one command that actually restores the hub.

Hub status on any Mac

WAS status could fail on a Mac with no hub service installed.

NOW an uninstalled service is reported plainly, not as an error.

Fits the screen

WAS some hub status, install preview and Claude sign-in lines ran past 80 columns.

NOW they fit, and the sign-in line shows the short ~/ path.

Updates, health checks and settings

Failed updates in JSON

WAS a failed program download printed nothing usable for scripts.

NOW it returns one structured failure report, with or without a pinned version.

Sync output on light terminals

WAS update's sync lines were nearly invisible on white or light themes.

NOW they stay readable on light and dark palettes.

Health check text

WAS a database problem could print internal query text and odd symbols.

NOW it names the missing piece and the fix in plain text.

Plain terminals

WAS some warnings and success marks used symbols a plain terminal could not show.

NOW they fall back to plain text there.

Store override notice

WAS the notice about using a different data folder ran to 300 cells.

NOW it wraps to the screen and keeps both folder paths.

Coordination help

WAS coordination commands had unexplained flags and help lines past 80 columns.

NOW every flag is explained and the help fits.

Issue tracker settings

WAS a malformed repository name was saved silently.

NOW it is refused, and the blank opt-out is explained.

Cloud sync and shared work

Full pulls

WAS a full Cloud download could queue hundreds of pointless uploads.

NOW only real changes are queued, and a cleanup command removes old ones.

Projects with old names

WAS a project known under two names could stop refreshing its name list.

NOW the name is matched within your team first, then your personal projects.

Tasks from other projects

WAS an accepted task could not start where it was sent.

NOW it starts there, and its origin stays recorded.

Proposal confirmations

WAS a refused proposal could hide that Cloud had saved it.

NOW it shows the saved proposal and says to retry the same attempt.

Commander during outages

WAS the conversation list emptied when a machine lost its connection.

NOW it keeps that machine's conversations, and only those are marked last known.

Commander connection log

WAS a temporary hub sign-in outage read as "HTTP request was refused".

NOW the log names the hub's reason and that it will retry.

Commander dark mode

WAS the inbox reply box stayed pale in dark mode.

NOW it matches the theme.

Under the hood

03 / 06

Managed Violet reader

Historical admission

WAS pre-activation and unknown-time deliveries were typed, recovery walked first.

NOW they are quarantined as metadata only; fresh claims walk first.

Late activation

WAS a binding activated after the first read stayed unknown.

NOW activation is re-read once per tick for unknown channels.

Wake age

WAS managed wakes reported age_secs=0.

NOW age comes from message_ts; invalid or future times read unknown.

Claim receipts	WAS	no per-tick claim record.
	NOW	the newest 20, body-free, shown by cas doctor.
Binding repair	WAS	Violet-mapped channels drifted from Cloud bindings.
	NOW	cas update reconciles them through a durable intake gate.
Unmanaged refusals	WAS	binding_unverified suggested link_team_project.
	NOW	managed=false, next_action reply_via_violet_v1; others stay fail-closed.
Thread receipts	WAS	violet thread trusted success-shaped receipts.
	NOW	distinct attached file ids are required; multipart part_ids render.

Supervisors and tasks

Corrected identity	WAS	project scope froze at startup.
	NOW	snapshot reads re-resolve it off-loop.
Peers	WAS	peers named no owners and peer workers were unreachable.
	NOW	focused epics are declared, supervisor:<epic> resolves, workers relay.
Shared clones	WAS	the older supervisor lost claims as unknown_registration.
	NOW	Cloud slots are per factory session.
Accepted proposals	WAS	they could not start in the target, and mismatches returned no ids.
	NOW	attested provenance grants execution; refusals return the persisted ids.
Review races	WAS	re-park undid request_changes; team pull reopened parked tasks.
	NOW	park writes are guarded, sync clocks kept.
Task start	WAS	heavy tasks timed out with an unknown outcome.
	NOW	the local start commits before Cloud handoffs.
Signals	WAS	FYI rows counted as unread and busy drains dropped mail.
	NOW	rows classify from the stamp; drains retry.
Escalation	WAS	orphaned ejections and blocked PTY writes waited indefinitely.
	NOW	both escalate without retyping bytes.
Routes and nudges	WAS	notices advertised unregistered targets and named peer-owned tasks.
	NOW	routes resolve; peer-owned tasks are omitted.

Hooks, sync and CLI

Git guards	WAS prose and write-free heredocs mentioning git were refused. NOW only actual git commands are guarded.
Pull echoes	WAS full pulls queued team rows for push. NOW no echoes; cas cloud queue --purge-pull-echoes cleans old ones.
Alias scope	WAS alias records matched across scopes. NOW active team first, then personal.
Doctor and update output	WAS SqlInputError leaked SQL, and pre-swap failures emitted no JSON. NOW SQL is dropped, and one JSON receipt is emitted.

CI

Factory lanes	WAS slim lanes queued behind merge-queue jobs and spent minutes on skipped jobs. NOW a small dedicated lane workflow runs on local light slots in 26–52 s.
Verdicts	WAS a cancelled same-SHA run read as red. NOW the newest non-cancelled run decides; watchdogs retry API errors.
macOS proof	WAS unknown-cache reclaim lacked native proof. NOW native reclaim tests passed; broader hub update/transport checks on Mac remain unverified.
Optional proxy build	WAS update imported its Violet URL from an optional proxy crate and could not compile without that feature. NOW it reads the shared type constant in either build.
Startup guidance	WAS expanded startup instructions exceeded the available budget. NOW compact instructions retain the required checkout, review, dispatch and liveness contracts.

Fixes ledger

04 / 06

GitHub issues closed with this release · 0

ISSUE	TITLE	CLOSED	AREA

No GitHub issues fall within the generator’s referenced-issue counting window. The figure remains unchanged. Release reconciliation after that window closed 14 issues with a “Fixed in v3.65.0” comment backed by a source commit reachable from the published tag:

#1251 (https://github.com/Richards-LLC/cassy/issues/1251#issuecomment-6291475703), #1256 (https://github.com/Richards-LLC/cassy/issues/1256#issuecomment-6291476639), #1264 (https://github.com/Richards-LLC/cassy/issues/1264#issuecomment-6291478139), #1266 (https://github.com/Richards-LLC/cassy/issues/1266#issuecomment-6291480244), #1275 (https://github.com/Richards-LLC/cassy/issues/1275#issuecomment-6291483476), #1276 (https://github.com/Richards-LLC/cassy/issues/1276#issuecomment-6291484594), #1277 (https://github.com/Richards-LLC/cassy/issues/1277#issuecomment-6291485632), #1278 (https://github.com/Richards-LLC/cassy/issues/1278#issuecomment-6291486501), #1279 (https://github.com/Richards-LLC/cassy/issues/1279#issuecomment-6291487462), #1281 (https://github.com/Richards-LLC/cassy/issues/1281#issuecomment-6291488427), #1284 (https://github.com/Richards-LLC/cassy/issues/1284#issuecomment-6291489354), #1287 (https://github.com/Richards-LLC/cassy/issues/1287#issuecomment-6291490955), #1289 (https://github.com/Richards-LLC/cassy/issues/1289#issuecomment-6291491760), #1290 (https://github.com/Richards-LLC/cassy/issues/1290#issuecomment-6291492669).

Eight reports remain open with an explicit remainder:

- #1215 (https://github.com/Richards-LLC/cassy/issues/1215#issuecomment-6291474771): the broader peer field report still needs live idle-wake acceptance evidence.
- #1246 (https://github.com/Richards-LLC/cassy/issues/1246#issuecomment-6291475322): the fired-reminder delivery stall still needs a correlated model-turn trace.
- #1265 (https://github.com/Richards-LLC/cassy/issues/1265#issuecomment-6291479584): dedicated-account connector discovery and isolation proof are pending.
- #1267 (https://github.com/Richards-LLC/cassy/issues/1267#issuecomment-6291481222): the full multi-channel detection, listing, activation and running-consumer contract is incomplete.
- #1269 (https://github.com/Richards-LLC/cassy/issues/1269#issuecomment-6291481663): PTY injection is not proof that an idle Codex pane accepted a turn.
- #1273 (https://github.com/Richards-LLC/cassy/issues/1273#issuecomment-6291482507): source-age correction shipped, but the requested safe live managed-daemon demonstration remains.
- #1274 (https://github.com/Richards-LLC/cassy/issues/1274#issuecomment-6291482945): admission/order code shipped; consumer-local incident containment and owner-led credential remediation remain.
- #1286 (https://github.com/Richards-LLC/cassy/issues/1286#issuecomment-6291490448): start cancellation/receipt mitigation shipped, but the original 55-second cause and all affected filesystem gates remain unproven.

Historical references to already-closed issues retain their earlier outcomes; they are not recounted as newly fixed here. Violet-specific issue numbers in cross-component citations are not treated as Cassy issue closures. Source and task citations were reconciled separately from the generator's narrower PR/CHANGELOG window.

Install

05 / 06

```
cas update --yes --version 3.65.0
```

Release assets

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz	sha256:b9d1f3e8b91d29507792fd1c072fc7a452b9376620f28560c71faf70421e7b99	32878094
cas-x86_64-unknown-linux-gnu.tar.gz	sha256:c6071ca30eb9d719d1fec0afe448cc4533a0693e0ef4a4a63d63907009b9522a	38005171

Evidence and scope

Retrieved: 20 October 2026 · 8:57 AM ET.

Source: CHANGELOG `CHANGELOG.md`, release-notes draft `docs/release-notes/2026-10-19-v3.65.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.65.0; retrieved 20 October 2026 · 8:57 AM ET.

The change map was edited from seven group headings to the 38 individually titled CHANGELOG bullets. Hub and Commander changes are Commander; coordination is Sessions; managed replies are Messages; CLI and CI changes are Releases; managed evidence and sync/proposals are Slack and Cloud. Area order is preserved. The generator's issue count is unchanged.

Release PR: https://github.com/Richards-LLC/cassy/pull/1301 (https://github.com/Richards-LLC/cassy/pull/1301) (merged 20 October 2026 · 8:36 AM ET).

GitHub release: https://github.com/Richards-LLC/cassy/releases/tag/v3.65.0 (https://github.com/Richards-LLC/cassy/releases/tag/v3.65.0) (published 20 October 2026 at 12:49:52Z).

Timing receipt: `release-latency.receipt`, retained with the publication proof.

Pipeline latency

Stage timings are unavailable: the latency receipt records no STAGE_SECS.

Publication timeline and limitations

The release PR opened 19 October at 20:26:44Z. Queue runs 39319551532 (https://github.com/Richards-LLC/cassy/actions/runs/39319551532) and 39335309823 (https://github.com/Richards-LLC/cassy/actions/runs/39335309823) were ejected. After repairs, the third run (https://github.com/Richards-LLC/cassy/actions/runs/39421961651) completed green at 12:35:48Z on 20 October and the PR merged at 12:36:20Z. Release workflow 39423570210 (https://github.com/Richards-LLC/cassy/actions/runs/39423570210) published at 12:49:52Z. Green to published was 844 seconds, over the 600-second budget; main landing to publication was 13m32s. These intervals have different start points.

Soundwave installed cas 3.65.0 (a2c55ea) at about 12:50:52Z, about 16h24m after the PR opened. The host install timestamp is approximate. Hosted Linux and macOS install-path proof (https://github.com/Richards-LLC/cassy/actions/runs/39425340162) passed for the published commit. This does not cover the manual consumer-Mac Gatekeeper/SIP GUI checklist. Native macOS unknown-cache reclaim tests passed; persistent hub transport, updates of explicitly unloaded services, shell-helper turnover and the broader Mac hub flow remain unverified. The post-update refresh stall opening a known repository config is a separate follow-up, not a claimed fix in this release.

Both archives were freshly downloaded by release-published-receipt.sh and matched GitHub's SHA-256 metadata. Linux archive (https://github.com/Richards-LLC/cassy/releases/download/v3.65.0/cas-x86_64-unknown-linux-gnu.tar.gz) and macOS ARM64 archive (https://github.com/Richards-LLC/cassy/releases/download/v3.65.0/cas-aarch64-apple-darwin.tar.gz). The final repair commits include an optional-proxy build fix and compact startup guidance; the queue readiness repairs changed test fixtures, not a newly claimed runtime capability.