

Cassy Cloud opens on your supervisor conversations, badged by project, and every message you send is verified, acknowledged, and answered in the same thread.

SURFACE		CLOSED
Supervisor conversations	no issues	0
Verified operator channel	no issues	0
Factory		2
Setup and pairing	no listed issues	0
Hub and Commander	no listed issues	0
Release	no listed issues	0
Verification		2
CLI		1

Verification leads the closure map with 2 issues.

One dot, one closed issue. 3 issue-bearing surfaces.

[Read the map data](#) ↓

Release at a glance

01 / 06

5 Issues closed Named, verified closed issues in this report	5 Features added Top-level Added entries in the CHANGELOG section	2 Changed entries Top-level Changed entries in the CHANGELOG section	3 Fix entries Top-level Fixed entries in the CHANGELOG section
---	--	---	---

38m 9s

Green to published

gate.green.epoch to the published receipt, when available

▼ [Change map · data and reading guide](#)

One filled dot represents one closed issue. Dots have equal weight: this is a count of closures, not a measured impact score.

Change map data · closed issues by surface

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
Supervisor conversations	0	No listed issues

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
Verified operator channel	0	No listed issues
Factory	2	#810, #816
Setup and pairing	0	No listed issues
Hub and Commander	0	No listed issues
Release	0	No listed issues
Verification	2	#818, #819
CLI	1	#817
Total	5	3 issue-bearing themes

Source: CHANGELOG /home/pippenz/Petrastella/cas-src/.cas/release-3.25.0-assembly/CHANGELOG.md, release-notes /home/pippenz/Petrastella/cas-src/.cas/release-3.25.0-assembly/docs/release-notes/2026-09-10-v3.25.0-slack.md, GitHub Richards-LLC/cassy release v3.25.0; retrieved 2026-09-10T21:53:42Z.

What you can do now

02 / 06

Supervisor conversations

Conversations first

WAS the Hub opened on a wall of terminal panes.

NOW it opens on a Cassy Cloud-branded list of supervisor conversations, one per supervisor, each with a prominent project badge.

Real words

WAS reading a supervisor meant scrolling a terminal on a phone.

NOW the conversation shows the supervisor's actual text, readable on 390 px, with the terminal one tap away as an alternate view.

Addressed send

WAS it was easy to send to the wrong pane.

NOW the Send button names the supervisor it goes to.

Delivery states

WAS a sent message just disappeared.

NOW each bubble moves from sending to delivered to replied, and a refused message is marked rejected on that bubble.

Verified operator channel

Your identity

WAS a supervisor could not tell your message from agent traffic and ignored it.

NOW messages from your paired device carry a verified operator stamp and supervisors treat them as you speaking.

Replies come back

WAS supervisor answers stayed in the terminal.

NOW the reply is routed to the device you sent from and queued if it is offline.

Factory truth

Worker liveness

WAS status lines could say a worker was running when it was idle or dead.

NOW each worker shows executing, waiting for input, stalled, or dead with the evidence behind it.

Safer workers

WAS a worker could edit or commit inside your main checkout.

NOW work outside its own worktree is blocked.

Fewer stuck closes

WAS a finished task could be impossible to close when its branch tip was a merge.

NOW close verifies the task's real changes and says exactly what it compared.

Setup and pairing

Pairing on a Mac service

WAS following the CLI's own advice could not pair a phone.

NOW startup no longer wedges on the Tailscale app, restart understands launchd, and every error names the one command to run next.

Profile pickers

WAS picking a Codex profile could launch the wrong harness.

NOW the picker launches exactly what the explicit profile launches.

Hub and Commander

Conversation UI

WAS hub-web defaulted to the terminal view.

NOW conversation list, per-supervisor thread over the real pane transcript, addressed composer, desktop context rail, Cassy Cloud brand section in hub-web/DESIGN.md; terminal is an explicit alternate. Playwright journeys for exact pane text, send, ack, reply, rejection, terminal return.

Operator stamping

WAS SendMessage from a paired device carried no provenance.

NOW QueueOrigin::PairedDevice plus OperatorStamp columns; the [cas #id operator <name>@<device> verified] header carries user authority in the supervisor skill.

Reply path

WAS no route from a supervisor back to a device.

NOW coordination action=message target=operator in_reply_to=N → DaemonMessage::OperatorReply filtered to the authenticated device, with delivery receipts and offline queueing (m218 recipient transport table).

Send acknowledgment

WAS socket submission was the only signal.

NOW SendMessage.client_ref → DaemonMessage::MessageQueued { client_ref, notification_id, target, stamped } relayed to the submitting device; legacy and multiplex refusals keep client_ref.

Factory

Worker liveness

WAS worker_status reported turn starts and heartbeats; Codex task_complete was never parsed.

NOW liveness: executing | waiting_for_input | stalled | dead from a bounded tail read of the rollout/transcript plus process state; five-worker summary poll measured under 20 ms; director relays share the source.

Workspace contract (#816)

WAS the git-scope guard consulted only CAS_CLONE_PATH, so Edit and cd <primary> && git ... from isolated workers passed.

NOW the registered worktree root is authoritative for Edit/Write/MultiEdit and git add/commit/reset/checkout/push; denials name the assigned worktree.

Close verification (#818, #819)

WAS a merge-commit tip had no first-parent tree effect and close rejected; reachability errors were opaque.

NOW content proof walks the task's non-merge commits; rejections name the commit, evidence source, resolved ref and local-vs-origin; supervisor_override semantics are stated.

Risk declarations

WAS

release blockers surfaced serially at the gate.

NOW

risk is required at create (none, blast-radius, platform, concurrency), enforced at close with proof-target checks, and every epic merge triggers a workspace sweep; gate rows equal CI rows.

CLI

Hub pairing on launchd (#817)

WAS

cas hub serve shelled out to the Tailscale bundle unconditionally and could wedge before bind; restart fought KeepAlive.

NOW

probe is gated behind --tailscale-serve, uses TAILSCALE/PATH only, writes hub.log first; restart uses launchctl/systemctl when supervised; service install --tailscale-serve refuses with the working alternative; pairing errors distinguish consumed codes; doctor row added.

Profile pickers (#820)

WAS

the picker did not carry the selected profile dir into the supervisor spec.

NOW

FactoryArgs.supervisor_config_dir is populated for picker and explicit paths on both cas codex and cas claudex, with parity tests.

Skill friction (#810)

WAS

unknown skill names failed cold.

NOW

nearest-match suggestions, ~/.local/bin on spawned agent PATH, doctor flags divergent duplicate skill copies.

Fixes ledger

04 / 06

Issue register · 5 verified closures

ISSUE	STATE	CLOSED	THEME
#819 (https://github.com/Richards-LLC/cassy/issues/819)	CLOSED	2026-09-10T21:27:02Z	Factory
#818 (https://github.com/Richards-LLC/cassy/issues/818)	CLOSED	2026-09-10T21:27:02Z	Factory
#817 (https://github.com/Richards-LLC/cassy/issues/817)	CLOSED	2026-09-10T21:27:02Z	Factory
#816 (https://github.com/Richards-LLC/cassy/issues/816)	CLOSED	2026-09-10T21:27:01Z	Factory
#810 (https://github.com/Richards-LLC/cassy/issues/810)	CLOSED	2026-09-10T18:15:27Z	Unclassified

Install

05 / 06



cas update # install v3.25.0 through the project's normal release channel

Change map data · closed issues by surface

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz	sha256:7dd577619f388875d8bc03f16146fca3b067965f85474f97bf5a757dff7150a3	27066542
cas-x86_64-unknown-linux-gnu.tar.gz	sha256:1cfa338fe27d2b484c4261ba08806c0b2d53821adfe6f1d79369678c12870ab3	30744551

Evidence and scope

06 / 06

Retrieved: 2026-09-10T21:53:42Z.

Source: CHANGELOG /home/pippenz/Petrastella/cas-src/.cas/release-3.25.0-assembly/CHANGELOG.md, release-notes /home/pippenz/Petrastella/cas-src/.cas/release-3.25.0-assembly/docs/release-notes/2026-09-10-v3.25.0-slack.md, GitHub Richards-LLC/cassy release v3.25.0; retrieved 2026-09-10T21:53:42Z.

GitHub issue theme assignment uses labels first, then the keyword table in the CLI. Any issue classified as Unclassified is shown in the map so a human can correct the Markdown before rendering.

Release-notes draft: docs/release-notes/2026-09-10-v3.25.0-slack.md.

CHANGELOG source: CHANGELOG.md.

GitHub release: <https://github.com/Richards-LLC/cassy/releases/tag/v3.25.0> (published or unknown).

Release receipt: /home/pippenz/.cas/artifacts/release/v3.25.0-release-3.25.0-assembly/release-published.receipt.

Source warnings:

- GitHub issues: referenced closures unavailable or not closed: #4, #820