It is checked once, ships and installs itself.

SURFACE		CLOSED
Release	no listed issues	0

The closure map is empty until release evidence names verified issues.

One dot, one closed issue. 0 issue-bearing surfaces.

Read the map data ↓

Release at a glance

01 / 06

0
Issues closed
Named, verified closed GitHub issues in this report

0
Features added
Top-level Added entries in the CHANGELOG section

1
Changed entries
Top-level Changed entries in the CHANGELOG section

2
Removed entries
Top-level Removed entries in the CHANGELOG section

0
Fix entries
Top-level Fixed entries in the CHANGELOG section

28 m 41 s
PR opened to main
PR #1205 created 13:59:11Z to merged 14:27:52Z; includes one merge-queue retry

5 m 18 s
Main to published
Merge 14:27:52Z to GitHub release published 14:33:10Z

6 m 17 s
Main to installed
Merge 14:27:52Z to the host install completing 14:34:09Z

34 m 58 s
PR opened to installed
The one release timer, printed in the GitHub release notes

30 / 20 min
Budgets
PR opened to main, main to installed; both met

▼ Change map · data and reading guide

One filled dot represents one closed issue. Dots have equal weight: this is a count of closures, not a measured impact score.

Change map data · closed issues by surface

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
Release	0	No listed issues
Total	0	0 issue-bearing themes

Source: CHANGELOG `CHANGELOG.md`, release-notes `docs/release-notes/2026-10-15-v3.54.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.54.0; retrieved 2026-10-15T14:35:59Z.

What you can do now

02 / 06

Releases that ship themselves

One step to release

WAS a release passed a long chain of manual stages after the work was done. →

NOW one command prepares it, and landing the change publishes it.

Checked once

WAS the same checks ran again and again before a release. →

NOW each check runs once, in the shared queue.

Built once

WAS the release was built several times on its way out. →

NOW it is built while the final checks run, and those exact files ship.

Installs itself

WAS someone had to install each new release by hand. →

NOW the machine installs it within a minute of publishing.

Faster finishes

WAS finishing a task waited on extra local checks. →

NOW work finishes as soon as it is reviewed and merged.

Under the hood

03 / 06

Release pipeline

One-command release

WAS a release PR, its own queue cycle and a local tag push followed every epic. →

NOW `scripts/release.sh` commits the bump, CHANGELOG and draft to the epic PR, enables auto-merge and re-bumps when another release lands first.

Build once

WAS release binaries were built on the release branch, on main and by the local publisher. →

NOW `release-prebuild.yml` builds Linux and macOS on the `merge_group` run; `release.yml` adopts them by tree id, runs the ISA audit and launch smoke on both packaged assets, then tags and publishes.

Install on publish

WAS an agent hop installed each release. →

NOW a systemd user timer runs `cas update` within a minute and writes the PR-opened-to-installed time into the release notes.

Unpinned CI	**WAS** hundreds of text pins failed any CI edit and the queue preflight ran as one serial job. → **NOW** `policy.json` holds only the required contexts and the preflight runs as independent jobs.
No re-runs	**WAS** the daemon swept and re-tested after every merge, and close, merge admission and push re-ran the fast rows, journey and lane-compile receipts. → **NOW** lane CI runs the fast checks once and the merge queue is the only gate to main; the self-hosted release routing is gone.
Measured on this release	**WAS** code-done → main 193.7 min and main → installed 95.4 min (3.53). → **NOW** PR opened → main 28 m 41 s, including one queue retry, and main → installed 6 m 17 s (published 5 m 18 s after the merge, installed 48 s after detection), against budgets of 30 and 20 minutes.

Fixes ledger

04 / 06

Issue register · 0 verified closures

ISSUE	STATE	CLOSED	THEME

Install

05 / 06

```
cas update  # install v3.54.0 through the proje
ct's normal release channel
```

Change map data · closed issues by surface

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz	sha256:2c520cefc127afb7bec8b30aac7d7d42854f3f4dca8e1d065cdb21abd4094c86	31592873
cas-x86_64-unknown-linux-gnu.tar.gz	sha256:d887c8e92a74e0ed67f6e9f6fed861b260b3adc2859680e6296d368724abfed1	35746145

Evidence and scope

Retrieved: 2026-10-15T14:35:59Z.

Source: CHANGELOG `CHANGELOG.md`, release-notes `docs/release-notes/2026-10-15-v3.54.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.54.0; retrieved 2026-10-15T14:35:59Z.

GitHub issue theme assignment uses labels first, then the keyword table in the CLI. Any issue classified as `Unclassified` is shown in the map so a human can correct the Markdown before rendering.

Release-notes draft: `docs/release-notes/2026-10-15-v3.54.0-slack.md`.

CHANGELOG source: `CHANGELOG.md`.

GitHub release: <https://github.com/Richards-LLC/cassy/releases/tag/v3.54.0> (published or unknown).

Release receipt: unavailable.

Pipeline latency

This is the first release cut by `scripts/release.sh`. There is no release train, so train receipts (green-to-published, cut-to-published, stage budgets) do not exist; the single PR-opened-to-installed timer replaces them.

Change map data · closed issues by surface

STAGE	START (UTC)	END (UTC)	SOURCE
Release command to PR opened	13:59:02	13:59:11	PR #1205 `createdAt`
Queue run 1 (ejected: stale OpenCode prompt snapshot)	14:01:10	about 14:17	CI run 38747678006
Release builds, queue run 1	14:01:22	14:17:22	Release Prebuild run 38747677913 (macOS succeeded; Linux cancelled by the ejection)
Queue run 2 and release builds	14:18:04	14:30	CI run 38750140619; Release Prebuild run 38750140803
Merged to main	14:27:52		PR #1205 `mergedAt`, merge commit 5fcf248
Release workflow (lookup waited for the in-flight build, then adopted it; no rebuild)	14:27:58	14:33:21	Release run 38751626901
Published	14:33:10		GitHub release v3.54.0
Host install (detected 11 s after publish, 48 s to install)	14:33:21	14:34:09	`journalctl --user -u cassy-install-on-publish` on soundwave