They reach the right conversation and recover through connection trouble.

AREA	CHANGES
Commander	2
Sessions	1
Tasks	4
Messages	3
Releases	2

12 changes shipped across 5 areas; Tasks has the most, 4.

One dot, one shipped change. No GitHub issues are counted in this report's fixes ledger.

See every change ↓

01 / 06

Release at a glance

▼ What shipped, by area

One dot is one change listed in the v3.96.0 CHANGELOG. Dots count changes, not their size or importance.

AREA	CHANGES	WHAT CHANGED
Commander	2	Keep local access when Tailscale is unavailable; Source-only Commander candidates keep their identity
Sessions	1	Session listing waits for the next release
Tasks	4	Each native answer appears once; Preserve exact route ownership; Delivery warnings keep actions visible; Nested lookups preserve the live owner
Messages	3	Messages reach the conversation like terminal input; Setup keeps the original message; Replies stay with the right conversation
Releases	2	Recover the tailnet route after reboot; Release feedback reports measured evidence
Total	12	5 areas

Source: CHANGELOG `CHANGELOG.md`, release-notes draft `docs/release-notes/2026-11-02-v3.96.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.96.0; published 1 November 2026 · 8:59 PM ET and retrieved 1 November 2026 · 9:03 PM ET.

12

Changes shipped

11 fixed, 1 changed; tests, docs and known limits not counted

8m 48s

Green to published

Within budget (10m 0s budget); Merge-queue CI completion to publication

Changes and GitHub issues are counted separately. Each change is one titled entry; Test, Doc and Known limits entries are not counted. An issue counts only when PR #1450 or the CHANGELOG references it and it closed from 8:21 PM ET through 15 minutes after the 8:50 PM ET merge. None did. The release receipt records zero blocked stages and zero interventions. Request-to-published, cut-to-published and lesson recurrence were not measured.

02 / 06

What you can do now

Messages and replies

Send without the wait

WAS

Background activity could hold a message even while a conversation was ready.

NOW

Your message reaches the conversation like typing in its terminal, whether it is idle or busy.

Keep words through setup

WAS

A sign-in or welcome screen could consume a message shown as delivered.

NOW

The original words wait for a text prompt, and confirmation dialogs keep their input protection.

Answers keep their place

WAS

Early messages or a restarted conversation could lose an answer or show it in the wrong place.

NOW

Claude and Codex replies stay with the original conversation and device.

One answer per turn

WAS

Background notices could mix with a reply or confuse its delivery state.

NOW

Status updates stay separate, each answer appears once, and consumed messages stay marked Delivered.

Connections and display

Recover after reboot

WAS

A temporary Tailscale outage could leave the remote address pointing at a stopped service.

NOW

The hub retries in the background and restores the address when Tailscale returns.

Keep local access

WAS

Missing Tailscale or unfinished setup could stop the local hub too.

NOW

Automatic mode keeps local access available with a warning while the remote connection is unavailable.

Protect your other services

WAS

A failed hub start could remove a stopped service you had put on the same remote port.

NOW

It leaves your service alone and removes only an exactly recorded Cassy target.

Phone actions stay visible

WAS

A delivery warning could push header buttons off the screen.

NOW

The buttons stay in view, including the Raw output icon.

Feedback and release scope

Feedback says what was measured

WAS

Release feedback could include lifetime totals or make an empty result sound unknown.

NOW

It excludes unrelated totals and clearly says when no feedback was recorded.

Older conversations still stay listed

WAS

This release was going to hide stopped conversations and add recovery for their unsent drafts.

NOW

That change is deferred; non-running sessions remain listed until the next release.

03 / 06

Under the hood

Delivery and reply identity

Native input delivery

WAS

Fresh MCP heartbeats could gate verified Commander sends.

NOW

Idle and working prompts receive terminal-style input, while recipient reads and acknowledgements update connected devices.

Prompt readiness

WAS

Claude setup pages or native confirmation states could consume queued input.

NOW

Original messages wait for a ready text prompt; non-Claude dialogs and pending tools keep their guards.

Claude reply binding

WAS

Startup and same-name replacement could detach replies from their original send or paired device.

NOW

Native answer mirroring retains both bindings and emits one answer per turn.

Codex reply binding

WAS

Shared-project, framed and long-rollout answers could use the wrong session or repeatedly rescan history.

NOW

Streamed ownership follows the correct rollout and unresolved watches back off.

Receipt reconciliation

WAS

Background notices could replace an operator turn and old finalized Queued receipts could stop watching.

NOW

Standalone status stays separate, consumed sends retain Delivered and old receipts keep a slower delivery watch.

Transport and safety

Auto publication recovery

WAS

Exhausted Tailscale retries could stop local access or require a restart.

NOW

Auto services retain loopback, retry publication in the background and update live route status when it succeeds. Required mode remains strict.

Exact Serve ownership

WAS

A stale receipt could treat a different dead loopback target as owned.

NOW

Cleanup and replacement require an exact receipt, runtime-record or captured prior target; conflicts offer a port-specific operator remedy.

Unavailable Tailscale

WAS

Missing CLI or incomplete setup could fail an Auto service.

NOW

A sanitized warning preserves loopback access; retained target evidence survives failed starts.

Authenticated runtime identity

WAS
Nested or read-only calls could borrow a live owner's identity and disrupt its communication.

NOW
Ownership checks protect reads, writes and lifecycle cleanup, including exited-PID and hostname recovery.

Display, feedback and validation

Phone header bounds

WAS
A warning could overflow the action group.

NOW
Actions stay inside the viewport and Raw output retains its icon.

Scoped release feedback

WAS
Lifetime retrieval snapshots could be dated as new release evidence.

NOW
Reports exclude unattributed totals, disclose exclusions and distinguish no feedback from excluded measurements.

Candidate source identity

WAS
Generated web assets could dirty a source-only candidate.

NOW
Verified generated assets preserve source identity, while unrelated edits and served-asset mismatches still fail.

Recovery and framing tests

WAS
Fixtures expected manual restart, obsolete message framing or unverified process reuse.

NOW
They assert automatic publication recovery, framed Codex reply binding and owned-process fingerprints.

Explicit scope deferral

WAS
The proposed release removed stopped sessions and changed unsent-draft recovery.

NOW
Both changes are reverted here; non-running sessions remain listed until the next release.

04 / 06

Fixes ledger

GitHub issues closed with this release · 0

ISSUE	TITLE	CLOSED	AREA

No GitHub issues are counted in this report's fixes ledger.

05 / 06

Install

```
cas update --yes --version 3.96.0
```

Release assets

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz	sha256:8fa9b65ba380933d2ee393a696a308ea8b483e951f2f80eb80e17395db5a2048	38227994
cas-x86_64-unknown-linux-gnu.tar.gz	sha256:1839dc90cd5c6c5f1ff7c232d1550516406faa7b0b3d7b7db9e3e7f82932efde	43581179
hub-deployment.json	sha256:1b4aed549017b1eda620376050d5417c3c25c927ed12de68d99c1d29f76cd88f	643

06 / 06

Evidence and scope

Retrieved: 1 November 2026 · 9:03 PM ET.

Source: CHANGELOG `CHANGELOG.md`, release-notes draft `docs/release-notes/2026-11-02-v3.96.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.96.0; retrieved 1 November 2026 · 9:03 PM ET.

Areas follow the release report's title-and-text keyword mapping; no change matched Other.

Release PR: https://github.com/Richards-LLC/cassy/pull/1450 (https://github.com/Richards-LLC/cassy/pull/1450) (opened 1 November 2026 · 8:21 PM ET; merged 8:50 PM ET).

Released commit: `9655aa0aed15bb036b991abab8527dffc8279511`; the annotated v3.96.0 tag resolves to this commit.

GitHub release: https://github.com/Richards-LLC/cassy/releases/tag/v3.96.0 (https://github.com/Richards-LLC/cassy/releases/tag/v3.96.0) (published 1 November 2026 · 8:59 PM ET).

Gate-green run: https://github.com/Richards-LLC/cassy/actions/runs/41372287415 (https://github.com/Richards-LLC/cassy/actions/runs/41372287415). Publisher run: https://github.com/Richards-LLC/cassy/actions/runs/41374563397 (https://github.com/Richards-LLC/cassy/actions/runs/41374563397) (success). The receipt shows gate-green at 8:50 PM ET to publication at 8:59 PM ET (8m 48s, within the 10-minute budget), zero interventions and no blockers. Per-stage, request-to-published, cut-to-published and green-to-pipeline times were not measured.

Supervisor's 9:13 PM ET check confirmed both machines and hubs on 3.96.0; Tailscale Serve OK; tailnet health 200; hosted Commander `app.js` matched `main` independently; and two-way peer messaging passed. Still owed: the real soundwave reboot and a real browser send after the factory restart; running daemons keep old code until then.