

Commander keeps the conversation clear, reports failures precisely, and protects your team's data.

SURFACE		CLOSED
Commander	no listed issues	0
Release	no listed issues	0
Your data and updates	no listed issues	0
Memory	no listed issues	0
Verification	no listed issues	0
Runtime and product	no listed issues	0
Access and delivery	no listed issues	0
Factory	no listed issues	0

The closure map is empty until release evidence names verified issues.

One dot, one closed issue. 0 issue-bearing surfaces.

[Read the map data ↓](#)

Release at a glance

01 / 06

0 Issues closed Named, verified closed issues in this report	4 Features added Top-level Added entries in the CHANGELOG section	4 Changed entries Top-level Changed entries in the CHANGELOG section	9 Fix entries Top-level Fixed entries in the CHANGELOG section
---	--	---	---

36m 35s

Green to published

gate.green.epoch to the published receipt, when available

▼ [Change map · data and reading guide](#)

One filled dot represents one closed issue. Dots have equal weight: this is a count of closures, not a measured impact score.

Change map data · closed issues by surface

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
---------	---------------	---------------

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
Commander	0	No listed issues
Release	0	No listed issues
Your data and updates	0	No listed issues
Memory	0	No listed issues
Verification	0	No listed issues
Runtime and product	0	No listed issues
Access and delivery	0	No listed issues
Factory	0	No listed issues
Total	0	0 issue-bearing themes

Source: CHANGELOG /home/pippenz/Petrastella/cas-src/.cas/release-train-assembly/CHANGELOG.md, release-notes /home/pippenz/Petrastella/cas-src/.cas/release-train-assembly/docs/release-notes/2026-09-24-v3.31.0-slack.md, GitHub Richards-LLC/cassy release v3.31.0; retrieved 2026-09-25T00:18:26Z.

What you can do now

02 / 06

Commander

Disconnected machines

WAS an offline session could still look live and offer controls that could not work. →

NOW its controls and live row disappear until it reconnects.

Messages

WAS a send could spin on “Sending...” forever, and a refused reply left you without a clear next step. →

NOW unconfirmed sends offer Retry, and refusals explain the next action.

Keyboard focus

WAS taking control or receiving a refusal could drop keyboard focus away from the action. →

NOW focus stays on the message or its Retry action.

Conversation order

WAS a fast machine clock or a reload could shuffle recent turns. →

NOW the conversation keeps the same order across reconnects and reloads.

Find your session

WAS an open session with no other activity could vanish from the list, picker or search. →

NOW it stays visible and counted.

Project context

WAS the terminal, picker and search could make similar machine names hard to place. →

NOW each leads with its project, while long names stay readable.

Phone navigation

WAS a search jump could leave the keyboard or search panel in the way. →

NOW Enter dismisses the keyboard and a jump closes the panel.

Small-screen polish

WAS notices could cover headings, long hints crowded the composer, and actions were small to tap. →

NOW notices clear the content, hints shorten, and phone actions have larger targets.

Reports

WAS a report that failed to open gave the same vague error whether the online service failed or your machine did not answer. →

NOW the message tells you which happened, and published reports open through a secure link.

Fleet summary

WAS a stray separator appeared before summary text and times. →

NOW the summary reads cleanly.

Your data and updates

Team sync

WAS syncing a team project could mix in personal changes. →

NOW that project syncs only with its team.

Memory handoffs

WAS an older handoff could compete with the current one. →

NOW the current handoff is clear, and older ones remain available as history.

Violet

WAS connecting Violet required using older integration names. →

NOW Violet has its own integration and issue routing; the older names still work during this release.

Mac updates

WAS the source updater could claim running Cassy programs were current without checking them. →

NOW it says verification is unavailable and names what to restart; it also finds existing source checkouts more reliably.

Mac releases

WAS preparing a release on a Mac needed extra command-line workarounds. →

NOW the release tools handle the standard Mac commands.

Under the hood

03 / 06

Runtime and product

Commander state	WAS outage paths retained live session rows, active control or ambiguous refusal actions. → NOW one visibility rule hides stale controls, preserves focus, and offers Retry only when it applies.
Thread delivery	WAS clock skew, reloads and missing delivery receipts changed order or left Sending indefinite. → NOW durable turn order is stable and receipt grace ends in Not confirmed with Retry.
Navigation	WAS palette jumps, phone keyboards, long names and notices collided. → NOW jumps clear the palette and keyboard; project-first labels, bounded hints and touch targets keep the route readable.
Reports	WAS Cloud failure and an unreachable machine shared one open error; published artifacts lacked a safe browser route. → NOW errors are distinct and signed team-scoped view URLs open published reports.
Team scope	WAS a team-linked project still did personal push and pull. → NOW its sync stays in team scope and never runs the personal path.
Violet	WAS integration and issue routing used legacy names. → NOW Violet has dedicated commands, settings and routes with one-release aliases.
Memory and recall	WAS handoffs could accumulate as competing current entries and envelope-only terms could pollute recall. → NOW one current handoff remains per project and role, while recall suppresses noise and surfaces domain-matched context.

Access and delivery

Runtime access	WAS reading runtime errors and logs required write-capable proxy access. → NOW read-only access exposes those routes while writes remain denied.
----------------	--

Database branches	WAS task SQL could target a shared branch. → NOW a disposable Neon branch can be scoped to one task with credentials held in its checkout.
Review rounds	WAS reset review tasks held a dead claim, and a new delivery tip could leave an old round open. → NOW reset releases the claim for a replacement and a new tip retires the earlier round.
Close proof	WAS an inherited hub diff could demand unrelated visual evidence, and a proof refusal omitted later targets. → NOW close judges the task's own diff and names every required proof target.
Spawn briefs	WAS spawn_workers accepted prompt and silently dropped it. → NOW it rejects that parameter before queueing and names the message route; a normal spawn receipt says no brief was delivered.
Assignment paths	WAS a path mentioned in prose could trigger an output warning for /. → NOW the warning requires an output instruction and ignores a bare slash.
Task recovery	WAS blocked tasks could not transfer by name, rebases could lose delivery attribution, and unrelated base failures could be blamed for a new test. → NOW transfer, attribution and integration probes use the actual task and failing test identity.
Notifications	WAS local tags, stale branch runs and old inbox replays could trigger premature or irrelevant alerts. → NOW tag checks use origin, red-run wakes require the current failed job, and the named message arrives first.
Evaluation and tests	WAS midnight recency changed ranking between evaluation modes and fixed sleeps or host probes made test results vary. → NOW both modes share one clock and timing-sensitive fixtures wait on conditions in isolated environments.
Mac operations	WAS Linux procs checks produced a false verified turnover on macOS, and release scripts needed manual tool shims. → NOW turnover reports unverified with restart targets and source lookup fallbacks, while the release train handles stock macOS tools.
Tag handoff	WAS a guarded release checkout failed late when publishing a tag. → NOW it prepares the local annotated tag and stops before the audit with an explicit publication handoff.

Fixes ledger

04 / 06

Issue register · 0 verified closures

ISSUE	STATE	CLOSED	THEME
-------	-------	--------	-------

Install

05 / 06



```
cas update # install v3.31.0 through the project's normal release channel
```

Change map data · closed issues by surface

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz	sha256:adcda41dad1127bc75684f29242c555c4cec8a80e161241f97b67da7d074a0ec	27947038
cas-x86_64-unknown-linux-gnu.tar.gz	sha256:abfee420c5d0effd6d3fc7513a5bb4f99c0257f5d8b24e98c5ecee353874208	31668985

Evidence and scope

06 / 06

Retrieved: 2026-09-25T00:18:26Z.

Source: CHANGELOG /home/pippenz/Petrastella/cas-src/.cas/release-train-assembly/CHANGELOG.md, release-notes /home/pippenz/Petrastella/cas-src/.cas/release-train-assembly/docs/release-notes/2026-09-24-v3.31.0-slack.md, GitHub Richards-LLC/cassy release v3.31.0; retrieved 2026-09-25T00:18:26Z.

GitHub issue theme assignment uses labels first, then the keyword table in the CLI. Any issue classified as Unclassified is shown in the map so a human can correct the Markdown before rendering.

Release-notes draft: docs/release-notes/2026-09-24-v3.31.0-slack.md.

CHANGELOG source: CHANGELOG.md.

GitHub release: <https://github.com/Richards-LLC/cassy/releases/tag/v3.31.0> (published or unknown).

Release receipt: /home/pippenz/.cas/artifacts/release/v3.31.0-release-train-assembly/release-published.receipt.

No source warnings.

