cas-src v3.98.2 RELEASE REPORT · PUBLISHED 2 NOVEMBER 2026 · 1:09 PM ET

Sessions gain protection and updates reuse completed work.

AREA	CHANGES
Sessions	1
Tasks	2
Releases	3

6 changes shipped: 1 in Sessions, 2 in Tasks and 3 in Releases.

One dot, one shipped change. No GitHub issues are counted in this report's fixes ledger.

See every change ↓

01 / 06

Release at a glance

▼ What shipped, by area

One dot is one change listed in the v3.98.2 CHANGELOG. Dots count changes, not their size or importance.

AREA	CHANGES	WHAT CHANGED
Sessions	1	Factory agents cannot signal processes by search pattern
Tasks	2	Queue proofs prevent duplicate main test compilation; Skip unchanged visual-QA tool fixtures
Releases	3	Reuse release dependencies across queue entries; Save shared release caches only from main; Journey checks start only the servers they use
Total	6	3 areas

Source: CHANGELOG `CHANGELOG.md`, release-notes draft `docs/release-notes/2026-11-02-v3.98.2-slack.md`, GitHub `Richards-LLC/cassy` release v3.98.2; retrieved 2 November 2026 · 1:10 PM ET.

6

Changes shipped

5 fixed, 1 changed; tests, docs and known limits not counted

5m 3s

Green to published

Within budget (20m 0s budget); Merge-queue CI completion to publication

4m 52s

Merge to published

292 s from merge (1:04:27 PM ET) to publication (1:09:19 PM ET); v3.98.0 took 1211 s, inside the 20-minute target

Changes and GitHub issues are counted separately. A change is one titled entry in the v3.98.2 CHANGELOG section; entries under Test, Doc or Known limits headings are listed under the hood but not counted. A GitHub issue counts when release PR #1456 or the CHANGELOG section references it and it closed between the PR opening (12:35 PM ET) and 15 minutes after its merge (1:19 PM ET). Issues are closed by hand shortly after the merge, so a report run inside that window waits for referenced issues that are still open. No GitHub issues are counted in this report's fixes ledger. No release stage was blocked. No manual interventions. Not measured for this release: request to published, cut to published, lesson recurrence.

02 / 06

What you can do now

Release changes

Safer cleanup

WAS

a name-based cleanup command could stop unrelated coding sessions.

NOW

common name-based, looped and piped stop commands are refused, while stopping a process by its known number remains available.

Reuse completed checks

WAS

unchanged code was checked again after it had already passed the final merge checks.

NOW

matching results are reused, while the required code-quality check still runs.

Focused checks

WAS

unrelated tooling checks ran even when their inputs had not changed.

NOW

checks follow the changed inputs, and a large temporary-repository check uses a small example instead.

Reusable update builds

WAS

update builds could miss earlier build work or let it expire during a long compile.

NOW

compatible saved work is restored, only missing pieces are prepared, and long compiles keep that saved work available.

Shared build copies

WAS

manually started checks could save build copies that later updates could not reuse.

NOW

shared copies are saved from the main release path, and manual checks can read existing copies without adding new ones.

Earlier download checks

WAS

preparing an update waited for both platform downloads before checking either.

NOW

each platform download starts its checks as soon as it is ready.

Lighter browser checks

WAS

browser checks started an extra server and downloaded an unused browser component.

NOW

each kind of check starts only its required server and uses the browser already selected for it.

03 / 06

Under the hood

Release changes

Process signal protection

WAS

some automation roles bypassed the pattern-kill guard, and compound shell commands could separate a process search from its signal.

NOW

every automation role refuses pkill, killall and dynamic or piped kill operands combined with process searches, including loops, eval and assigned command names. Literal PID and PID-file signals remain available.

Main check reuse

WAS

main repeated test compilation despite an identical tree already passing the merge queue.

NOW

Test Compile Guard reuses that receipt. A matching Darwin cache avoids download and compilation, a miss restores a partial cache, and Clippy always runs on main.

Scoped tooling checks

WAS

visual-QA fixtures ran for unrelated changes, and the codemap fixture built a large repository.

NOW

registered inputs select the fixtures, the measured codemap run fell from 226 seconds to 7 seconds, and unreachable PR-recording work is removed.

Release build reuse

WAS

release prebuilds missed main-scoped dependencies, and sccache could expire during a long compile.

NOW

compatible dependency and Zig caches restore from main, missing entries are seeded there, and the sccache idle timeout is disabled.

Main-only cache writes

WAS

manual dispatches could save dependency and Zig cache entries that later main builds could not restore.

NOW

only automatic main runs save cache misses. Manual dispatches can restore entries without saving new ones.

Browser job setup

WAS

journey jobs started Vite as well as the built-app server and downloaded an unused Chromium headless shell.

NOW

journeys use the built-app server, fixtures use Vite, and pinned Chromium runs without the extra shell download. One evidence upload remains per shard.

Platform publication

WAS

Linux audit waited for macOS and the publisher checked out more source than it needed.

NOW

each uploaded platform archive starts its audit independently, publication checks out only the release commit, and only a missing platform is rebuilt.

Test coverage

Composer acceptance checks

WAS

the real-hub test provider lacked the native composer needed to exercise Enter and Exit.

NOW

the provider exposes that composer, and the acceptance checks exercise both controls through the real hub.

04 / 06

Fixes ledger

GitHub issues closed with this release · 0

ISSUE	TITLE	CLOSED	AREA

No GitHub issues are counted in this report's fixes ledger.

05 / 06

Install

```
cas update --yes --version 3.98.2
```

Release assets

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz	sha256:38b37536789410b891eefb8f61838bd7b7d61c8ccc86371202b3414120b9807f	38730446
cas-x86_64-unknown-linux-gnu.tar.gz	sha256:7c43b53983ec1c01daafe5c57bad1ad35619b85c35e403365bf5e6cc7cccd915	44122972
hub-deployment.json	sha256:0f5ae8c8b1d74559004b88a76ebeee7760a1619efc99777e74cef7fd5a39ba6fb	643

06 / 06

Evidence and scope

Retrieved: 2 November 2026 · 1:10 PM ET.

Source: CHANGELOG `CHANGELOG.md`, release-notes draft `docs/release-notes/2026-11-02-v3.98.2-slack.md`, GitHub `Richards-LLC/cassy` release v3.98.2; retrieved 2 November 2026 · 1:10 PM ET.

Each change is placed in a product area by the words in its title, then its text; a change that matches no area is listed under Other. Correct an area in the Change map table before rendering.

Release PR: https://github.com/Richards-LLC/cassy/pull/1456 (https://github.com/Richards-LLC/cassy/pull/1456) (merged 2 November 2026 · 1:04 PM ET).

Release-notes draft: `docs/release-notes/2026-11-02-v3.98.2-slack.md`.

CHANGELOG source: `CHANGELOG.md`.

GitHub release: https://github.com/Richards-LLC/cassy/releases/tag/v3.98.2 (https://github.com/Richards-LLC/cassy/releases/tag/v3.98.2) (published 2 November 2026 · 1:09 PM ET).

Release receipt (relative to ~/.cas/artifacts): `cassy-ee10031b42e3c2024023c076dfb2edd8118e39b8baee6f0832367b9e8ef4c205/cas-c4d1/run/release-latency.receipt`.

Pipeline latency

Stage timings are unavailable: the latency receipt records no STAGE_SECS.

No source warnings.