
Cassy v3.88.0

RELEASE REPORT · PUBLISHED 29 OCTOBER 2026 · 7:35 AM ET

Commander leads 38 changes: controls, Team and readable work beside the conversation.



One dot, one shipped change. No GitHub issues are counted in this report's fixes ledger.

See every change ↓

01 / 06

Release at a glance

▼ What shipped, by area

One dot is one change listed in the v3.88.0 CHANGELOG. Dots count changes, not their size or importance.

AREA	CHANGES	WHAT CHANGED
Commander	16	Commands beside the conversation; Team beside the chat; A phase line with an honest clock; Know which version each machine runs; Accounts across machines; Work rows that say what happened; Real tables with two copy formats; Source color after source text; Exit cards follow the ended session; Urgent unread alarms survive a wider window; Short status tables are still tables; Current release progress gets measured first; Re-pair before the first reply opens; Replay stays with its own conversation; Account confirmations really close; Conversation tabs clear phone notches
Sessions	4	Claude usage survives until its reset; One malformed profile does not stop hook setup; Resume starts from the latest checkpoint; Recycling preserves the replacement's resume
Tasks	9	Batch QA is the default; Check the evidence format before submitting it; QA proof can follow a delivery to another machine; The current review stays current; Regression cases can live independently; Landed content stays recognizable; Upkeep sees the delivered regression case; Close tolerates appended audit notes; Ready means this delivery
Messages	1	Received messages get their recipient receipt
Releases	3	Count the changes inside grouped release notes; Release headings accept multibyte text; Publish the report for the release being described

AREA	CHANGES	WHAT CHANGED
Safety	4	Account discovery avoids credential contents; Bulk shutdown has a bounded store wait; Stop owned processes that left their scope; Less idle store work
Other	1	Startup guidance fits its budget
Total	38	7 areas

Source: CHANGELOG `CHANGELOG.md`, release-notes draft `docs/release-notes/2026-10-29-v3.88.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.88.0; retrieved 29 October 2026 · 10:34 AM ET.

38

Changes shipped

8 added, 24 fixed, 6 changed; tests, docs and known limits excluded

65 min

Release commit to main

Target 30 min; two merge-queue ejections

15 min

Main to published

Target 20 min; GitHub release publication after main merge

Changes and GitHub issues are counted separately. A change is one titled entry in the v3.88.0 CHANGELOG section; tests and documentation entries are listed under the hood but not counted. The two known-limit entries describe remaining problems and are excluded from shipped changes. Commander groups the 16 conversation UI changes; Sessions groups profile usage, setup, resume and recycling; Tasks groups delivery and QA. Memory and Slack and Cloud have no shipped changes and are omitted from the map. These editorial area assignments replace keyword matching; area order is unchanged. A GitHub issue counts when release PR #1423 or the CHANGELOG section references it and it closed between the PR opening (6:15 AM ET) and 15 minutes after its merge (7:35 AM ET). Issues are closed by hand shortly after the merge, so a report run inside that window waits for referenced issues that are still open. No GitHub issues are counted in this report's fixes ledger. The generator found no referenced GitHub issue closures within its counting window; the issue count is unchanged. Not measured for this release: queue-green to published, operator-request to published, blockers, lesson recurrence and manual interventions. The release-commit and main-merge endpoints are measured separately below.

02 / 06

What you can do now

Run and follow a conversation

Commands in chat

WAS

Routine controls required a terminal.

NOW

Use the slash palette or header for supported Compact, Clear, Model, Usage, Exit and Finish actions. Destructive choices confirm, and receipts separate sending from completion.

Team at a glance

WAS

Following assignments meant leaving the conversation.

NOW

The Team tab shows assignments, task state, delivery steps and decisions that need you, with keyboard tabs and a phone layout.

An honest activity clock

WAS

Working dots hid the current stage.

NOW

The line updates with elapsed time during real tool runs and reported context shortening. Waiting and lost connections stop the animation. Codex does not report when shortening starts, so no start time is guessed.

Versions by machine

WAS

It was hard to tell which machine needed an update.

NOW

Machine cards show their reported version and known updates; the Web footer names the browser build separately and keeps the last known release offline.

Accounts in one place

WAS

Account cleanup required leaving Commander.

NOW

Compare accounts by machine, read usage and reset times, get sign-in help and confirm supported account changes. New session choices refresh immediately; Grok stays read-only.

Confirmations disappear

WAS

An account confirmation could stay visible after Cancel or completion.

NOW

Dismissal closes and clears the editor. Read-only access does not expose editing controls.

Read, copy and recover

Exit cards finish too

WAS

An Exit card could stay unconfirmed after the session ended.

NOW

Claude and Codex Exit cards show ended when the session end is observed.

Urgent alerts survive resizing

WAS

Making the window wider could silence an alarm for urgent unread items.

NOW

Resizing no longer silences that alarm while those items remain unread.

Clearer work detail

WAS

Activity rows gave little clue about the operation.

NOW

Read, search, command and edit rows name their scope, show failures and open the matching detail while preserving focus and expanded rows.

Tables you can reuse

WAS

Copied pipe tables could lose their columns.

NOW

Native table headers and cells handle escaped separators and empty cells; Copy Markdown and Copy CSV preserve their formats, with failure and retry feedback.

Short tables count too

WAS

A short status reply could remain raw pipe text.

NOW

Compact and headerless status tables get the same table view and copy controls, while nearby plain progress stays quiet.

Code stays selectable

WAS

Code was plain text with no source colors.

NOW

Tagged source loads optional color after the text. Copy, Wrap and selection keep working; oversized blocks or a failed color download explain their plain-text fallback.

Current progress first

WAS

Old release history could leave the current progress header waiting.

NOW

The selected active release gets its progress read first, with fewer separate history checks.

Re-pair without waiting

WAS

Revoked access could leave Opening stuck, and expired access on a phone offered only Diagnose.

NOW

Every pairing failure immediately offers Re-pair, including expired access on a phone. A late opening response cannot hide it.

Replay stays local

WAS

An update from another conversation could start unrelated reads.

NOW

Replay stays with its conversation. The separate timeout seen while pasting in dark mode remains unexplained; this release does not claim it fixed.

Phone tabs stay reachable

WAS

Conversation tabs could sit under a phone notch.

NOW

Safe-area spacing keeps the tabs clear of the cutout.

Trust account information and completion

Dated Claude usage

WAS

A valid percentage could disappear early or hide how old it was.

NOW

Claude readings remain until their reset and show their observation time, including the date for an earlier day.

Honest account identity

WAS

Account choices depended on reading provider sign-in files.

NOW

Choices use non-secret account information. Missing Codex identity stays unknown, and explicit account aliases remain selectable.

Setup keeps going

WAS

One damaged account settings file could stop the remaining setup.

NOW

The problem is reported for that account and setup continues elsewhere.

Resume the latest checkpoint

WAS

Recovery guidance could lead to older or unreadable saved context.

NOW

Resume guidance retains the latest checkpoint and opens it through a valid notes request.

Notes do not derail completion

WAS

An audit note arriving during completion could reject otherwise unchanged work.

NOW

Appended notes are retained while completion retries safely; requested corrections still take precedence.

Known limits

Team refresh after reassignment

WAS

Team could flicker during refresh or briefly show the previous task after a new assignment.

NOW

This can still happen in this release; a fix is planned.

Codex Clear can stay unconfirmed

WAS

Clear could finish while its card stayed unconfirmed.

NOW

The Codex session can be cleared while the card still says unconfirmed; this remains a known limit.

Team details can be incomplete

WAS

Team is new in this release.

NOW

On a live factory, a lane can show an older task or no task, and models and delivery steps are not shown yet; fixes are planned.

03 / 06

Under the hood

Added — Commander controls and a clearer picture of progress

Commands beside the conversation

WAS

compacting or clearing context, choosing a model, checking usage, ending a session and requesting Finish required the terminal.

NOW

A curated Claude/Codex palette protects busy input, confirms destructive actions and distinguishes submission from execution. Chooser display does not claim a model change; Finish points to its completed reply without claiming Exit.

Team beside the chat

WAS

following assignments and delivery meant opening separate views.

NOW

a lazy Team tab shows the selected session's current staffing, task state, elapsed time and delivery receipts beside its conversation, with a Needs you strip, keyboard tabs and a stacked phone view. Missing evidence stays Not reported, and no raw output stream is required.

A phase line with an honest clock

WAS

generic working dots gave little sense of the current activity.

NOW

Native lifecycle facts refresh during real tool runs and reported compaction via the existing heartbeat. Waiting, stale, disconnected and completed phases stop animating. Missing times stay unknown; Codex compaction start is not reported.

Know which version each machine runs

WAS

the browser gave little help comparing connected machines with the current release.

NOW

machine cards and project chips show the reported Cassy version and a quiet update note when a newer stable release is known. The cached lookup retains its last result offline; the Web footer names the browser build separately.

Accounts across machines

WAS

inspecting and managing accounts required leaving Commander.

NOW

Accounts group by machine with capacity and reset times. Audited Claude/Codex removal, disable/enable, rename and default changes refresh New session choices; supported login help is available. Grok stays read-only and unknown capacity stays unknown.

Work rows that say what happened

WAS

tool activity looked like generic expandable rows.

NOW

read, search, command and edit rows name their operation and scope, show failures explicitly and open the matching detail with exact raw evidence. Unknown tools retain a readable raw fallback, and live updates preserve focus and expansion.

Added — tables and source that are easier to use

Real tables with two copy formats

WAS

pipe tables could lose escaped separators, confuse fenced code with tables or lose columns when copied.

NOW

native headers and cells preserve table semantics, escaped pipes and empty cells. Copy Markdown retains the original source; Copy CSV quotes spreadsheet cells, with visible failure and retry. Wide tables scroll inside the message and prose keeps whole words.

Source color after source text

WAS

fenced code stayed uncolored.

NOW

Tagged source loads safe lexical color lazily with bounded input, spans and cache. Selection, exact Copy and Wrap survive repaint; oversized or unavailable coloring explains its plain-text fallback. No full parser or language detection is promised.

Fixed — Commander recovery, phones and current status

Exit cards follow the ended session

WAS

an Exit command card could stay unconfirmed after the session ended.

NOW

Claude and Codex Exit cards settle as ended from the observed session end.

Urgent unread alarms survive a wider window

WAS

widening the window could silence an alarm for urgent unread items.

NOW

resizing no longer silences that alarm while those items remain unread.

Short status tables are still tables

WAS

compact status replies could remain raw pipe text without table-copy controls.

NOW

short and headerless status tables use the native table view and both copy formats, while adjacent plain progress remains quiet.

Current release progress gets measured first

WAS

historical releases could consume the bounded status budget before the selected active release, leaving Team's header empty or delayed.

NOW

current staffed work is prioritized and batched ancestry reads provide the display's merge progress. Full close-time delivery proofs retain their own checks.

Re-pair before the first reply opens

WAS

revoked access during the first attach could leave Opening on screen, while expired credentials left phones with only Diagnose.

NOW

the pairing failure immediately replaces it with a named Re-pair action for every authentication failure, including expired credentials on a phone; late attaches cannot override it.

Replay stays with its own conversation

WAS

replay from an unselected session could trigger command-control reads for the selected conversation.

NOW

peer replay does not make those unrelated reads. The separate timeout observed while pasting in dark mode under parallel journey load still has unproven causation; this release does not claim that timeout fixed.

Account confirmations really close

WAS

the confirmation editor could remain visibly open after Cancel, a completed change or a read-only view.

NOW

dismissal hides the editor and clears its text, value and validation state; read-only pairings cannot expose editing controls.

Conversation tabs clear phone notches

WAS

the phone shell could place its tabs under a display cutout.

NOW

the conversation tab layout respects safe-area spacing while keeping its controls reachable.

Fixed — trustworthy account choices and usage

Claude usage survives until its reset

WAS

native usage observations could be missing, lost too early or shown without their age.

NOW

each profile records the official Claude statusline observation, including sessions launched by Cassy, and retains valid windows until their reset. Older percentages show their observation time and, when needed, Eastern date in both launch choices and weekly readings.

Account discovery avoids credential contents

WAS

account and launch catalogs derived identity from provider credential files.

NOW

they use non-secret provider information and native usage observations instead. Missing Codex identity stays unknown and explicit aliases remain selectable.

One malformed profile does not stop hook setup

WAS

invalid settings in one profile could abort setup for the remaining profiles and project.

NOW

setup reports that profile's problem and continues the remaining installations, retaining the native usage recorder where it can be installed.

Changed — evidence that is easier to prepare and carry

Batch QA is the default

WAS

new projects inherited per-delivery QA.

NOW

shared batch QA is built in, with per-task QA available as an explicit opt-in. User-level QA settings are inherited consistently, while project overrides and existing recorded review requirements remain authoritative.

Check the evidence format before submitting it

WAS

malformed evidence led to repeated review-time ledger rejections.

NOW

`cas qa ledger init` scaffolds the verifier's format and `cas qa ledger check` uses the same parser. Close checks the producer ledger before verification dispatch and preserves shared batch ownership instead of demanding a private ledger.

QA proof can follow a delivery to another machine

WAS

independent reviews and evidence bundles could remain tied to local paths, and quoted audit text could be confused with producer evidence.

NOW

review records sync, declared bundle files export within the task boundary, and artifact references recover peer evidence without changing its original ownership.

The current review stays current

WAS

a waived review and its successor could share an ordinal and cause an older result to win.

NOW

review selection follows observation order and active state, retaining the current review claim and its actual proof requirements.

Regression cases can live independently

WAS

unrelated fixes repeatedly conflicted at one shared bug-family append point.

NOW

journey bug families can live in separate files with the same ownership and validation rules.

Startup guidance fits its budget

WAS

accumulated role guidance already exceeded the native startup context allowance.

NOW

shorter entry guidance and conditional references retain the required commands without overrunning that allowance.

Fixed — delivery state and safe local operations

Landed content stays recognizable

WAS

unavailable attribution or a regenerated merge could mark byte-identical delivered files as dropped.

NOW

content proof follows the recorded delivery and its attributable merge output, including a restart, while preserving ownership and ancestry fences.

Upkeep sees the delivered regression case

WAS

post-merge distribution regeneration could hide a case added by the delivery and incorrectly refuse close.

NOW

upkeep reads the introducing integration merge against its first parent, rather than a later generated-only tip.

Close tolerates appended audit notes

WAS

a receipt or upkeep note appended during a long close could invalidate its own parking snapshot.

NOW

close preserves appended notes and retries against a refreshed guarded snapshot. Request changes and edits to ownership, proof scope, acceptance, delivery or existing history still win and refuse the stale close.

Ready means this delivery

WAS

merge readiness could credit a previous, already-merged delivery to a newly assigned task or retain an old start after a lease ended.

NOW

readiness binds the current task and delivery identity, retiring released bindings without discarding valid historical start records.

Received messages get their recipient receipt

WAS

a claimed transport record could prevent a later actual recipient surfacing from being recorded.

NOW

receipt promotion records that surfacing while retaining the distinction between transport delivery and model execution.

Resume starts from the latest checkpoint

WAS

start guidance advertised a notes offset the notes reader rejected, or pointed at older context.

NOW

start uses valid recovery guidance and retains the latest saved checkpoint, including after notes are reordered.

Bulk shutdown has a bounded store wait

WAS
shared SQLite contention made bulk shutdown exhaust its wait budget and report dead processes as failures.

NOW
authorization is isolated from the shared store mutex and queue maintenance is indexed, while ownership checks remain required.

Recycling preserves the replacement's resume

WAS
delayed cleanup of a dead pane could cancel the replacement's resume message under the same name.

NOW
the old process identity retires before relaunch and cleanup remains bound to that generation.

Stop owned processes that left their scope

WAS
stopping a registered systemd scope could leave its owned Node process alive after it moved out.

NOW
stop also checks and terminates verified owned survivors, retaining the process-identity guard against unrelated processes.

Less idle store work

WAS
repeated QA and shutdown queue maintenance scanned historical rows and kept the store writer busy while idle.

NOW
indexed maintenance avoids those repeated historical scans.

Fixed — release records and regression checks

Count the changes inside grouped release notes

WAS
release reports counted grouped headings instead of each titled changelog entry.

NOW
every titled entry is counted while wrapped content and legacy heading formats keep their meaning.

Release headings accept multibyte text

WAS
truncating a long release heading at a byte index could panic inside a multibyte character.

NOW
truncation respects UTF-8 boundaries.

Publish the report for the release being described

WAS
a focused project release could block uploading the report for a different published release.

NOW
report publication resolves its owning release from the merged release PR and retains the uploaded-byte integrity checks.

Previous-release records are complete

WAS
the v3.87.0 report and its shipped issue references needed follow-up.

NOW
its Markdown, brief, HTML, PDF and visual QA records are committed, and shipped issue references have been reconciled with that release. This is documentation work, excluded from the change map.

Regression checks follow the current interface

WAS
history checks could send before their conversation socket was ready, outage checks expected a retired footer, and account checks expected email from credential contents.

NOW
those checks wait for readiness and assert the current Web footer and credential-free identity contract. This is test maintenance, excluded from the change map; no new runtime behavior is claimed.

Known limits

Team refresh after reassignment

WAS
Team lanes could flicker on refresh or briefly retain the previous task after reassignment.

NOW
This can still happen in this release; a fix is planned.

Codex Clear can stay unconfirmed

WAS
Clear could finish while its card stayed unconfirmed.

NOW
The Codex session can be cleared while the card still says unconfirmed; this remains a known limit.

Team status gaps on a live daemon

WAS
Team is new in this release.

NOW
On a live daemon, a lane can show an older parked task or a null current task, and lanes carry no model or delivery_state; fixes are planned.

04 / 06

Fixes ledger

GitHub issues closed with this release · 0

ISSUE	TITLE	CLOSED	AREA

No GitHub issues are counted in this report's fixes ledger.

05 / 06

Install

```
cas update --yes --version 3.88.0
```

Release assets

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz	sha256:d0a2157ae2d95d48ea0b8d2ed62a93b18f3c2981009169340338830 3e339317d	37338707
cas-x86_64-unknown-linux-gnu.tar.gz	sha256:9f65469eb7536797fbe3b3aae975c45c046e0c931a23816d824ae1e2e9a30553	43267696
hub-deployment.json	sha256:e71d3bd1185dcec17ad707341f2ca393a8275f6488160a662f32d9dd038193ba	643

06 / 06

Evidence and scope

Retrieved: 29 October 2026 · 10:34 AM ET.

Source: CHANGELOG `CHANGELOG.md`, release-notes draft `docs/release-notes/2026-10-29-v3.88.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.88.0; retrieved 29 October 2026 · 10:34 AM ET.

Editorial grouping follows the stable product-area order. Commander contains the 16 conversation UI changes; profile lifecycle goes in Sessions, delivery and QA in Tasks, recipient receipts in Messages, report publication in Releases, local account/process protection in Safety, and startup guidance in Other. Empty areas are omitted; the source table names every counted change.

Release PR: https://github.com/Richards-LLC/cassy/pull/1423 (https://github.com/Richards-LLC/cassy/pull/1423) (merged 29 October 2026 · 7:20 AM ET).

Release-notes draft: `docs/release-notes/2026-10-29-v3.88.0-slack.md`.

CHANGELOG source: v3.88.0 CHANGELOG (https://github.com/Richards-LLC/cassy/blob/v3.88.0/CHANGELOG.md). Analysis tree: `20f44de53d983d6c15bf2b9eb1db459f7bad2038`; published main merge: `b0bff674b0ec551e8686a34943ec46512ba4c392`.

GitHub release: https://github.com/Richards-LLC/cassy/releases/tag/v3.88.0 (https://github.com/Richards-LLC/cassy/releases/tag/v3.88.0), published 29 October 2026 · 7:35:22 AM ET. Both archive digests and sizes match the GitHub release asset metadata retrieved 29 October 2026 · 10:34 AM ET. macOS ARM64 archive (https://github.com/Richards-LLC/cassy/releases/download/v3.88.0/cas-aarch64-apple-darwin.tar.gz); Linux x86_64 archive (https://github.com/Richards-LLC/cassy/releases/download/v3.88.0/cas-x86_64-unknown-linux-gnu.tar.gz); hub deployment record (https://github.com/Richards-LLC/cassy/releases/download/v3.88.0/hub-deployment.json).

Release receipt: published release and asset metadata were checked with `gh release view v3.88.0 --json tagName,publishedAt,url,targetCommitish,assets`; PR merge checked with `gh pr view 1423 --json createdAt,mergedAt,mergeCommit,headRefOid,url`. The supervisor-provided posted draft records the freshly downloaded archive checksums and Slack receipts; this task does not claim a fresh installation.

The range pair lookup recorded in the release draft found no verified before/after pairs and 51 findings. No one-sided or reconstructed screenshots are included. The live Team gaps, Codex Clear confirmation limit and unexplained dark-mode paste timeout remain explicit above. Report generation and visual QA do not prove provider actions or physical phone behavior.

Pipeline latency

Release commit to main: 65 minutes against a 30-minute target, with two merge-queue ejections. Main to published: 15 minutes against a 20-minute target. The first interval is the release preparation commit to its main merge, not a successful queue run. The second runs from PR #1423 merging at 7:20:40 AM ET to GitHub publication at 7:35:22 AM ET: 14 minutes 42 seconds, rounded to 15 minutes. The first interval runs from release commit 207caee6a (https://github.com/Richards-LLC/cassy/commit/207caee6a) at 6:15:30 AM ET to the PR merge at 7:20:40 AM ET: 65 minutes 10 seconds, rounded to 65 minutes. The task publication handoff supplies the two-ejection count. No queue-green or operator-request endpoint is substituted.

Source warnings:

- No standalone latency receipt was found. Queue-green to published remains unavailable; the separate release-commit and main-merge intervals above are sourced explicitly.
- The source generator counted 42 titled entries, including two known limits and two documentation/test-maintenance entries, despite its counting note. This edition excludes those four entries from shipped changes and retains their text; the GitHub issue count stays unchanged.
