

Five themes, twenty-one issues closed: *clearer states* and safer next steps across Cassy.

SURFACE		CLOSED
Factory		4
Delivery		6
Cloud		3
Diagnostics		5
MechaCassy		3
Install	release hardening	0

Delivery has the largest cluster; the closures reach five everyday surfaces.

One dot, one closed issue. Five themes. Installation improved too.

[Read the map data ↓](#)

Release at a glance

21

Issues closed

The named, verified closed issues in this report

4

Features added

Top-level Added entries in CHANGELOG 3.19.0

2

Fix entries

Top-level Fixed entries; additional repairs appear under Changed

49m 30s

Green to published

gate.green.epoch → release-published.receipt; 2970 seconds

Counts describe this release only; they are not a comparison with the previous release. Published at 2026-09-08T20:46:23Z. Issue closures were recorded between 20:54:44Z and 20:55:16Z, after publication.

▼ Change map · data and reading guide

One filled dot represents one closed issue. Dots have equal weight: this is a count of closures, not a measured impact score. Installation also improved, with no separate issue in this ledger.

Change map data · closed issues by surface

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
Factory	4	#705, #746, #748, #749
Delivery	6	#719, #734, #742, #744, #750, #751
Cloud	3	#717, #730, #732
Diagnostics	5	#718, #737, #738, #739, #745
MechaCassy	3	#724, #731, #752
Install	0	Release hardening; no listed issue
Total	21	Five issue-bearing themes

Source: PR #761 (<https://github.com/Richards-LLC/cassy/pull/761>) and the 21 closed GitHub issues in the fixes ledger; retrieved 2026-09-08 20:58 UTC. Grouping is editorial, following the PR. “Every state explains itself” is the release direction, not a claim that every possible state was exhaustively tested.

Daily confidence

Clearer health checks

WAS one warning could cover several different problems.

NOW checks separate missing projects, incomplete setup, and unreachable services with the right remedy.

History from the right place

WAS code history could look in the wrong repository.

NOW it uses the configured history source or the project's GitHub home.

Honest hub status

WAS a healthy public route could look loopback-only.

NOW status shows when the live public route is working.

Safer recovery

Cloud conflicts

WAS a project-name mismatch could look like a retryable sync failure.

NOW Cassy explains the conflict and what to change.

Safe cleanup

WAS cleanup could drift after its preview.

NOW Cassy checks the exact rows and stops if state changes.

Accepted changes

WAS accepted shared changes could disappear from the local task list.

NOW they appear as open tasks in the intended project.

Known projects

WAS a missing folder and an uninitialized project could look the same.

NOW each gets a precise repair path.

Reliable work

Messages you can find

WAS a delivered message could be invisible or repeat.

NOW it stays visible until observed and repeated delivery is bounded.

Safe urgent requests

WAS an urgent request could affect the wrong assignment.

NOW ownership is checked before the request takes effect.

Clean restarts

WAS clearing a conversation could resume under the wrong identity.

NOW the recipient's new session is confirmed before work continues.

Predictable parallel builds

WAS simultaneous builds could compete for the machine.

NOW configured limits keep them within a safe budget.

Trustworthy updates

File uploads you can trust

WAS a successful byte count did not prove a usable image arrived.

NOW uploads are downloaded, hash-checked, decoded, and previewed.

Safer installs

WAS a temporary GitHub hiccup could make the installer give up with no explanation.

NOW it retries with credentials and tells you exactly what the release service returned.

Branch and build controls

Close validation	WAS close and commit guards could inspect the wrong target worktree or stale epic base.
	NOW both resolve the declared target, and spawns retain the focused epic base.
Push safety	WAS a rejected push existed only as hook stderr.
	NOW non-factory destinations are refused and recorded in worker activity.
Build throttling	WAS concurrent builders could ignore configured limits.
	NOW <code>factory.max_concurrent_builders</code> and <code>factory.worker_build_jobs</code> cap process and Cargo jobs, with the active throttle in spawn output.
Release drift	WAS committed hub-web dist output could drift from its source unnoticed.
	NOW the release gate rejects stale generated assets.

Delivery and messaging

Parked retries	WAS a parked delivery anchor could point at a stale session.
	NOW retries refresh the anchor and preserve actionable upstream Slack errors.
Urgent ownership	WAS an urgent wake could consume work owned by another session.
	NOW assignment ownership is validated before dispatch.
Context reset	WAS clearing context could leave the recipient under an old identity.
	NOW the reset runs in the recipient harness and confirms the new transcript.
Bounded redelivery	WAS an unobserved Claude delivery could repeat without a clear cap.
	NOW attempts and retries stay within a bounded delivery budget.
Session routing	WAS a worker relay could land in a generic supervisor session.
	NOW relays route to the owning supervisor session.
Inbox visibility	WAS a transport-delivered receipt could hide an unread row.
	NOW it remains pollable until an observed wake consumes it, and consumption retires exactly one row.

Cloud synchronization

Conflict diagnostics	WAS a cloud HTTP 409 could become a generic queue retry. NOW <code>cas cloud sync</code> and <code>cas doctor</code> name the project conflict, park affected rows, and give the exact remedy.
Verified purge	WAS foreign-row cleanup could delete a different count or re-admit rows after its preview. NOW <code>cas cloud purge-foreign</code> applies the verified set exactly and aborts on drift.
Proposal materialization	WAS an accepted cross-project proposal could remain absent locally. NOW <code>cas cloud pull</code> creates the open target task from the server-attested destination and prints concrete pull errors.

Diagnostics and configuration

Epic status	WAS <code>mcp__cas__coordination action=epic_status</code> could spend unbounded work on a large epic. NOW <code>offset</code>, <code>limit</code>, and <code>summary</code> provide bounded pages and a fast ancestry-only view.
Known-repository classifier	WAS <code>cas doctor</code> treated missing roots and live roots without a Cassy store alike. NOW <code>cas doctor --fix</code> prunes only missing roots and gives safe manual guidance for live roots.
History repository	WAS history indexing reused the bug-intake repository setting. NOW <code>history.github_repo</code> is independently configurable through <code>cas config</code>, with GitHub-origin fallback.
Upstream reachability	WAS proxy startup exposed only a coarse connection failure. NOW <code>cas doctor</code> probes each configured upstream once, shows redacted detail, and boot output records reachable routes.
Healthy hub route	WAS <code>cas hub status</code> printed loopback-only for a live CAS-created Tailscale Serve route. NOW it reports the live hub target while retaining distinct unavailable and unrecorded-route states.
Portable Codex workers	WAS Playwright MCP inherited a fixed host home path. NOW Codex derives <code>HOME</code> and its profile from the host home.

MechaCassy and installation

Read preflight	WAS the skill treated an available transport as proof that posting was safe. NOW it requires the read preflight and documents the approved fallback.
----------------	--

Channel operations	WAS channel resolution, edits, and deletes had incomplete guidance. NOW the skill documents the complete channel contract and safe error handling.
Upload integrity	WAS file size or a success response could stand in for proof. NOW downloaded SHA-256 equality, image decoding, and visible preview are required.
Install receipts	WAS a temporary GitHub hiccup could make the installer give up with no explanation. NOW it retries with credentials and tells you exactly what the release service returned.

Source: CHANGELOG 3.19.0 (<https://github.com/Richards-LLC/cassy/blob/v3.19.0/CHANGELOG.md>), PR #761 (<https://github.com/Richards-LLC/cassy/pull/761>), and the user/dev release draft. These are shipped changes; the draft supplies the Was → Now wording, not publication proof.

Fixes ledger

04 / 06

All 21 listed issues are closed. Titles below are shortened to describe the resulting behavior; linked issues preserve the original reports. Sorted by issue number. The theme column is the data behind the change map.

Issue register · 21 verified closures

ISSUE	WHAT CHANGED	THEME
#705 (https://github.com/Richards-LLC/cassy/issues/705)	Refused pushes leave a visible record	Factory
#717 (https://github.com/Richards-LLC/cassy/issues/717)	Explain project-registration conflicts	Cloud
#718 (https://github.com/Richards-LLC/cassy/issues/718)	Give code history its own repository setting	Diagnostics
#719 (https://github.com/Richards-LLC/cassy/issues/719)	Keep delivered messages visible until observed	Delivery
#724 (https://github.com/Richards-LLC/cassy/issues/724)	Document channel, edit and delete operations	MechaCassy
#730 (https://github.com/Richards-LLC/cassy/issues/730)	Apply the exact verified cleanup plan	Cloud
#731 (https://github.com/Richards-LLC/cassy/issues/731)	Verify downloaded image integrity	MechaCassy
#732 (https://github.com/Richards-LLC/cassy/issues/732)	Materialize accepted proposals locally	Cloud
#734 (https://github.com/Richards-LLC/cassy/issues/734)	Route messages to the owning supervisor	Delivery
#737 (https://github.com/Richards-LLC/cassy/issues/737)	Derive Codex worker paths from the host home	Diagnostics
#738 (https://github.com/Richards-LLC/cassy/issues/738)	Bound and paginate epic status	Diagnostics
#739 (https://github.com/Richards-LLC/cassy/issues/739)	Distinguish missing roots from uninitialized projects	Diagnostics
#742 (https://github.com/Richards-LLC/cassy/issues/742)	Confirm worker identity after context reset	Delivery
#744 (https://github.com/Richards-LLC/cassy/issues/744)	Refresh parked delivery anchors	Delivery
#745 (https://github.com/Richards-LLC/cassy/issues/745)	Expose upstream reachability diagnostics	Diagnostics
#746 (https://github.com/Richards-LLC/cassy/issues/746)	Preserve the focused epic as the spawn base	Factory
#748 (https://github.com/Richards-LLC/cassy/issues/748)	Resolve the declared close target	Factory
#749 (https://github.com/Richards-LLC/cassy/issues/749)	Resolve commit guards inside linked worktrees	Factory
#750 (https://github.com/Richards-LLC/cassy/issues/750)	Validate urgent assignment ownership	Delivery
#751 (https://github.com/Richards-LLC/cassy/issues/751)	Bound repeated delivery attempts	Delivery
#752 (https://github.com/Richards-LLC/cassy/issues/752)	Document read preflight and its approved fallback	MechaCassy



Update an existing installation:

```
cas update
```

Or choose the archive for your platform. SHA-256 values below were computed from fresh downloads and matched the GitHub asset digests byte for byte.

Linux x86_64

[cas-x86_64-unknown-linux-gnu.tar.gz](https://github.com/Richards-LLC/cassy/releases/download/v3.19.0/cas-x86_64-unknown-linux-gnu.tar.gz) (https://github.com/Richards-LLC/cassy/releases/download/v3.19.0/cas-x86_64-unknown-linux-gnu.tar.gz)

SHA-256: 4bb221b30252ffbf45cb164fbe9ac4c64b8e9f0709b53ce617c68072274c05d5

macOS ARM64

[cas-aarch64-apple-darwin.tar.gz](https://github.com/Richards-LLC/cassy/releases/download/v3.19.0/cas-aarch64-apple-darwin.tar.gz) (<https://github.com/Richards-LLC/cassy/releases/download/v3.19.0/cas-aarch64-apple-darwin.tar.gz>)

SHA-256: 0980b70998be147a7f8a7e109b94eba120e72f36ecc2506ff08ae62cc846c4eb

[Open the v3.19.0 release](https://github.com/Richards-LLC/cassy/releases/tag/v3.19.0) (<https://github.com/Richards-LLC/cassy/releases/tag/v3.19.0>)

This brief describes the published release relative to v3.18.1. It is an operator review artifact, not a new runtime release or proof of a Slack publication. No production performance benchmark or exhaustive state-coverage claim is made. The full gate turned green at 2026-09-08T19:56:53+00:00; publication followed 2970 seconds later. This includes the intervening merge and tag work, not only artifact upload time. The separate release-latency.receipt records 172 seconds from tag to publication.

Source priority: CHANGELOG 3.19.0, PR #761, the user/dev release draft, the 21 GitHub issue titles and closed timestamps, then published release assets. The release metadata and downloaded bytes are authoritative for publication and checksums. The consulted Slack source still contains draft placeholders; none were used for the install hashes.

Markdown source: [2026-09-08-v3.19.0.md](#). Source checkout: 258e46141365ea3a4337edba39ffcdb82663fb1d. Figure and issue snapshot: 2026-09-08 20:58 UTC. Release window: 8 September 2026. Build and visual proof are retained with task cas-aaae. Timing receipts: /home/pippenz/.cas/artifacts/release/v3.19.0-epic-92c0-merge/gate.green.epoch and release-published.receipt; copies are retained with the report evidence.

Queries used:

```
gh pr view 761 --repo Richards-LLC/cassy --json body,mergeCommit,mergedAt
gh issue list --repo Richards-LLC/cassy --state closed --limit 100 --json number,title,url,closedAt
gh release view v3.19.0 --repo Richards-LLC/cassy --json assets,publishedAt,url
gh release download v3.19.0 --repo Richards-LLC/cassy --dir .report-build --pattern '*.tar.gz'
sha256sum .report-build/*.tar.gz
```

The issue query was filtered to #705, #717, #718, #719, #724, #730, #731, #732, #734, #737, #738, #739, #742, #744, #745, #746, #748, #749, #750, #751 and #752. All 21 were present and closed.

The HTML is generated from this markdown with `python3 docs/release-reports/render-v3.19.0.py` from the repository root. The checked-in HTML opens directly; generation is only needed when updating the source. The PDF is rendered from that same HTML with Playwright Chromium `page.pdf`, A4 format, print backgrounds and 15 mm CSS page margins; Letter is separately checked.