

Held messages go out when the machine returns, and pairing explains failures.

SURFACE		CLOSED
Commander, steadier	no listed issues	0
Release	no listed issues	0
The closure map is empty until release evidence names verified issues.		

One dot, one closed issue. 0 issue-bearing surfaces.

Read the map data ↓

Release at a glance

01 / 06

0 Issues closed Named, verified closed issues in this report	0 Features added Top-level Added entries in the CHANGELOG section	0 Changed entries Top-level Changed entries in the CHANGELOG section	0 Fix entries Top-level Fixed entries in the CHANGELOG section
48m 22s Green to published gate.green.epoch to the published receipt, when available	3m 40s — within budget (10m 0s budget) Tag to published First tag workflow to publication; measured budget result	1 Manual interventions Distinct rescued stages plus recorded hand fixes; receipt INTERVENTIONS	

▼ Change map · data and reading guide

One filled dot represents one closed issue. Dots have equal weight: this is a count of closures, not a measured impact score.

Change map data · closed issues by surface

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
Commander, steadier	0	No listed issues
Release	0	No listed issues
Total	0	0 issue-bearing themes

What you can do now

02 / 06

Commander, steadier

Held messages go out

WAS with two tabs open, a message held while a machine reconnected could stay unsent, and a tab could stay on "Reconnecting". →

NOW it is sent once the machine is back, and both tabs show it delivered.

Pairing that explains itself

WAS when pairing timed out, nothing visibly changed. →

NOW the error appears in view with the next step, and on a phone "Technical details" opens with one tap and keeps your place.

Browsers you can recognize

WAS the installations sheet showed generation numbers, timestamps and signing keys. →

NOW each browser has a name and a relative time, with the technical details tucked behind a disclosure.

Plainer screens

WAS permission lists, the Connection log and inbox statuses used internal wording. →

NOW they say what happened in plain words, the phone header keeps the machine name whole, and raw details sit behind "Technical details".

Tidier command line

WAS `cas list` showed crashed daemons as "stopped" forever, and `cas integrate` output broke at narrow widths. →

NOW crashed daemons read as dead and their sockets are cleaned up, and `cas integrate` fits any terminal.

Under the hood

03 / 06

Delivery and release fixes

Held-send recovery

WAS a fresh session Welcome during machine SSE backoff left the header Reconnecting, and a no-write claim reset dropped the held history row. →

NOW a live Welcome restarts the machine retry, held sends wake after machine readiness, and the authoritative held transition is restored.

Pre-merge ISA gate	WAS the x86_64 AVX-512 audit ran only inside release.sh after main landed. → NOW a release-binary-isa gate row builds the locked zigbuild artifact and audits it before pr-body, reusing a PASS keyed on lockfile, code and toolchain.
Close and admission	WAS a parked child's content proof walked generated bundles (29s), and admission lock fds leaked into sccache servers and orphaned test children. → NOW the proof leaves regenerable artifacts to the bundle rule (2s), and a lease-holder process keeps the locks while commands get none.
Factory and QA tooling	WAS dead daemons stayed "stopped", cancelled QA tasks dead-ended their rounds, and visual-qa flagged input scroll, line clamps and JS-required pages. → NOW dead daemons are reaped safely, orphaned rounds are withdrawn and redispached, and those inspector false positives are gone.
CI and receipts	WAS one-worker journeys pushed queue runs past the check timeout, and announce skipped the draft's empty POSTED table. → NOW CI runs journeys on four workers, and announce writes the message ids into the draft.

Fixes ledger

04 / 06

Issue register · 0 verified closures

ISSUE	STATE	CLOSED	THEME
-------	-------	--------	-------

Install

05 / 06



```
cas update # install v3.47.1 through the project's normal release channel
```

Change map data · closed issues by surface

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz	sha256:d96f7e3a62c99e072024d0845f3138e4ce7726afd36428fed23b5a195c34b492	29790790
cas-x86_64-unknown-linux-gnu.tar.gz	sha256:325606e47faa3c3ce43dc0df3262e6022dd323eb2212cc04981e877f829f2c75	34339659

Evidence and scope

Retrieved: 2026-10-06T15:11:52Z.

Source: CHANGELOG /home/pippenz/Petrastella/cas-src/.cas/release-3.47.1/CHANGELOG.md, release-notes /home/pippenz/Petrastella/cas-src/.cas/release-3.47.1/docs/release-notes/2026-10-06-v3.47.1-slack.md, GitHub Richards-LLC/cassy release v3.47.1; retrieved 2026-10-06T15:11:52Z.

GitHub issue theme assignment uses labels first, then the keyword table in the CLI. Any issue classified as Unclassified is shown in the map so a human can correct the Markdown before rendering.

Release-notes draft: docs/release-notes/2026-10-06-v3.47.1-slack.md.

CHANGELOG source: CHANGELOG.md.

GitHub release: <<https://github.com/Richards-LLC/cassy/releases/tag/v3.47.1>> (published or unknown).

Release receipt: /home/pippenz/.cas/artifacts/release/v3.47.1-release-3.47.1/release-published.receipt.

No source warnings.