

The command produces the real report on its first run and an update tells you exactly which projects still need attention.

SURFACE		CLOSED
Release	no listed issues	0
Updates	no listed issues	0
Factory	no listed issues	0

The closure map is empty until release evidence names verified issues.

One dot, one closed issue. 0 issue-bearing surfaces.

[Read the map data](#) ↓

Release at a glance

01 / 06

0	0	1	4
Issues closed	Features added	Changed entries	Fix entries
Named, verified closed issues in this report	Top-level Added entries in the CHANGELOG section	Top-level Changed entries in the CHANGELOG section	Top-level Fixed entries in the CHANGELOG section

36m 27s

Green to published

gate.green.epoch to the published receipt, when available

▼ Change map · data and reading guide

One filled dot represents one closed issue. Dots have equal weight: this is a count of closures, not a measured impact score.

Change map data · closed issues by surface

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
Release	0	No listed issues
Updates	0	No listed issues
Factory	0	No listed issues
Total	0	0 issue-bearing themes

What you can do now

02 / 06

Release reports

First run is the real report

WAS the command's first run lost project settings from a secondary checkout, cut wrapped sentences, wrote placeholder "Was" lines, missed closed issues, called a live release unpublished, and opened with a generic line.

NOW it reads settings from any checkout, keeps sentences whole, tells the Was → Now story from your release notes, counts closed issues, shows the publication time, opens with the release headline, and groups changes the way the notes do.

PDF without setup

WAS the PDF step stopped when the browser module was missing.

NOW it fetches a disposable copy and continues.

Updates

Refresh receipt kept

WAS after an update, Cassy could say the refresh outcome was unknown even though it had just printed which projects failed.

NOW it names the projects that did not refresh and the command to rerun.

Quality of the checks themselves

Guardrails travel with the skill

WAS a change to a built-in skill could pass its own checks and still fail a release check minutes later.

NOW the hand-off proof includes the guardrail tests that read that skill.

No more racing test

WAS one pairing test could fail a release check by racing its own throwaway server.

NOW it waits for readiness and names the address if anything is refused.

Guidance parked, not lost

WAS three pieces of coordinator guidance survived only in a start-up prompt after a size trim.

NOW they live in a reference page the playbook points to.

Release changes

Sources	WAS <code>acquire_sources</code> read <code>project_root/.cas</code>; <code>parse_changelog_section</code> split bullets per line; <code>was_now_sections</code> hard-coded a placeholder <code>Was</code> for both audiences. NOW <code>find_cas_root_from</code> + <code>[project].canonical_id</code>; continuation lines joined; draft <code>Was/Now</code> articles partitioned <code>User/Dev</code> with <code>changelog</code> fallback; inline-code headings preserved.
Evidence	WAS <code>closingIssuesReferences</code> only, publication from release metadata only, top-levels rendered as articles, fixed <code>THEME_ORDER</code>. NOW PR body refs extracted and verified; <code>PUBLISHED_AT</code> from the receipt or release object; the <code>User</code> punch is the normalized verdict; themes derive from the draft's bold groups and persist in front matter.
PDF	WAS exit on <code>require('playwright')</code> failure. NOW disposable <code>npm install --no-save playwright</code> and <code>retry</code>.
Receipt transport	WAS plain post-swap child with inherited <code>stdio</code>, every exit 1 → <code>refresh_failed_no_receipt</code>. NOW <code>hidden --refresh-receipt <file></code> carries <code>project_refresh_receipt_json</code> (with <code>refresh_status</code>) back to the parent on both paths; version probe kept for older children.
Scoped proof	WAS builtin <code>skill/reference/agent</code> paths were invisible to <code>--proof</code>. NOW drift, agent-contract, and guardrail targets required, plus discovery by source and installed catalog spelling; <code>rg</code> errors fail closed; failure-log learn with self-test.
Pairing fixture	WAS client raced the listener's first <code>accept()</code>. NOW readiness channel, bounded <code>accept/read</code>, address-bearing diagnostics; 50/50 under load.
Reference	WAS <code>reporting/release-train/routing</code> text trimmed from the body. NOW <code>cas-supervisor/references/reporting-and-routing.md</code> in three flavors with catalog entries and a breadcrumb.

Fixes ledger

Issue register · 0 verified closures

ISSUE	STATE	CLOSED	THEME
-------	-------	--------	-------



```
cas update # install v3.22.1 through the project's normal release channel
```

Change map data · closed issues by surface

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz	sha256:5de154ec47ee0069523c15bb79d0876fe11ac2597d4cfafef4d30629c5eda9ef	26349412
cas-x86_64-unknown-linux-gnu.tar.gz	sha256:560f25f14f6a7028250f99e5d44732adc705850406507d06ed97b334cd5af375	29947995

Evidence and scope

Retrieved: 2026-09-09T19:19:03Z.

Source: CHANGELOG /home/pippenz/Petrastella/cas-src/.cas/release-3230-prepare/CHANGELOG.md, release-notes /home/pippenz/Petrastella/cas-src/.cas/release-3230-prepare/docs/release-notes/2026-09-09-v3.22.1-slack.md, GitHub Richards-LLC/cassy release v3.22.1; retrieved 2026-09-09T19:19:03Z.

GitHub issue theme assignment uses labels first, then the keyword table in the CLI. Any issue classified as Unclassified is shown in the map so a human can correct the Markdown before rendering.

Release-notes draft: docs/release-notes/2026-09-09-v3.22.1-slack.md.

CHANGELOG source: CHANGELOG.md.

GitHub release: https://github.com/Richards-LLC/cassy/releases/tag/v3.22.1 (published or unknown).

Release receipt: /home/pippenz/.cas/artifacts/release/v3.22.1-release-3230-prepare/release-published.receipt.

Source warnings:

- GitHub issues: referenced closures unavailable or not closed: #786, #788, #789, #790, #791, #792, #794