

Release reports,
release gating, and
fairer close attribution
turn a shipped Cassy
release into *evidence
you can build,
inspect, and trust.*

SURFACE		CLOSED
Release	no listed issues	0
Memory	no listed issues	0
Verification		1
Factory	no listed issues	0

Verification carries one named closure; Release, Memory, and Factory add capabilities around the report, the briefing, and the worker start line.

One dot, one closed issue. 1 issue-bearing surfaces.

[Read the map data](#) ↓

Release at a glance

01 / 06

1

Issues closed

Named release issue verified
CLOSED on GitHub

4

Added entries

Top-level Added entries in
CHANGELOG 3.22.0

3

Changed entries

Top-level Changed entries
in CHANGELOG 3.22.0

0

Fixed entries

Top-level Fixed entries in
CHANGELOG 3.22.0

42m 15s

Green to published

Release gate green at
16:09:25Z to publication at
16:51:40Z; 2,535 seconds

Seven changelog entries: four Added and three Changed. The issue count covers #767, the closure named by the changelog and announcement draft; it is counted separately from changelog entries. Green-to-published ends at the publication receipt, not at tag push. The tag-to-published interval was 174 seconds.

▼ [Change map](#) · [data and reading guide](#)

One dot means one verified GitHub closure, not severity or effort. Read the rows as a ledger of named closures; the Was → Now sections describe the broader release surface.

Change map data · closed issues by surface

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
Release	0	Report and release-train capabilities; no counted closure

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
Memory	0	Briefing compaction and doctor budget capability; no counted closure
Verification	1	#767
Factory	0	Provider-aware spawn audit capability; no counted closure
Total	1	One verified issue closure across one issue-bearing surface

Source: [Release PR #785](https://github.com/Richards-LLC/cassy/pull/785) (<https://github.com/Richards-LLC/cassy/pull/785>), the [v3.22.0 changelog](https://github.com/Richards-LLC/cassy/blob/v3.22.0/CHANGELOG.md) (<https://github.com/Richards-LLC/cassy/blob/v3.22.0/CHANGELOG.md>), the [announcement draft](https://github.com/Richards-LLC/cassy/blob/v3.22.0/docs/release-notes/2026-09-09-v3.22.0-slack.md) (<https://github.com/Richards-LLC/cassy/blob/v3.22.0/docs/release-notes/2026-09-09-v3.22.0-slack.md>), and [issue #767](https://github.com/Richards-LLC/cassy/issues/767) (<https://github.com/Richards-LLC/cassy/issues/767>), retrieved 2026-09-09 17:03 UTC. The surface order follows the release draft's Release, Memory, Verification, and Factory themes; dots count closures, while prose records capabilities.

What you can do now

02 / 06

Release

Build the report in one command

WAS Each release report was assembled by hand from the changelog, issues, release notes, and receipts.

NOW `cas release report <version> --pdf` builds the Markdown, standalone HTML, and PDF for any project, and rerunning it preserves an existing Markdown source unless refresh is requested.

Source: [CHANGELOG 3.22.0](https://github.com/Richards-LLC/cassy/blob/v3.22.0/CHANGELOG.md) (<https://github.com/Richards-LLC/cassy/blob/v3.22.0/CHANGELOG.md>), Added.

Require the report before announcing

WAS A release announcement could go out with no report or with a file whose bytes were not tied to the receipt.

NOW The release train's `--report` step runs after verified publication, posts the HTML and PDF through its adapter, and makes `--status` revalidate the byte-verified `release-report.receipt`.

Source: [v3.22.0 announcement draft](https://github.com/Richards-LLC/cassy/blob/v3.22.0/docs/release-notes/2026-09-09-v3.22.0-slack.md) (<https://github.com/Richards-LLC/cassy/blob/v3.22.0/docs/release-notes/2026-09-09-v3.22.0-slack.md>), developer release-train section.

Carry two report editions forward

WAS Only the v3.19.0 report existed as a committed exemplar.

NOW The v3.20.0 and v3.21.0 reports ship under `docs/release-reports/`, with the reusable template's continuous print flow.

Source: [CHANGELOG 3.22.0](https://github.com/Richards-LLC/cassy/blob/v3.22.0/CHANGELOG.md) (<https://github.com/Richards-LLC/cassy/blob/v3.22.0/CHANGELOG.md>), Added.

Memory

Keep recall visible in long briefings

WAS When a start-up briefing grew too long, recalled memory and factory context could be cut before static listings, without saying what changed.

NOW SessionStart compaction orders static sections first and keeps ambient recall and the factory inbox last, with a one-line marker when content was compacted.

Source: [CHANGELOG 3.22.0](https://github.com/Richards-LLC/cassy/blob/v3.22.0/CHANGELOG.md) (<https://github.com/Richards-LLC/cassy/blob/v3.22.0/CHANGELOG.md>), Changed.

See the budget before headroom runs out

WAS Operators had no doctor row showing how much protected SessionStart prompt headroom remained.

NOW `cas doctor` reports the SessionStart budget and fails under the 512 B protected ceiling, making a briefing risk visible before it becomes a silent omission.

Source: [CHANGELOG 3.22.0](https://github.com/Richards-LLC/cassy/blob/v3.22.0/CHANGELOG.md) (<https://github.com/Richards-LLC/cassy/blob/v3.22.0/CHANGELOG.md>), Added.

Verification

Close only the work this task delivered

WAS Additive-only and value-only close gates could diff the entire long-lived factory branch, attributing an earlier task's files to the later task.

NOW Posture, no-code, receipt-stat, and epoch gates share one first-parent delivery range bounded by the target merge-base and task work window; an audited supervisor override and unchanged-proof path are explicit.

Source: [issue #767](https://github.com/Richards-LLC/cassy/issues/767) (<https://github.com/Richards-LLC/cassy/issues/767>), [CHANGELOG 3.22.0](https://github.com/Richards-LLC/cassy/blob/v3.22.0/CHANGELOG.md) (<https://github.com/Richards-LLC/cassy/blob/v3.22.0/CHANGELOG.md>), Changed.

Factory

Make the worker start line honest

WAS A Codex helper's spawn audit could print a Claude account directory, obscuring which launcher and credentials were actually used.

NOW The audit names the launched CLI, model, effort, and the provider's account directory, with a regression pinning Codex routing to the Codex launcher.

Source: [CHANGELOG 3.22.0](https://github.com/Richards-LLC/cassy/blob/v3.22.0/CHANGELOG.md) (<https://github.com/Richards-LLC/cassy/blob/v3.22.0/CHANGELOG.md>), Changed.

Release assembly

Source and rendering seam	WAS Release preparation had no reusable command seam from Keep-a-Changelog, release notes, GitHub, and publication receipts to a report. NOW <code>cas release report</code> parses those sources, assigns label-first then keyword themes with an explicit Unclassified row, preserves an existing source, invokes the built-in renderer, and can render a Playwright PDF.
Publication receipt seam	WAS The release train's status check stopped at workflow, publication, and latency receipts. NOW <code>--report</code> validates worktree-confined HTML/PDF paths, both SHA-256 values, page count, Slack file ids, and user/developer thread timestamps; <code>--status</code> rechecks the bytes.
Continuous report surface	WAS Report pagination forced fresh pages per section and the repository had no carried v3.20.0 or v3.21.0 report editions. NOW The report template flows continuously with keep-together rules and the two prior report editions are committed alongside their PDFs.

Session memory

Compaction priorities	WAS SessionStart compaction ordered sections by byte savings, allowing ambient recall to disappear before less valuable static material. NOW Static listings compact first, then context and ambient recall, with the factory inbox last; compacted sections leave an in-payload marker.
Budget observability	WAS Prompt-size pressure had no operator-facing doctor measurement or protected floor. NOW <code>cas doctor</code> reports SessionStart budget usage and protects 512 B of headroom.

Close verification

Delivery-range attribution	WAS Each posture, no-code, receipt-stat, and epoch gate independently diffed <code>target..branch</code>, so a long-lived branch could make an unrelated task fail. NOW The gates share one first-parent delivery range bounded by target merge-base and task work window; supervisor exceptions carry a reason, and clearing <code>execution_note</code> does not invalidate unchanged proof.
----------------------------	--

Spawn audit

Provider routing evidence

WAS PTY audit output always showed a Claude account path, even when the worker launched through Codex.

NOW Spawn records name CLI, model, effort, and CLAUDE_CONFIG_DIR or CODEX_HOME, with a regression test for Codex routing.

Fixes ledger

04 / 06

Issue register · 1 verified closures

ISSUE	SURFACE	WAS → NOW	CLOSED AT (UTC)
#767 (https://github.com/Richards-LLC/cassy/issues/767)	Verification	A prior task's files on a long-lived factory branch could block a later additive-only or value-only close → delivery posture is attributed to the task's own first-parent range, with an audited supervisor exception.	2026-09-09 14:47:28

Issue #767 is counted once because it is the only issue named by the v3.22.0 closure evidence. Release, Memory, and Factory rows are capabilities without separate counted closures in this release.

Install

05 / 06



Update an existing installation:

```
cas update
cas --version
```

Expected version for this report: 3.22.0. For an exact-version installation, use the archives on the published v3.22.0 release (<https://github.com/Richards-LLC/cassy/releases/tag/v3.22.0>).

Linux x86_64: [cas-x86_64-unknown-linux-gnu.tar.gz](https://github.com/Richards-LLC/cassy/releases/download/v3.22.0/cas-x86_64-unknown-linux-gnu.tar.gz) (https://github.com/Richards-LLC/cassy/releases/download/v3.22.0/cas-x86_64-unknown-linux-gnu.tar.gz). SHA-256: 6a0e7b36a21ebb1458fcd6d10e2c7c374a3deb0963e69fdbb7ba9399b27249c

macOS ARM64: [cas-aarch64-apple-darwin.tar.gz](https://github.com/Richards-LLC/cassy/releases/download/v3.22.0/cas-aarch64-apple-darwin.tar.gz) (<https://github.com/Richards-LLC/cassy/releases/download/v3.22.0/cas-aarch64-apple-darwin.tar.gz>). SHA-256: 77ae01610d2093193e9847ee56b98b484b3a63c61ed969bcbcc4b42d542485c5

Digests match the publication receipt (<https://github.com/Richards-LLC/cassy/actions/runs/34379061737>); the install-path proof completed successfully on Linux and macOS in workflow run 34379360263 (<https://github.com/Richards-LLC/cassy/actions/runs/34379360263>). Archives were not redownloaded and installed binaries were not rerun. cas updat

e follows the current release; archive links pin v3.22.0.

Evidence and scope

06 / 06

Published commit: c2db094c1993ba032b7727c16c4ae4da5ddd1d88, tag v3.22.0. PR #785 merged at 2026-09-09T16:29:20Z; publication receipt time: 2026-09-09T16:51:40Z. Sources were retrieved 2026-09-09 17:03 UTC.

- [CHANGELOG at v3.22.0](https://github.com/Richards-LLC/cassy/blob/v3.22.0/CHANGELOG.md) (https://github.com/Richards-LLC/cassy/blob/v3.22.0/CHANGELOG.md): four Added and three Changed entries form the release inventory.
- [Release PR #785](https://github.com/Richards-LLC/cassy/pull/785) (https://github.com/Richards-LLC/cassy/pull/785): release scope, candidate tip, merge commit, and report/train capabilities.
- [Announcement draft at v3.22.0](https://github.com/Richards-LLC/cassy/blob/v3.22.0/docs/release-notes/2026-09-09-v3.22.0-slack.md) (https://github.com/Richards-LLC/cassy/blob/v3.22.0/docs/release-notes/2026-09-09-v3.22.0-slack.md): user and developer Was → Now themes, with final asset digests supplied by the publication receipt.
- [Issue #767](https://github.com/Richards-LLC/cassy/issues/767) (https://github.com/Richards-LLC/cassy/issues/767): queried with gh issue view 767 --repo Richards-LLC/cassy --json title,url,closedAt,state and verified CLOSED at 2026-09-09T14:47:28Z.
- [Published release](https://github.com/Richards-LLC/cassy/releases/tag/v3.22.0) (https://github.com/Richards-LLC/cassy/releases/tag/v3.22.0): release tag and asset metadata.
- [Release workflow run 34379061737](https://github.com/Richards-LLC/cassy/actions/runs/34379061737) (https://github.com/Richards-LLC/cassy/actions/runs/34379061737): completed successfully for the published commit.

Timing: /home/pippenz/.cas/artifacts/release/v3.22.0-epic-b36e-merge/gate.green.epoch records final release-gate green at 2026-09-09T16:09:25Z; release-published.receipt records publication at 2026-09-09T16:51:40Z, yielding 2,535 seconds (42m 15s). release-latency.receipt separately records tag push at 16:48:46Z and tag-to-publication latency of 174 seconds; that shorter interval is not substituted for green-to-published time.

Receipt evidence: /home/pippenz/.cas/artifacts/release/v3.22.0-epic-b36e-merge/release-published.receipt contains both full asset digests, release-workflow.json records workflow success and the published SHA, install-path-proof.json records both install jobs as successful, and gate.log records all release-gate rows PASS.

Scope: a publication brief, not a runtime benchmark or an exhaustive repository closure census. Dots do not measure impact, effort, or severity. Runtime claims are attributed to the shipped changelog, PR, issue, and receipts; this report does not claim a fresh archive download, installed-binary run, or production telemetry result.