

Text wraps, ✕ closes the panel, and Slack posts go through Violet.

SURFACE		CLOSED
Only reply:	no listed issues	0
Release	no listed issues	0
Memory	no listed issues	0
Verification	no listed issues	0

The closure map is empty until release evidence names verified issues.

One dot, one closed issue. 0 issue-bearing surfaces.

[Read the map data ↓](#)

Release at a glance

01 / 06

0 Issues closed Named, verified closed issues in this report	0 Features added Top-level Added entries in the CHANGELOG section	2 Changed entries Top-level Changed entries in the CHANGELOG section	8 Fix entries Top-level Fixed entries in the CHANGELOG section
39m 21s Green to published gate.green.epoch to the published receipt, when available	4m 56s — within budget (10m 0s budget) Tag to published First tag workflow to publication; measured budget result		

▼ [Change map • data and reading guide](#)

One filled dot represents one closed issue. Dots have equal weight: this is a count of closures, not a measured impact score.

Change map data • closed issues by surface

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
---------	---------------	---------------

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
Only reply:	0	No listed issues
Release	0	No listed issues
Memory	0	No listed issues
Verification	0	No listed issues
Total	0	0 issue-bearing themes

Source: CHANGELOG /home/pippenz/Petrastella/cas-src/.cas/worktrees/release-3.43.0/CHANGELOG.md, release-notes /home/pippenz/Petrastella/cas-src/.cas/worktrees/release-3.43.0/docs/release-notes/2026-10-01-v3.43.0-slack.md, GitHub Richards-LLC/cassy release v3.43.0; retrieved 2026-10-01T20:41:47Z.

What you can do now

02 / 06

Only reply (user)

Text fits the pane

WAS text could run past the right edge and disappear after the layout changed. →

NOW it wraps to the width you can actually see, including when a web viewer connects.

The diff panel closes

WAS clicking × on Claude Code's diff panel did nothing. →

NOW one click closes it, and it still works after reopening the panel with /diff.

One Slack hub name

WAS old MechaCassy names and skills could linger after updating. →

NOW cas update replaces the old hub entries with Violet while keeping your existing credentials and custom connections.

Slack posts go through Violet

WAS posts could use a personal Slack connection instead of the shared hub. →

NOW Violet is the required default, with a warning when a Codex Slack app is detected. To explicitly allow another route, use `cas config set slack.transport any`.

Large task groups finish closing

WAS closing a large group could time out and repeat the same checks on every retry. →

NOW each retry continues from the completed checks.

Checks follow the right work

WAS closing a task could demand approval for unrelated changes or work added later. →

NOW checks follow that task's own changes.

Completed checks count

WAS a task already merged into its group could still demand another build check. →

NOW the group's completed build checks count when the task closes.

Archiving gives the right answer

WAS archiving a memory could save it and still say "entry not found". →

NOW archiving reports success, and you can inspect, restore or change the storage tier of an archived memory by its ID.

Useful activity

WAS isolated test runs could fill the activity feed with blocked pushes. →

NOW those test events stay out of the live feed.

Explained merge exceptions work

WAS merging with an authorized exception for a failed check could still fail with "unsupported". →

NOW the merge accepts the exception, checks its authority and explanation, and records it.

Under the hood

03 / 06

Only reply (dev)

Pane width follows the layout

WAS a stale pane-size snapshot could restore a PTY wider than the visible pane. →

NOW PTY sizing uses the live layout allocation, including resize, layout toggles and web attachment.

Diff-sidebar mouse input

WAS mouse clicks never reached Claude Code's fullscreen diff sidebar. →

NOW clicks reach the focused pane when it requests SGR mouse input, so × closes the sidebar.

Violet migration

WAS mecha-cassy proxy entries, integration aliases and installed redirect skills survived alongside Violet. →

NOW only violet is registered, cas update migrates production-URL entries in Claude/Codex profiles and project/user proxy files, and sync removes managed retired skills. Credential env references, legacy env fallbacks and custom upstreams are preserved.

Violet Slack policy

WAS connector and Slack-app writes could bypass the shared hub. →

NOW slack.transport defaults to violet, pre-tool hooks deny other Slack writes, and guidance routes reads/posts through violet.violet_read / violet.violet_post. Native Codex MCP calls without hook support receive guidance and a doctor warning based on local cached app evidence. cas config set slack.transport any explicitly disables the write guard.

Resumable group close	WAS the close budget could expire before every child was checked, restarting that work on retry. → NOW stable verdicts are cached against their delivery and target state, and retries continue from remaining checks.
Delivery attribution	WAS close gates could include unrelated snapshots, next-task commits and target changes merged into the delivery branch. → NOW snapshot, proof and QA checks use the delivered task's changes, excluding those foreign changes.
Merged build proof	WAS closing a merged child could require another scoped build proof despite a completed assembly proof. → NOW the close accepts the parent group's assembly receipt.
Archived memory lookup	WAS an active-only reread after saving archived state returned "entry not found". → NOW archive/unarchive operations and ID-targeted handlers resolve the correct stored state, including archived inspection and tier changes.
Activity isolation	WAS push refusals emitted by isolated test runs appeared as live activity. → NOW foreign test push-block events are filtered from the activity feed.
Failed-CI override parameters	WAS <code>worktree_merge</code> documented <code>supervisor_override</code> and <code>reason</code> but rejected them before dispatch. → NOW both reach the existing authority and reason checks, and a successful override leaves its decision receipt.

Fixes ledger

04 / 06

Issue register · 0 verified closures

ISSUE	STATE	CLOSED	THEME
-------	-------	--------	-------

Install

05 / 06



```
cas update # install v3.43.0 through the project's normal release channel
```

Change map data · closed issues by surface

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz	sha256:555014d62e2b36e1d58a2dc299c37614e929dfc70446a0e82b6f850f5bc2bfa3	28331571
cas-x86_64-unknown-linux-gnu.tar.gz	sha256:b13334a430bff39cc59177719488ae5b288b51f0e566e5446f391424a9677739	32606557

Evidence and scope

06 / 06

Retrieved: 2026-10-01T20:41:47Z.

Source: CHANGELOG /home/pippenz/Petrastella/cas-src/.cas/worktrees/release-3.43.0/CHANGELOG.md, release-notes /home/pippenz/Petrastella/cas-src/.cas/worktrees/release-3.43.0/docs/release-notes/2026-10-01-v3.43.0-slack.md, GitHub Richards-LLC/cassy release v3.43.0; retrieved 2026-10-01T20:41:47Z.

GitHub issue theme assignment uses labels first, then the keyword table in the CLI. Any issue classified as Unclassified is shown in the map so a human can correct the Markdown before rendering.

Release-notes draft: docs/release-notes/2026-10-01-v3.43.0-slack.md.

CHANGELOG source: CHANGELOG.md.

GitHub release: <<https://github.com/Richards-LLC/cassy/releases/tag/v3.43.0>> (published or unknown).

Release receipt: /home/pippenz/.cas/artifacts/release/v3.43.0-release-3.43.0/release-published.receipt.

No source warnings.