
cas-src v3.86.0

RELEASE REPORT · PUBLISHED 28 OCTOBER 2026 · 3:24 AM ET

Commander opens fast, shows the whole picture and rich content, and takes phone pastes.



One dot, one shipped change. No GitHub issues are counted in this report's fixes ledger.

See every change ↓

01 / 06

Release at a glance

▼ What shipped, by area

One dot is one change listed in the v3.86.0 CHANGELOG. Dots count changes, not their size or importance.

AREA	CHANGES	WHAT CHANGED
Commander	4	Commander without the terminal; Commander reply replay; Commander evidence previews; Browser test guard
Sessions	10	A usage-limited worker waits on its current account; One evidence reference per relay; Fewer supervisor interruptions; Codex supervisors start from the resident core; Honest restart guidance; Codex lanes use the registered accounts; MacOS spawn preflight; New session from Commander starts its supervisor; Relays held behind a draft keep their budget; Test isolation
Tasks	3	Smaller task reads; Quoted `/finish` no longer ends a task; Renamed epic targets
Messages	3	Device-addressed rows stop bouncing; Attention notices are acknowledged; Toast and pairing messages
Releases	2	Close gate accepts a regenerated Commander build; `cas update` finishes Slack binding with factories running
Memory	1	Quieter recall
Slack and Cloud	1	`cas integrate violet` respects your accounts
Total	24	7 areas

Source: CHANGELOG `CHANGELOG.md`, release-notes draft `docs/release-notes/2026-10-28-v3.86.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.86.0; retrieved 28 October 2026 · 3:27 AM ET.

24

Changes shipped

1 added, 7 changed, 16 fixed; tests and docs not counted

16m 30s

Green to published

Over budget (10m 0s budget); Merge-queue CI completion to publication

> Changes and GitHub issues are counted separately. A change is one titled entry in the v3.86.0 CHANGELOG section; tests and documentation entries are listed under the hood but not counted. A GitHub issue counts when release PR #1415 or the CHANGELOG section references it and it closed between the PR opening (1:53 AM ET) and 15 minutes after its merge (3:23 AM ET). Issues are closed by hand shortly after the merge, so a report run inside that window waits for referenced issues that are still open. No GitHub issues are counted in this report's fixes ledger. No release stage was blocked. No manual interventions. Not measured for this release: request to published, cut to published, lesson recurrence.

02 / 06

What you can do now

Commander, no terminal needed

Opens fast

WAS

A long conversation drew every message at once and kept redrawing as replies arrived; a busy thread took over 30 seconds to settle on a phone.

NOW

It opens on the newest messages, loads older ones as you scroll up and keeps your place.

The whole picture

WAS

You saw only the coordinator's final replies.

NOW

Turn on Show work to see its thinking notes, each step it took and task events between the replies. It remembers your choice on each device.

Helper timelines

WAS

Seeing what a helper was doing meant opening its terminal.

NOW

Tap Timeline next to a helper in Tasks & progress for a live view of its task, recent steps and state.

Paste anything

WAS

There was no way to paste or attach in Commander.

NOW

Paste text, screenshots or files, or pick them from your phone. You see a preview before sending, and the coordinator gets the files.

Big files on slow phones

WAS
A large photo on a slow connection could not be sent.

NOW
Uploads get time to finish. If one fails, the message names it and keeps your attachments. iPhone photo and video formats work.

Rich content

WAS
Diagrams, code changes and media arrived as raw text or bare links.

NOW
Diagrams draw in your theme, code changes show line by line, and images, video, audio and PDF previews show inline.

Pages inside the chat

WAS
A report page the coordinator made had to be opened elsewhere.

NOW
It shows inline in a locked-down frame that matches light or dark mode, with an open-in-tab button.

Private media

WAS
Pictures and video could not load inside Commander's strict safety rules.

NOW
They come through your own hub, only to signed-in devices, and video seeking works.

Steadier and cheaper

Usage limits

WAS
A helper that hit its usage limit could be moved to another of your accounts.

NOW
It waits on its own account, and one notice gives the account, what it holds and the local reset time.

New sessions come up ready

WAS
A session started from Commander's New session could come up blank.

NOW
It comes up with its coordinator running.

No repeated replies

WAS
Some answers replayed every time Commander reconnected.

NOW
Each answer shows once, and earlier stuck ones clear.

Notices clear

WAS

Commander's attention notices were never confirmed, so they piled up behind the scenes.

NOW

Each notice is confirmed once it is safely saved.

Less reading, fewer interruptions

WAS

Coordinators re-read long task histories and were woken for every routine event.

NOW

Task reads are short by default, routine events arrive as one digest, and less is re-sent on each start.

Honest restart advice

WAS

Cassy said restarting a coordinator was safe for its helpers.

NOW

It says a restart stops every helper and points you to the reconnect that keeps them running.

Fixes

Codex logins

WAS

With the default Codex folder retired, Cassy could not start Codex helpers by type, though naming the model worked.

NOW

It uses your saved, signed-in Codex logins and keeps the one you started on.

Mac logins

WAS

On a Mac, starting a Claude helper refused a signed-in login with no settings file.

NOW

Cassy reads the login from Keychain and treats a missing settings file as empty.

Messages behind a draft

WAS

Leaving unsent text in the box for about 40 minutes could make a waiting message never arrive.

NOW

It waits without limit and goes through once the box is clear.

Quoted /finish

WAS

A Codex helper treated `/finish` quoted in a task as your request and stopped work.

NOW

Only a request you make right now wraps up a session.

Slack setup

WAS

Slack setup could recreate a folder you had retired, and its health warning could never clear.

NOW

It uses your real Codex folders, skips a broken one with a warning, and the warning clears.

Updates with sessions open

WAS

`cas update` could not finish Slack setup while any session was running.

NOW

It finishes.

Pairing and alerts

WAS

Too many pairing codes gave a vague refusal, and a faded alert left hidden text behind.

NOW

It says to try again in a minute, and faded alerts clear.

03 / 06

Under the hood

Commander

Windowed threads

WAS

Opening a thread rebuilt every row and re-measured on each scroll frame. The real 354-turn, 327-pending baseline settled in 36.8 s on a 4× throttled phone.

NOW

Newest page first, cursor paging on scroll with a kept anchor, a measured row window plus margin, and a daemon index of open decisions.

Work events

WAS

Commander received only final replies.

NOW

The daemon serves typed `work_events` (schema v1, opaque cursors, detail on demand) from Claude transcripts, Codex rollouts, hook events and task rows, needing `pane:read`.

Show work and timelines

WAS

Supervisor work and worker state were visible only in terminals.

NOW

A per-device Show work switch renders thinking, tool rows and task chips. Tasks & progress opens a live per-worker timeline. Covered by HUB-J25.

Composer uploads

WAS

hub-web had no paste or attach handler.

NOW

Pastes and files preview before send, DPoP-authenticated idempotent host storage with MIME sniffing, and payload-sized deadlines. HEIC, AVIF and QuickTime are recognized.

Rich evidence

WAS

Mermaid, diffs and media rendered as text or links.

NOW

Lazy Mermaid with sanitized SVG, unified diffs with line numbers and collapse, reserved-space media and PDF first-page previews, plus full license notices in the lazy bundle.

Visual replies

WAS

A supervisor HTML page could not render in Commander.

NOW

A ticketed route serves it to a sandboxed iframe under strict CSP, with no same-origin, top navigation or outside network. The frame follows the theme.

Media proxy and chunks

WAS

Attachments resolved to signed blob URLs outside `img-src 'self'`, and `inlineDynamicImports` blocked lazy chunks.

NOW

A session-scoped proxy streams bytes with Range, SVG sandbox CSP and about 1 s auth rechecks. Hashed chunks are served from an allowlist.

Reply and notice queues

WAS

`operator_label: null` replies were rejected and replayed, notices were never ACKed, and device-addressed rows bounced about 10 times a second.

NOW

Labels normalize, writes batch, `OperatorNoticePersisted` ACKs after fenced storage, and only a row-closing receipt clears backoff.

Agent context and noise

Bounded task reads

WAS

`task show` and notes returned every note body, 6.49% of recorded input.

NOW

Default reads stay within about 2,000 UTF-8 bytes, with full and byte-page reads. Brief starts are the factory default and reuse unchanged start context.

Ambient recall

WAS

Packets carried code-symbol cards that matched later work 8.6% of the time, 3.6% of input.

NOW

Exact task and epic evidence first, IDs with bodies on demand, about 800 characters per packet, and no Code cards for supervisors unless requested.

Relays and receipts

WAS

Relays copied QA link lists and proof prose, and SessionStart re-sent unchanged base context.

NOW

One evidence-manifest reference, compact success receipts with full failures, and fingerprinted SessionStart context.

Supervisor wakes

WAS

Routine lifecycle events each woke the supervisor, and receipts could raise delivery-stalled alarms.

NOW

Routine events fold into digests, one actionable merge wake per delivery is kept, and receipts and terminal recipients raise no stall.

Codex resident core

WAS

The Codex startup prompt and checklist still pointed at the full supervisor skill.

NOW

Startup runs `cas-codex-supervisor-checklist` once and triages from the resident core.

Accounts and spawns

Usage limits

WAS

A usage-limited worker could be rotated to another account.

NOW

Rotation is removed. Report-only episodes give the absolute reset time, notice dedupe survives restarts, and queued legacy switches are refused.

Lane routing

WAS

The capability probe checked only `~/.codex`, so `lane=standard` found no active recipe candidates.

NOW

Routing admits usable registered Codex accounts, keeps the requester's `CODEX_HOME` and leaves unscoped choice to the recommender.

macOS preflight

WAS

The `config_dir` preflight required `settings.json` and `.credentials.json`.

NOW

Missing settings count as empty, and a macOS Keychain login is checked by metadata only. Invalid or unreadable settings are still refused.

Fixes

Blank Commander launch

WAS

A deferred startup inbox reservation stayed `TransportClaimed`, so the startup wake never retried.

NOW

The reservation is released after its durable deferral marker succeeds.

Held relay budget

WAS

Each composer-held recheck spent one of 20 re-nudges, so a draft of about 40 minutes stranded the relay.

NOW

Held rechecks keep the budget.

Renamed epic lanes

WAS

The close merge guard checked a retired epic ref while `task show` showed the new target.

NOW

Delivery mutations and director snapshots share current-lane resolution and never publish a retired ref.

Regenerated dist at close

WAS

The close gate called regenerated `hub-web/dist` dropped content and refused reviewed-drop.

NOW

Regeneration with merged source and script provenance passes, and reviewed-drop is recorded.

Finish trigger

WAS

A Codex worker read a quoted `/finish` in task text as an operator request.

NOW

The finish skill needs a current operator request.

Violet integration

WAS

`cas integrate violet` revived `~/.codex`, pinned a two-tool allowlist, aborted on one malformed config and overstated its receipt.

NOW

Discovered homes only, the current hub contract, a named skip and a build-scoped receipt.

Update binding

WAS

The session-inventory revision changed every ~2 s under any live factory, so `cas update` never bound Slack.

NOW

The revision changes only on socket transitions.

Browser tier guard

WAS

Bare suffixes, regex-shaped specs and a trailing word widened targeted Playwright runs, while named `.spec.mjs` tests were refused.

NOW

Every file filter is validated, with basename stems, line selectors and named `.spec.mjs` support.

Test isolation

WAS

Codex spawn tests read real account catalogues, and the real-hub fixture wrote invalid config and raced cleanup.

NOW

Fixture accounts and config, and cleanup waits for launch children.

04 / 06

Fixes ledger

GitHub issues closed with this release · 0

ISSUE	TITLE	CLOSED	AREA

No GitHub issues are counted in this report's fixes ledger.

05 / 06

Install

```
cas update --yes --version 3.86.0
```

Release assets

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz	sha256:323fe017bfacac2cc47fcdb9bcdee75fd43168c883ac5ccb58ada4caffea31e4	37337587
cas-x86_64-unknown-linux-gnu.tar.gz	sha256:29b02e1113aaf565f1bcef55b8b3f1b482e2bc6f2e6739e86130ac72cfc2fd1a	41427371

Evidence and scope

Retrieved: 28 October 2026 · 3:27 AM ET.

Source: CHANGELOG `CHANGELOG.md`, release-notes draft `docs/release-notes/2026-10-28-v3.86.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.86.0; retrieved 28 October 2026 · 3:27 AM ET.

Each change is placed in a product area by the words in its title, then its text; a change that matches no area is listed under Other. Correct an area in the Change map table before rendering.

Release PR: https://github.com/Richards-LLC/cassy/pull/1415 `(https://github.com/Richards-LLC/cassy/pull/1415)` (merged 28 October 2026 · 3:08 AM ET).

Release-notes draft: `docs/release-notes/2026-10-28-v3.86.0-slack.md`.

CHANGELOG source: `CHANGELOG.md`.

GitHub release: https://github.com/Richards-LLC/cassy/releases/tag/v3.86.0 `(https://github.com/Richards-LLC/cassy/releases/tag/v3.86.0)` (published or unknown).

Release receipt (relative to ~/.cas/artifacts): `cassy-bbb8e75581403d3edc2689512df64eaf37780d70a032cb0d79850218dfada14a/cas-4fd8/release-run/release-latency.receipt`.

Pipeline latency

Stage timings are unavailable: the latency receipt records no STAGE_SECS.

No source warnings.
