

1VD-FTV ENGINE

■ DESCRIPTION

The 1VD-FTV engine is newly provided. The 1VD-FTV TOYOTA D-4D (Direct injection 4 stroke common-rail Diesel engine) is V8 4.5 liter, 32-valve DOHC, turbocharged diesel engine with intercooler. This engine uses direct injection system and common-rail system to realize high performance, clean emission, low noise and low vibration.





058EG58Y


► Engine Specifications **◄**

| Engine Type | | | 1VD-FTV |
|--|---------|---------------------------|--|
| No. of Cyls. & Arrangement | | | 8-cylinder, V type |
| Valve Mechanism | | | 32-valves, DOHC, Chain & Gear Drive |
| Combustion Chamber | | | Direct Injection Type |
| Manifolds | | | Cross-flow |
| Fuel System | | | Common-rail Type |
| Displacement cm ³ (cu. in.) | | cm ³ (cu. in.) | 4461 (272.2) |
| Bore x Stroke mm (in.) | | | 86.0 x 96.0 (3.39 x 3.78) |
| Compression Ratio | | | 16.8 : 1 |
| Max. Output | | (EEC) | 151 kW @ 3400 rpm |
| Max. Torque | | (EEC) | 430 N·m @ 1200 – 3200 rpm |
| Valve Timing | Intake | Open | 2° BTDC |
| | | Close | 17° ABDC |
| | Exhaust | Open | 51° BBDC |
| | | Close | 2° ATDC |
| Firing Order | | | 1-2-7-3-4-5-6-8 |
| Fuel Cetane Number | | | 50 (Cetane Index 45) or higher |
| Emission Regulation | | | EURO IV |
| Oil Grade | | | API: CF-4, CF, G-DLD-1 or ACEA B1 |
| Engine Service Mass* (Reference) | | Kg (lb) | 357 (787) |

^{*:} Weight shows the figure with the oil and water fully filled.


▶ Valve Timing **◄**

: Intake Valve Opening Angle : Exhaust Valve Opening Angle



058EG01Y

▶ Performance Curve **◄**



058EG02Y