



ILLUSTRATION



*A	for 1HZ, 1VD-FTV	*B	w/o ABS
*C	w/ ABS	-	-
*1	FRONT BRAKE TUBE	*2	FRONT DIFFERENTIAL CARRIER ASSEMBLY
*3	FILLER PLUG	*4	DRAIN PLUG
*5	GASKET	-	-
	N*m (kgf*cm, ft.*lbf): Specified torque	*	For use with union nut wrench

•	Non-reusable part	-	-
---	-------------------	---	---

ILLUSTRATION

*A

*B

14 (143, 10)

14 (143, 10)

15.2 (155, 11)
14.2 (145, 10)*

*1

x 2

15.2 (155, 11)
14.2 (145, 10)*

*C

14 (143, 10)

x 3

15.2 (155, 11)
14.2 (145, 10)*

*1

15.2 (155, 11)
14.2 (145, 10)*

*5

49 (500, 36)

*3

*5

*4

49 (500, 36)

*2

x 10


x 10

25 (255, 18)

P

*A	for 1GR-FE	*B	w/o ABS
*C	w/ ABS	-	-
*1	FRONT BRAKE TUBE	*2	FRONT DIFFERENTIAL CARRIER ASSEMBLY
*3	FILLER PLUG	*4	DRAIN PLUG
*5	GASKET	-	-
<div> <div></div> </div>	N*m (kgf*cm, ft.*lbf): Specified torque	*	For use with union nut wrench
•	Non-reusable part	-	-


ILLUSTRATION




*1	FRONT DIFFERENTIAL BEARING ADJUSTING NUT LOCK	*2	FRONT DIFFERENTIAL CARRIER OIL SEAL
*3	FRONT DIFFERENTIAL DRIVE PINION OIL SLINGER	*4	FRONT DIFFERENTIAL DUST DEFLECTOR
*5	FRONT DIFFERENTIAL OIL STORAGE RING	*6	FRONT DRIVE PINION COMPANION FLANGE NUT
*7	FRONT DRIVE PINION COMPANION FLANGE SUB-ASSEMBLY	*8	FRONT DRIVE PINION REAR TAPERED ROLLER BEARING
*9	BEARING CAP	-	-
	N*m (kgf*cm, ft.*lbf): Specified torque	•	Non-reusable part
	MP grease		Hypoid gear oil LSD
*T1	370 N*m (3773 kgf*cm, 273 ft.*lbf) or less	-	-

ILLUSTRATION


*A




*A	for 2 Pinion Gear Type	-	-
*1	DIFFERENTIAL DRIVE PINION	*2	DIFFERENTIAL RING GEAR
*3	FRONT DIFFERENTIAL BEARING ADJUSTING NUT	*4	FRONT DIFFERENTIAL CASE
*5	FRONT DIFFERENTIAL CASE BEARING	*6	FRONT DIFFERENTIAL DRIVE PINION BEARING SPACER
*7	FRONT DIFFERENTIAL DRIVE PINION PLATE WASHER	*8	FRONT DRIVE PINION FRONT TAPERED ROLLER BEARING
*9	LOCK PLATE	-	-
	N*m (kgf*cm, ft.*lbf): Specified torque	•	Non-reusable part

ILLUSTRATION


*A




*A	for 4 Pinion Gear Type	-	-
*1	DIFFERENTIAL DRIVE PINION	*2	DIFFERENTIAL RING GEAR
*3	FRONT DIFFERENTIAL BEARING ADJUSTING NUT	*4	FRONT DIFFERENTIAL CASE
*5	FRONT DIFFERENTIAL CASE BEARING	*6	FRONT DIFFERENTIAL DRIVE PINION BEARING SPACER
*7	FRONT DIFFERENTIAL DRIVE PINION PLATE WASHER	*8	FRONT DRIVE PINION FRONT TAPERED ROLLER BEARING
*9	LOCK PLATE	-	-
	N*m (kgf*cm, ft.*lbf): Specified torque	•	Non-reusable part

ILLUSTRATION

*A




P



*A	for 2 Pinion Gear Type	-	-
*1	FRONT DIFFERENTIAL CASE	*2	FRONT DIFFERENTIAL SIDE GEAR
*3	FRONT NO. 1 DIFFERENTIAL SIDE GEAR THRUST WASHER	*4	FRONT DIFFERENTIAL PINION
*5	FRONT DIFFERENTIAL PINION THRUST WASHER	*6	FRONT NO. 1 DIFFERENTIAL PINION SHAFT
*7	STRAIGHT PIN	-	-
	Hypoid gear oil	-	-

ILLUSTRATION

*A



P

*A	for 4 Pinion Gear Type	-	-
*1	FRONT DIFFERENTIAL CASE RH	*2	FRONT DIFFERENTIAL CASE LH
*3	FRONT DIFFERENTIAL SIDE GEAR	*4	FRONT NO. 1 DIFFERENTIAL SIDE GEAR THRUST WASHER
*5	FRONT DIFFERENTIAL PINION	*6	FRONT DIFFERENTIAL PINION THRUST WASHER
*7	FRONT DIFFERENTIAL SPIDER	-	-
	N*m (kgf*cm, ft.*lbf): Specified torque		Hypoid gear oil