



ILLUSTRATION



*A	w/ ABS	-	-
*1	REAR DIFFERENTIAL CARRIER SUB-ASSEMBLY	*2	WIRE HARNESS CLAMP BRACKET
*3	FILLER PLUG	*4	DRAIN PLUG
*5	GASKET	-	-
<div><div></div></div>	N*m (kgf*cm, ft.*lbf): Specified torque	•	Non-reusable part


ILLUSTRATION



P

*1	REAR DIFFERENTIAL BEARING ADJUSTING NUT LOCK (DOUBLE TYPE)	*2	REAR DIFFERENTIAL BEARING ADJUSTING NUT LOCK (SINGLE TYPE)
*3	REAR DIFFERENTIAL CARRIER OIL SEAL	*4	REAR DIFFERENTIAL DRIVE PINION OIL SLINGER
*5	REAR DRIVE PINION COMPANION FLANGE NUT	*6	REAR DRIVE PINION COMPANION FLANGE SUB-ASSEMBLY
*7	REAR DRIVE PINION FRONT TAPERED ROLLER BEARING	*8	BEARING CAP
	N*m (kgf*cm, ft.*lbf): Specified torque	•	Non-reusable part
	MP grease		Hypoid gear oil LSD
*T1	441 N*m (4497 kgf*cm, 325 ft.*lbf) or less	-	-

## ILLUSTRATION



P

*1	DIFFERENTIAL CASE LH	*2	DIFFERENTIAL CASE RH
*3	DIFFERENTIAL DRIVE PINION	*4	DIFFERENTIAL RING GEAR
*5	REAR DIFFERENTIAL BEARING ADJUSTING NUT	*6	REAR DIFFERENTIAL CASE BEARING
*7	REAR DIFFERENTIAL DRIVE PINION BEARING SPACER	*8	REAR DIFFERENTIAL DRIVE PINION PLATE WASHER
*9	REAR DRIVE PINION REAR TAPERED ROLLER BEARING	*10	REAR DIFFERENTIAL SIDE GEAR
*11	REAR NO. 1 DIFFERENTIAL SIDE GEAR THRUST WASHER	*12	REAR DIFFERENTIAL PINION
*13	REAR DIFFERENTIAL PINION THRUST WASHER	*14	REAR DIFFERENTIAL SPIDER
	N*m (kgf*cm, ft.*lbf): Specified torque		Non-reusable part
	Hypoid gear oil		Adhesive
★	Precoated part	-	-