

Print

Exit

INTRODUCTION FEATURES GENERAL MODEL CODE AND LINE-UP

MODEL CODE

<u>VDJ79</u>	<u>R</u>	—	<u>T</u>	<u>J</u>	<u>M</u>	<u>R</u>	<u>Y</u>	<u>Q</u>	<u>3</u>
1	2		3	4	5	6	7	8	9

1	BASIC MODEL CODE	GRJ71	Engine: 1GR-FE Drive Type: 4WD Wheel Base: Short (2310 mm)
		GRJ76	Engine: 1GR-FE Drive Type: 4WD Wheel Base: Semi-long (2730 mm)
		GRJ78	Engine: 1GR-FE Drive Type: 4WD Wheel Base: Long (2980 mm)
		GRJ79	Engine: 1GR-FE Drive Type: 4WD Wheel Base: Super Long (3180 mm)
		HZJ71	Engine: 1HZ Drive Type: 4WD Wheel Base: Short (2310 mm)
		HZJ76	Engine: 1HZ Drive Type: 4WD Wheel Base: Semi-long (2730 mm)
		HZJ78	Engine: 1HZ Drive Type: 4WD Wheel Base: Long (2980 mm)
		HZJ79	Engine: 1HZ Drive Type: 4WD Wheel Base: Super Long (3180 mm)
		VDJ76	Engine: 1VD-FTV Drive Type: 4WD Wheel Base: Semi-long (2730 mm)
		VDJ78	Engine: 1VD-FTV Drive Type: 4WD Wheel Base: Long (2980 mm)
		VDJ79	Engine: 1VD-FTV Drive Type: 4WD Wheel Base: Super Long (3180 mm)
2	STEERING WHEEL POSIOTION	L: Left-hand Drive	
		R: Right-hand Drive	
3	BODY TYPE	R: Steel Roof Van	
		T: Single Cab Pick-up	
		D: Double Cab Pick-up	
		K: Rag Roof Van	
4	DOOR	J: 2-door	
		K: 4-door	
5	GEAR SHIFT TYPE	M: 5-speed Manual, Floor	

6	GRADE	R: Standard
		N: LX
7	ENGINE SPECIFICATION	S: Diesel
		K: DOHC and EFI
		Y: Common-rail Diesel
8	DESTINATION	Q: Australia
		V: G.C.C. Countries
		Blank: General Countries
9	COMPLETENESS CLASSIFICATION	3: Cab and Chassis Model
		Blank: Complete Model

MODEL LINE-UP

a. Models for Australia

ENGINE	WHEEL BASE	BODY TYPE	DOOR	GRADE	TRANSMISSION
					H150F
1VD-FTV	Semi-long (2730 mm)	Steel Roof Van	4	LX	VDJ76R-RKMNYQ
	Long (2980 mm)	Steel Roof Van	2	Standard	VDJ78R-RJMRYQ
				LX	VDJ78R-RJMNYQ
	Super Long (3180 mm)	Single Cab Pick-up	2	Standard	VDJ79R-TJMRYQ3
				LX	VDJ79R-TJMNYQ3
		Double Cab Pick-up	4	Standard	VDJ79R-DKMRYQ3

b. Models for G.C.C. Countries

ENGINE	WHEEL BASE	BODY TYPE	DOOR	GRADE	TRANSMISSION	
					H150F	R151F
1GR-FE	Short (2310 mm)	Steel Roof Van	2	Standard	GRJ71L-RJMRKV	-
		Rag Roof Van	2	Standard	GRJ71L-KJMRKV	-
	Semi-long (2730 mm)	Steel Roof Van	4	LX	GRJ76L-RKMNV	-
	Super Long (3180 mm)	Single Cab Pick-up	2	Standard	GRJ79L-TJMRKV	-
				LX	GRJ79L-TJMNV	-
		Double Cab Pick-up	4	Standard	GRJ79L-DKMRKV	-
1HZ	Semi-long (2730 mm)	Steel Roof Van	4	LX	-	HZJ76L-RKMNSV
	Long (2980 mm)	Steel Roof Van	2	Standard	-	HZJ78L-RJMRSV
	Super Long (3180 mm)	Single Cab Pick-up	2	Standard	-	HZJ79L-TJMRSV
		Double Cab Pick-up	4	Standard	-	HZJ79L-DKMRSV

c. Models for General Countries

ENGINE	WHEEL BASE	BODY TYPE	DOOR	GRADE	TRANSMISSION	
					H150F	R151F
1GR-FE	Short (2310 mm)	Steel Roof Van	2	Standard	GRJ71L-RJMRK	-
				LX	GRJ71L-RJMNK	-
	Semi-long (2730 mm)	Steel Roof Van	4	Standard	GRJ76L-RKMRK	-
	Long (2980 mm)	Steel Roof Van	2	Standard	GRJ78L-RJMRK	-
	Super Long (3180 mm)	Single Cab Pick-up	2	Standard	GRJ79R-TJMRK	-
		Double Cab Pick-up	4	Standard	GRJ79R-DKMRK	-
		Single Cab Pick-up	2	Standard	GRJ79L-TJMRK	-
		Double Cab Pick-up	4	Standard	GRJ79L-DKMRK	-
1HZ	Long (2980 mm)	Steel Roof Van	2	Standard	-	HZJ78R-RJMRS
					-	HZJ78L-RJMRS
	Super Long (3180 mm)	Single Cab Pick-up	2	Standard	-	HZJ79R-TJMRS
		Double Cab Pick-up	4	Standard	-	HZJ79R-DKMRS
		Single Cab Pick-up	2	Standard	-	HZJ79L-TJMRS
		Double Cab Pick-up	4	Standard	-	HZJ79L-TJMRS3
	Short (2310 mm)	Steel Roof Van	2	Standard	-	HZJ71R-RJMRS
					-	HZJ71L-RJMRS
		Rag Roof Van	2	Standard	-	HZJ71R-KJMRS
	Semi-long (2730 mm)	Steel Roof Van	4	Standard	-	HZJ76R-RKMRS
					-	HZJ76L-RKMRS
1VD-FTV	Super Long (3180 mm)	Single Cab Pick-up	2	LX	VDJ79R-TJMNY	-
		Double Cab Pick-up	4	Standard	VDJ79R-DKMRY	-