RoHS
INTEGRATION REPORT

For

2D TOF LIDAR

Model: LakiBeam 1/ LakiBeam 1L

Brand Name: RICHBEAM

Report No.: ENC2205094GZ65R1

Date of Issue: May 17, 2022

Prepared For

Richbeam (Suzhou) Technology Co., Ltd

No.788, Southeast Avenue, Changshu High Tech Industrial Development Zone, Jiangsu, China

Prepared By

East Notice Certification Service Co., Ltd.

1/F, Haohui Commercial Building, Zhuji Street, Dongpu Town, Tianhe District, Guangzhou City, China

TEL: +86-20-8256 8534

FAX: +86-20-8256 8534

Draft

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ENC, this document cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessable and confirmed at http://www.enc-lab.com.

1. GENERAL INFORMATION:

Product Description:	2D TOF LIDAR
Model Number:	LakiBeam 1/ LakiBeam 1L
Model Difference:	All tests are basic on model LakiBeam 1L. model Lakibeam 1 is identical to model Lakibeam 1L in hardware, but the performance range is limited in software.
Brand Name:	RICHBEAM
Applicant:	Richbeam (Suzhou) Technology Co., Ltd
	No.788, Southeast Avenue, Changshu High Tech Industrial Development Zone, Jiangsu, China
Manufacturer:	Richbeam (Suzhou) Technology Co., Ltd
	No.788, Southeast Avenue, Changshu High Tech Industrial Development Zone, Jiangsu, China
Testing date	May 9, 2022 – May 17, 2022
Test Method(If tested):	(1)With reference to IEC 62321-5:2013, determination of Cadmium by ICP-OES. (2)With reference to IEC 62321-5:2013, determination of Lead by ICP-OES. (3)With reference to IEC 62321-4:2017, determination of Mercury by ICP-OES. (4)With reference to IEC 62321-7-2:2017, determination of Hexavalent Chromium by spot test / Colorimetric Method using UV-Vis. (5)With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. (6)With reference to IEC 62321-8:2017, determination of Phthalates by GC-MS.
Directive:	COMMISSION DELEGATED DIRECTIVE (EU) 2015/863 amending Annex II to Directive 2011/65/EU of the European Parliament and of the Council as regards the list of restricted substances
Remark:	Based on the performed tests on submitted sample(s), the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs), Phthalates (DEHP, BBP, DBP, DIBP) comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU. .

The test results of this report relate only to the tested sample identified in this report.
Should any objections to the test reports occurred, should submit it to the Company within ten days since the issuing of the report, Fail to accept.

Checked By Yemig
Yemig May 17, 2022

Authorized By Ray Zhou
Ray Zhou May 17, 2022

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ENC, this document cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessable and confirmed at http://www.enc-lab.com.

2. ASSESSMENT INFORMATION:

No.	Part Description		Form of evidence of compliance		Verdict
			Laboratory	Report No.	
1	Motor upper cover	6061 alloy	ENC	ENC2205094GZ65R1-01	PASS
2	Transmitting barrel	6061 alloy	ENC	ENC2205094GZ65R1-02	PASS
3	Dust cover	6061 alloy	ENC	ENC2205094GZ65R1-03	PASS
4	Lifting lug	6061 alloy	ENC	ENC2205094GZ65R1-04	PASS
5	Threading coil	304 stainless steel	ENC	ENC2205094GZ65R1-05	PASS
6	Code disk	304 stainless steel	ENC	ENC2205094GZ65R1-06	PASS
7	Transmission cover	Makrolon-AX2675ST	ENC	ENC2205094GZ65R1-07	PASS
8	Reflector	PC-S2000 black	ENC	ENC2205094GZ65R1-08	PASS
9	Light guide tube	PC-2405 black	ENC	ENC2205094GZ65R1-09	PASS
10	Main support	ADC12	ENC	ENC2205094GZ65R1-10	PASS
11	Base	ADC12	ENC	ENC2205094GZ65R1-11	PASS
12	Transmitting lens	D-ZK2N	ENC	ENC2205094GZ65R1-12	PASS
13	Receiving lens	D-ZK2N	ENC	ENC2205094GZ65R1-13	PASS
14	Shield	White copper	ENC	ENC2205094GZ65R1-14	PASS
15	Brushless motor	Finished product	ENC	ENC2205094GZ65R1-15	PASS
16	Circular gasket	Brass H59	ENC	ENC2205094GZ65R1-16	PASS
17	Counterweight ring	Brass H59	ENC	ENC2205094GZ65R1-17	PASS
18	Counterweight block	Brass H59	ENC	ENC2205094GZ65R1-18	PASS
19	GB2673 Torx countersunk head screw (M3-0.5 X 6)	Alloy steel (black)	ENC	ENC2205094GZ65R1-19	PASS
20	GB2673 Torx countersunk head screw (M2-0.4 X 4)	Alloy steel (black)	ENC	ENC2205094GZ65R1-20	PASS
21	GB2672Torx head screw (M2 - 0.4 x6)	Alloy steel (black)	ENC	ENC2205094GZ65R1-21	PASS
22	GB2672Torx head screw (M2.5 - 0.45 x6)	304 stainless steel	ENC	ENC2205094GZ65R1-22	PASS

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ENC, this document cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessable and confirmed at http://www.enc-lab.com.

No.	Part Description		Form of evidence of compliance		Verdict
			Laboratory	Report No.	
23	Stainless steel self tapping screw M2.5 X 6	304 stainless steel	ENC	ENC2205094GZ65R1-23	PASS
24	GB818 screw (M1.4-0.3 X 4)	304 stainless steel	ENC	ENC2205094GZ65R1-24	PASS
25	GB2672Torx head screw (M2 - 0.4 x4)	Alloy steel (black)	ENC	ENC2205094GZ65R1-25	PASS
26	Cross belt pad (M2-0.4X4）	304 stainless steel	ENC	ENC2205094GZ65R1-26	PASS
27	Encoder board	N/A	ENC	ENC2205094GZ65R1-27	PASS
28	Laser board	N/A	ENC	ENC2205094GZ65R1-28	PASS
29	USB board	N/A	ENC	ENC2205094GZ65R1-29	PASS
30	Main board	N/A	ENC	ENC2205094GZ65R1-30	PASS
31	Core board	N/A	ENC	ENC2205094GZ65R1-31	PASS
32	Light filter	Silicone	ENC	ENC2205094GZ65R1-32	PASS
33	Heat conducting pad	N/A	ENC	ENC2205094GZ65R1-33	PASS
34	8-core network cable	N/A	ENC	ENC2205094GZ65R1-34	PASS
35	Transmission cover film	N/A	ENC	ENC2205094GZ65R1-35	PASS
36	Base button film	N/A	ENC	ENC2205094GZ65R1-36	PASS
37	Certificate	N/A	ENC	ENC2205094GZ65R1-37	PASS
38	Paper box	N/A	ENC	ENC2205094GZ65R1-38	PASS
39	18kg sponge (black)	N/A	ENC	ENC2205094GZ65R1-39	PASS
40	EVA sponge tape	N/A	ENC	ENC2205094GZ65R1-40	PASS
41	3M double sided tape	N/A	ENC	ENC2205094GZ65R1-41	PASS

Draft

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ENC, this document cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessable and confirmed at http://www.enc-lab.com.

3. TEST RESULT:

No.	Part Description	Unit	Lead	Cadmium	Mercury	Chromium
			(Pb)	(Cd)	(Hg)	(Cr^{6+})
1	Motor upper cover	ppm	N.D.	N.D.	N.D.	N.D.
2	Transmitting barrel	ppm	N.D.	N.D.	N.D.	N.D.
3	Dust cover	ppm	N.D.	N.D.	N.D.	N.D.
4	Lifting lug	ppm	N.D.	N.D.	N.D.	N.D.
5	Threading coil	ppm	N.D.	N.D.	N.D.	N.D.
6	Code disk	ppm	N.D.	N.D.	N.D.	N.D.
7	Transmission cover	ppm	N.D.	N.D.	N.D.	N.D.
8	Reflector	ppm	N.D.	N.D.	N.D.	N.D.
9	Light guide tube	ppm	N.D.	N.D.	N.D.	N.D.
10	Main support	ppm	N.D.	N.D.	N.D.	N.D.
11	Base	ppm	N.D.	N.D.	N.D.	N.D.
12	Transmitting lens	ppm	N.D.	N.D.	N.D.	N.D.
13	Receiving lens	ppm	N.D.	N.D.	N.D.	N.D.
14	Shield	ppm	N.D.	N.D.	N.D.	N.D.
15	Brushless motor	ppm	N.D.	N.D.	N.D.	N.D.
16	Circular gasket	ppm	N.D.	N.D.	N.D.	N.D.
17	Counterweight ring	ppm	N.D.	N.D.	N.D.	N.D.
18	Counterweight block	ppm	N.D.	N.D.	N.D.	N.D.
19	GB2673 Torx countersunk head screw (M3-0.5 X 6)	ppm	N.D.	N.D.	N.D.	N.D.
20	GB2673 Torx countersunk head screw (M2-0.4 X 4)	ppm	N.D.	N.D.	N.D.	N.D.
21	GB2672Torx head screw (M2 - 0.4 x6)	ppm	N.D.	N.D.	N.D.	N.D.
22	GB2672Torx head screw (M2.5 - 0.45 x6)	ppm	N.D.	N.D.	N.D.	N.D.
23	Stainless steel self tapping screw M2.5 X 6	ppm	N.D.	N.D.	N.D.	N.D.
24	GB818 screw (M1.4-0.3 X 4)	ppm	N.D.	N.D.	N.D.	N.D.
25	GB2672Torx head screw (M2 - 0.4 x4)	ppm	N.D.	N.D.	N.D.	N.D.

Draft

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ENC, this document cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessable and confirmed at http://www.enc-lab.com.

No.	Part Description	Unit	Lead	Cadmium	Mercury	Chromium
			(Pb)	(Cd)	(Hg)	(Cr^{6+})
26	Cross belt pad (M2-0.4X4）	ppm	N.D.	N.D.	N.D.	N.D.
27	Encoder board	ppm	N.D.	N.D.	N.D.	N.D.
28	Laser board	ppm	N.D.	N.D.	N.D.	N.D.
29	USB board	ppm	N.D.	N.D.	N.D.	N.D.
30	Main board	ppm	N.D.	N.D.	N.D.	N.D.
31	Core board	ppm	N.D.	N.D.	N.D.	N.D.
32	Light filter	ppm	N.D.	N.D.	N.D.	N.D.
33	Heat conducting pad	ppm	N.D.	N.D.	N.D.	N.D.
34	8-core network cable	ppm	N.D.	N.D.	N.D.	N.D.
35	Transmission cover film	ppm	N.D.	N.D.	N.D.	N.D.
36	Base button film	ppm	N.D.	N.D.	N.D.	N.D.
37	Certificate	ppm	N.D.	N.D.	N.D.	N.D.
38	Paper box	ppm	N.D.	N.D.	N.D.	N.D.
39	18kg sponge (black)	ppm	N.D.	N.D.	N.D.	N.D.
40	EVA sponge tape	ppm	N.D.	N.D.	N.D.	N.D.
41	3M double sided tape	ppm	N.D.	N.D.	N.D.	N.D.

Draft

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ENC, this document cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessable and confirmed at http://www.enc-lab.com.

No.	Unit	Polybrominated Biphenyls (PBBs)									
		Mono-bromobiphenyl	Di-bromobiphenyl	Tri-bromobiphenyl	Tetra-bromobiphenyl	Penta-bromobiphenyl	Hexa-bromobiphenyl	Hepta-bromobiphenyl	Octa-bromobiphenyl	Nona-bromobiphenyl	Deca-bromobiphenyl
1	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
2	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
3	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
4	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
5	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
6	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
7	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
8	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
9	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
10	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
11	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
12	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
13	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
14	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
15	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
16	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
17	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
18	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
19	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
20	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
21	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
22	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
23	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
24	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
25	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
26	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
27	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ENC, this document cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessable and confirmed at http://www.enc-lab.com.

No.	Unit	Polybrominated Biphenyls (PBBs)									
		Mono-bromobiphenyl	Di-bromobiphenyl	Tri-bromobiphenyl	Tetra-bromobiphenyl	Penta-bromobiphenyl	Hexa-bromobiphenyl	Hepta-bromobiphenyl	Octa-bromobiphenyl	Nona-bromobiphenyl	Deca-bromobiphenyl
28	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
29	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
30	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
31	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
32	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
33	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
34	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
35	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
36	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
37	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
38	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
39	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
40	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
41	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.

Draft

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ENC, this document cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessable and confirmed at http://www.enc-lab.com.

No.	Unit	Polybrominated Diphenyl Ethers (PBDEs)									
		Mono-Bromobiphenyl ether	Di-Bromobiphenyl ether	Tri-Bromobiphenyl ether	Tetra-Bromobiphenyl ether	Penta-bromobiphenyl ether	Hexa-Bromobiphenyl ether	Hepta-Bromobiphenyl ether	Octa-Bromobiphenyl ether	Nona-bromobiphenyl ether	Deca-Bromobiphenyl ether
1	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
2	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
3	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
4	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
5	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
6	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
7	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
8	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
9	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
10	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
11	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
12	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
13	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
14	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
15	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
16	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
17	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
18	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
19	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
20	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
21	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
22	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
23	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
24	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
25	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
26	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
27	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ENC, this document cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessable and confirmed at http://www.enc-lab.com.

No.	Unit	Polybrominated Diphenyl Ethers (PBDEs)									
		Mono-Bromobiphenyl ether	Di-Bromobiphenyl ether	Tri-Bromobiphenyl ether	Tetra-Bromobiphenyl ether	Penta-bromobiphenyl ether	Hexa-Bromobiphenyl ether	Hepta-Bromobiphenyl ether	Octa-Bromobiphenyl ether	Nona-bromobiphenyl ether	Deca-Bromobiphenyl ether
28	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
29	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
30	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
31	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
32	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
33	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
34	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
35	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
36	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
37	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
38	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
39	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
40	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
41	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.

Draft

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ENC, this document cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessable and confirmed at http://www.enc-lab.com.

No.	Part Description	Unit	Phthalates			
			Di-(2-ethylhexyl) Phthalate (DEHP)	Benzylbutyl Phthalate (BBP)	Dibutyl Phthalate (DBP)	Diisobutyl Phthalate (DIBP)
1	Motor upper cover	mg/kg	N.D.	N.D.	N.D.	N.D.
2	Transmitting barrel	mg/kg	N.D.	N.D.	N.D.	N.D.
3	Dust cover	mg/kg	N.D.	N.D.	N.D.	N.D.
4	Lifting lug	mg/kg	N.D.	N.D.	N.D.	N.D.
5	Threading coil	mg/kg	N.D.	N.D.	N.D.	N.D.
6	Code disk	mg/kg	N.D.	N.D.	N.D.	N.D.
7	Transmission cover	mg/kg	N.D.	N.D.	N.D.	N.D.
8	Reflector	mg/kg	N.D.	N.D.	N.D.	N.D.
9	Light guide tube	mg/kg	N.D.	N.D.	N.D.	N.D.
10	Main support	mg/kg	N.D.	N.D.	N.D.	N.D.
11	Base	mg/kg	N.D.	N.D.	N.D.	N.D.
12	Transmitting lens	mg/kg	N.D.	N.D.	N.D.	N.D.
13	Receiving lens	mg/kg	N.D.	N.D.	N.D.	N.D.
14	Shield	mg/kg	N.D.	N.D.	N.D.	N.D.
15	Brushless motor	mg/kg	N.D.	N.D.	N.D.	N.D.
16	Circular gasket	mg/kg	N.D.	N.D.	N.D.	N.D.
17	Counterweight ring	mg/kg	N.D.	N.D.	N.D.	N.D.
18	Counterweight block	mg/kg	N.D.	N.D.	N.D.	N.D.
19	GB2673 Torx countersunk head screw (M3-0.5 X 6)	mg/kg	N.D.	N.D.	N.D.	N.D.
20	GB2673 Torx countersunk head screw (M2-0.4 X 4)	mg/kg	N.D.	N.D.	N.D.	N.D.
21	GB2672Torx head screw (M2 - 0.4 x6)	mg/kg	N.D.	N.D.	N.D.	N.D.
22	GB2672Torx head screw (M2.5 - 0.45 x6)	mg/kg	N.D.	N.D.	N.D.	N.D.

Draft

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ENC, this document cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessable and confirmed at http://www.enc-lab.com.

No.	Part Description	Unit	Phthalates			
			Di-(2-ethylhexyl) Phthalate (DEHP)	Benzylbutyl Phthalate (BBP)	Dibutyl Phthalate (DBP)	Diisobutyl Phthalate (DIBP)
23	Stainless steel self tapping screw M2.5 X 6	mg/kg	N.D.	N.D.	N.D.	N.D.
24	GB818 screw (M1.4-0.3 X 4)	mg/kg	N.D.	N.D.	N.D.	N.D.
25	GB2672Torx head screw (M2 - 0.4 x4)	mg/kg	N.D.	N.D.	N.D.	N.D.
26	Cross belt pad (M2-0.4X4）	mg/kg	N.D.	N.D.	N.D.	N.D.
27	Encoder board	mg/kg	N.D.	N.D.	N.D.	N.D.
28	Laser board	mg/kg	N.D.	N.D.	N.D.	N.D.
29	USB board	mg/kg	N.D.	N.D.	N.D.	N.D.
30	Main board	mg/kg	N.D.	N.D.	N.D.	N.D.
31	Core board	mg/kg	N.D.	N.D.	N.D.	N.D.
32	Light filter	mg/kg	N.D.	N.D.	N.D.	N.D.
33	Heat conducting pad	mg/kg	N.D.	N.D.	N.D.	N.D.
34	8-core network cable	mg/kg	N.D.	N.D.	N.D.	N.D.
35	Transmission cover film	mg/kg	N.D.	N.D.	N.D.	N.D.
36	Base button film	mg/kg	N.D.	N.D.	N.D.	N.D.
37	Certificate	mg/kg	N.D.	N.D.	N.D.	N.D.
38	Paper box	mg/kg	N.D.	N.D.	N.D.	N.D.
39	18kg sponge (black)	mg/kg	N.D.	N.D.	N.D.	N.D.
40	EVA sponge tape	mg/kg	N.D.	N.D.	N.D.	N.D.
41	3M double sided tape	mg/kg	N.D.	N.D.	N.D.	N.D.
MDL		mg/kg	0.003	0.003	0.003	0.003

NOTE:

(1) Pb Limit=1000mg/kg, Cd Limit=100mg/kg, Hg Limit=1000mg/kg;
Cr^{6+} Limit=1000mg/kg ; PBBs Limit=1000mg/kg, PBDEs Limit=1000mg/kg

(2) N.D. = not detected (<MDL)

(3) MDL= Method Detection Limit

(4) ppm = mg/kg

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ENC, this document cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessable and confirmed at http://www.enc-lab.com.

APPENDIX
PHOTOGRAPH(S) OF SAMPLE



----END OF REPORT----

Draft

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ENC, this document cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessable and confirmed at http://www.enc-lab.com.