

ClinicalTrials.gov Search Results 06/10/2019

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
1	NCT00337805	<div><a href="#">Double Blind Randomized Trial of Saline vs Pentaspan for Resuscitation After Cardiac Surgery</a></div> <div>Study Documents:</div>	<div>Title Acronym:</div> <div>Other Ids: BMA-04-016</div>	Completed	•Cardiac Surgery	•Other: Pentaspan	<div>Study Type: Interventional</div> <div>Phase: •Phase 2 •Phase 3</div> <div>Study Design: •Allocation: Randomized •Intervention Model: Parallel Assignment •Masking: Quadruple (Participant, Care Provider, Investigator, Outcomes Assessor) •Primary Purpose: Treatment</div> <div>Outcome Measures: •Use of catecholamines at 8:00 the morning after surgery •Total use of catecholamines •Time in the ICU •Post-operative complications •Bleeding •Renal failure</div>	<div>Enrollment: 240</div> <div>Age: Child, Adult, Older Adult</div> <div>Sex: All</div>	<div>•McGill University Health Center</div> <div>•Bristol-Myers Squibb</div>	<div>•Other</div> <div>•Industry</div>	<div>Study Start: September 2004</div> <div>Primary Completion: December 2007</div> <div>Study Completion: April 2008</div> <div>First Posted: June 16, 2006</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: September 18, 2009</div>	<div>•Royal Victoria Hospital, Montreal, Quebec, Canada</div>

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
2	NCT03064815	<div><div><a href="#">The SpACE Study - Small Bowel Crohn's Disease and Spondyloarthropathies</a></div><div>Study Documents:</div></div>	<div>Title Acronym: SpACE</div> <div>Other Ids: GEN-08-053</div>	Completed	<div>•Spondyloarthropathy</div> <div>•Crohn Disease</div>	<div>•Device: Videocapsule endoscopy</div> <div>•Procedure: colonoscopy</div> <div>•Diagnostic Test: PROMETHEUS® IBD sgi Diagnostic™</div> <div>•Diagnostic Test: Fecal calprotectin</div>	<div>Study Type: Interventional</div> <div>Phase: Not Applicable</div> <div>Study Design:<div>•Allocation: Randomized</div><div>•Intervention Model: Parallel Assignment</div><div>•Masking: None (Open Label)</div><div>•Primary Purpose: Diagnostic</div></div> <div>Outcome Measures:<div>•Number of subjects with ankylising spondylitis, with or without gastrointestinal symptoms, diagnosed with small bowel Crohn's disease via videocapsule endoscopy.</div><div>•Number of subjects with ankylising spondylitis diagnosed with small bowel Crohn's disease compared to same subjects serological biomarkers and colonoscopy results.</div><div>•Number of subjects with ankylising spondylitis diagnosed with small bowel Crohn's disease whose treatment changed as a result of the diagnosis of small bowel Crohn's disease.</div><div>•Determine whether genetic polymorphisms or human leukocyte antigen haplotypes are associated with concurrent spondylarthropathies and inflammatory bowel disease.</div></div>	<div>Enrollment: 67</div> <div>Age: 18 Years to 70 Years (Adult, Older Adult)</div> <div>Sex: All</div>	<div>•McGill University Health Center</div> <div>•AbbVie</div> <div>•Prometheus Laboratories</div>	<div>•Other</div> <div>•Industry</div>	<div>Study Start: June 2009</div> <div>Primary Completion: March 2016</div> <div>Study Completion: March 2016</div> <div>First Posted: February 27, 2017</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: March 1, 2017</div>	<div>•Montreal General Hospital, Montreal, Quebec, Canada</div>

Enrollment:  
67Age:  
18 Years to 70 Years (Adult, Older Adult)Sex:  
All

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
3	NCT03027778	<a href="#">Intradialytic Pedalling Exercise and Vascular Hemodynamic Parameters Among Prevalent Hemodialysis Population</a> <div>Study Documents:</div>	Title Acronym: <div>Other Ids: 12-309 GEN</div>	Completed	•Chronic Kidney Disease Requiring Chronic Dialysis	•Other: Exercise	Study Type: Interventional <div>Phase: Not Applicable</div> <div>Study Design:<ul style="list-style-type: none"><li>•Allocation: Randomized</li><li>•Intervention Model: Parallel Assignment</li><li>•Masking: None (Open Label)</li><li>•Primary Purpose: Prevention</li></ul></div> <div>Outcome Measures:<ul style="list-style-type: none"><li>•Change in non-invasive measures of arterial stiffness using applanation tonometry.</li><li>•Change in gait speed using a 6 meter walk course and timer.</li><li>•Change in grip strength using a hand dynamometer.</li><li>•Safety and adverse events.</li></ul></div>	Enrollment: 32 <div>Age: 18 Years and older (Adult, Older Adult)</div> <div>Sex: All</div>	•McGill University Health Center	•Other	Study Start: February 2015 <div>Primary Completion: November 2015</div> <div>Study Completion: January 2017</div> <div>First Posted: January 23, 2017</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: March 21, 2018</div>	
4	NCT02932670	<a href="#">Minimum Effective Volume of Lidocaine Costoclavicular Brachial Plexus Block</a> <div>Study Documents:</div>	Title Acronym: <div>Other Ids: Montreal General Hospital</div>	Completed	•Upper Extremity Surgery	•Other: costoclavicular nerve block	Study Type: Interventional <div>Phase: Not Applicable</div> <div>Study Design:<ul style="list-style-type: none"><li>•Allocation: Randomized</li><li>•Intervention Model: Parallel Assignment</li><li>•Masking: Triple (Participant, Care Provider, Outcomes Assessor)</li><li>•Primary Purpose: Treatment</li></ul></div> <div>Outcome Measures: success rate</div>	Enrollment: 60 <div>Age: 18 Years to 75 Years (Adult, Older Adult)</div> <div>Sex: All</div>	•McGill University Health Center	•Other	Study Start: October 2016 <div>Primary Completion: January 2017</div> <div>Study Completion: February 2017</div> <div>First Posted: October 13, 2016</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: March 22, 2017</div>	•Montreal General Hospital, Montreal, Quebec, Canada

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
5	NCT02918058	<div><div><a href="#">Reducing Post-discharge Potentially Inappropriate Medications Among Older Adults</a></div><div>Study Documents:</div></div>	<div>Title Acronym: MedSafer</div> <div>Other Ids: 5433</div>	Completed	<div>•Polypharmacy</div> <div>•Deprescription</div> <div>•Aged</div>	•Other: MedSafer	<div>Study Type: Interventional</div> <div>Phase: Not Applicable</div> <div>Study Design:<div>•Allocation: Non-Randomized</div><div>•Intervention Model: Parallel Assignment</div><div>•Masking: Double (Participant, Outcomes Assessor)</div><div>•Primary Purpose: Prevention</div></div> <div>Outcome Measures:<div>•Proportion of Patients with cessation of Potentially Inappropriate Medications (PIMs)</div><div>•The number of medications prescribed at discharge and 30 days post</div><div>•Adverse drug event</div><div>•Adverse event</div><div>•Health related quality of life</div><div>•Length of stay (days)</div><div>•Return to the emergency department</div><div>•In-hospital mortality</div><div>•In hospital falls</div><div>•30-day all cause mortality</div><div>•Proportion of potentially inappropriate medications at 30-days post discharge</div></div>	<div>Enrollment: 924</div> <div>Age: 65 Years to 120 Years (Older Adult)</div> <div>Sex: All</div>	<div>•McGill University Health Center</div> <div>•University Health Network, Toronto</div> <div>•The Ottawa Hospital</div>	•Other	<div>Study Start: September 1, 2016</div> <div>Primary Completion: May 15, 2017</div> <div>Study Completion: June 15, 2017</div> <div>First Posted: September 28, 2016</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: April 17, 2018</div>	<div>•McGill University Health Centre (Royal Victoria Hospital and Montreal General Hospital), Montreal, Quebec, Canada</div>

Enrollment:  
924Age:  
65 Years to 120 Years (Older Adult)Sex:  
All

•McGill University Health Center

•University Health Network, Toronto

•The Ottawa Hospital

•Other

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
6	NCT02793596	<div><div><a href="#">Reliability of Waveform Analysis as an Adjunct to Loss of Resistance for Obstetrical Epidural Blocks</a></div><div>Study Documents:</div></div>	<div>Title Acronym:</div> <div>Other Ids: MUHC-JGH</div>	Completed	•Pregnancy	•Other: Obstetrical patients	<div>Study Type: Interventional</div> <div>Phase: Not Applicable</div> <div>Study Design:<ul style="list-style-type: none"><li>•Intervention Model: Single Group Assignment</li><li>•Masking: None (Open Label)</li><li>•Primary Purpose: Diagnostic</li></ul></div> <div>Outcome Measures:<ul style="list-style-type: none"><li>•Success rate</li><li>•Epidural waveform analysis</li></ul></div>	<div>Enrollment: 100</div> <div>Age: 18 Years and older (Adult, Older Adult)</div> <div>Sex: Female</div>	•McGill University Health Center	•Other	<div>Study Start: August 2016</div> <div>Primary Completion: November 2016</div> <div>Study Completion:</div> <div>First Posted: June 8, 2016</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: March 20, 2017</div>	•Royal Victoria Hospital, Montreal, Quebec, Canada
7	NCT02767037	<div><div><a href="#">SudoScan as a Biomarker of Parkinson's Disease</a></div><div>Study Documents:</div></div>	<div>Title Acronym:</div> <div>Other Ids: MP-CUSM-15-472</div>	Completed	•Parkinson's Disease	<div>•Device: Sudoscan and clinical assessment</div> <div>•Genetic: Skin biopsy</div>	<div>Study Type: Interventional</div> <div>Phase: Not Applicable</div> <div>Study Design:<ul style="list-style-type: none"><li>•Allocation: Non-Randomized</li><li>•Intervention Model: Parallel Assignment</li><li>•Masking: None (Open Label)</li><li>•Primary Purpose: Screening</li></ul></div> <div>Outcome Measures:<ul style="list-style-type: none"><li>•Electrochemical skin conductance</li><li>•PD severity-Hoehn and Yahr stage</li><li>•PD severity-MDS-UPDRS</li><li>•Autonomic symptoms and signs</li><li>•EKG</li><li>•Neuropathy</li><li>•Non-motor symptoms associated with PD</li><li>•Skin biopsy</li></ul></div>	<div>Enrollment: 150</div> <div>Age: 40 Years and older (Adult, Older Adult)</div> <div>Sex: All</div>	•McGill University Health Center	•Other	<div>Study Start: June 2016</div> <div>Primary Completion: December 2017</div> <div>Study Completion: June 2018</div> <div>First Posted: May 10, 2016</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: October 30, 2018</div>	

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
8	NCT02618772	<div><div><a href="#">Intranasal Midazolam for Treatment of Anxiety in Children Undergoing Suturing in the Pediatric Emergency Department</a></div><div>Study Documents:</div></div>	<div>Title Acronym:</div> <div>Other Ids: PED-08-053</div>	Completed	<div>•Anxiety</div> <div>•Lacerations</div>	<div>•Drug: Midazolam</div> <div>•Drug: Saline</div>	<div>Study Type: Interventional</div> <div>Phase: Phase 4</div> <div>Study Design:<div>•Allocation: Randomized</div><div>•Intervention Model: Parallel Assignment</div><div>•Masking: Quadruple (Participant, Care Provider, Investigator, Outcomes Assessor)</div><div>•Primary Purpose: Treatment</div></div> <div>Outcome Measures:<div>•Intention to Treat (ITT): Modified Yale Preoperative Anxiety Score (mYPAS)</div><div>•Per-Protocol: Modified Yale Preoperative Anxiety Score (mYPAS)</div><div>•Intention to Treat (ITT): State Trait Anxiety Inventory (STAI)</div><div>•Per-Protocol: State Trait Anxiety Inventory (STAI)</div><div>•Intention to Treat (ITT): Dartmouth Operative Conditions Scale</div><div>•Per-Protocol: Dartmouth Operative Conditions Scale</div><div>•Intention to Treat (ITT): Faces Pain Scale-Revised/ FLACC Scale</div><div>•Per-Protocol: Faces Pain Scale-Revised/ FLACC Scale</div></div>	<div>Enrollment: 79</div> <div>Age: 2 Years to 12 Years (Child)</div> <div>Sex: All</div>	<div>•McGill University Health Center</div>	<div>•Other</div>	<div>Study Start: January 2010</div> <div>Primary Completion: March 2015</div> <div>Study Completion: November 2015</div> <div>First Posted: December 1, 2015</div> <div>Results First Posted: October 7, 2016</div> <div>Last Update Posted: October 7, 2016</div>	

Enrollment:  
79Age:  
2 Years to 12 Years (Child)Sex:  
All

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
9	NCT02549443	<div><div><a href="#">The Anabolic Effect Of Perioperative Nutrition With Insulin In Patients Undergoing CABG</a></div><div>Study Documents:</div></div>	<div>Title Acronym:</div> <div>Other Ids: 12-383-SDR</div>	Completed	•Coronary Artery Disease	•Dietary Supplement: Amino acids	<div>Study Type: Interventional</div> <div>Phase: Not Applicable</div> <div>Study Design: •Allocation: Randomized  •Intervention Model: Parallel Assignment  •Masking: Triple (Participant, Investigator, Outcomes Assessor)  •Primary Purpose: Supportive Care</div> <div>Outcome Measures: Change in Whole body protein balance which will be assessed by isotope tracer kinetics.</div>	<div>Enrollment: 30</div> <div>Age: 18 Years to 90 Years (Adult, Older Adult)</div> <div>Sex: All</div>	•McGill University Health Center	•Other	<div>Study Start: August 2013</div> <div>Primary Completion: May 2015</div> <div>Study Completion: June 2015</div> <div>First Posted: September 15, 2015</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: September 15, 2015</div>	•McGill University Health Center, Montreal, Quebec, Canada

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
10	NCT02343354	<div><div><a href="#">The MoMMii Study. Diabetes Prevention Intervention on Families With Past Gestational Diabetes</a></div><div>Study Documents:</div></div>	<div>Title Acronym: MoMMii</div> <div>Other Ids: GRT 2014-35</div>	Completed	•Gestational Diabetes Mellitus With Baby Delivered	•Behavioral: Nutrition/physical activity intervention	<div>Study Type: Interventional</div> <div>Phase: Not Applicable</div> <div>Study Design:<ul style="list-style-type: none"><li>•Intervention Model: Single Group Assignment</li><li>•Masking: None (Open Label)</li><li>•Primary Purpose: Prevention</li></ul></div> <div>Outcome Measures:<ul style="list-style-type: none"><li>•Change in post 75 gram glucose load 2-hour glucose value in mothers and fathers</li><li>•Change in fruit and vegetable consumption in mothers and fathers</li><li>•Change in physical activity in mothers and fathers</li><li>•Change in insulin resistance measure (HOMA-IR) in mothers and fathers</li><li>•Change in insulin sensitivity measure (ISI 0,120) in mothers and fathers</li><li>•Change in fasting glucose in mothers and fathers</li><li>•Change in fasting insulin in mothers and fathers</li><li>•Change in systolic blood pressure in mothers and fathers</li><li>•Change in diastolic blood pressure in mothers and fathers</li></ul></div>	<div>Enrollment: 118</div> <div>Age: 18 Years to 60 Years (Adult)</div> <div>Sex: All</div>	<div>•McGill University Health Center</div> <div>•The Lawson Foundation</div>	•Other	<div>Study Start: November 2014</div> <div>Primary Completion: June 2017</div> <div>Study Completion: June 2017</div> <div>First Posted: January 22, 2015</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: March 21, 2018</div>	•McGill University Health Centre - Royal Victoria Hosptial, Montreal, Quebec, Canada



	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
11	NCT02275078	<a href="#">Innovations in Treating COPD Exacerbations: Pilot Project on Action Plans Using New Technology.</a> <div>Study Documents:</div>	Title Acronym: <div>Other Ids: 12-053-BMD</div>	Completed	•COPD	•Behavioral: COPD self-management using an action plan  •Device: Telesystem-Phone self-assessment/ reporting system  •Other: Nurse case manager support	Study Type: Interventional  Phase: Not Applicable  Study Design: •Intervention Model: Single Group Assignment •Masking: None (Open Label) •Primary Purpose: Supportive Care  Outcome Measures: •- Patient adherence to action plan •Respiratory medication adherence •Self-efficacy to manage exacerbations: •Health care utilization •Phone System	Enrollment: 40  Age: 40 Years and older (Adult, Older Adult)  Sex: All	•McGill University Health Center  •GlaxoSmithKline	•Other  •Industry	Study Start: October 15, 2013  Primary Completion: June 8, 2016  Study Completion: November 29, 2017  First Posted: October 27, 2014  Results First Posted: No Results Posted  Last Update Posted: August 20, 2018	•Montreal Chest Institute, Montreal, Quebec, Canada
12	NCT02270255	<a href="#">Superior Hypogastric Nerve Block for Pain Control Post-UFE</a> <div>Study Documents:</div>	Title Acronym: <div>Other Ids: 4242</div>	Completed	•Leiomyoma	•Procedure: Superior hypogastric nerve block  •Drug: 0.75% Ropivacaine  •Procedure: Subcutaneous injection  •Drug: 1% Xylocaine	Study Type: Interventional  Phase: Phase 2  Study Design: •Allocation: Randomized •Intervention Model: Parallel Assignment •Masking: Double (Participant, Care Provider) •Primary Purpose: Treatment  Outcome Measures: •Reduction in subjective pain post UFE  •Adverse event rate from the superior hypogastric nerve block  •Differences in pain reduction in fibroids vs adenomyosis  •Patient use of a post-UFE online pain survey  •Clinical outcome of UFE in patients with and without SHGNB	Enrollment: 44  Age: Child, Adult, Older Adult  Sex: Female	•McGill University Health Center	•Other	Study Start: October 2014  Primary Completion: November 1, 2017  Study Completion: November 1, 2017  First Posted: October 21, 2014  Results First Posted: No Results Posted  Last Update Posted: December 18, 2017	•McGill University Health Centre - Royal Victoria Hospital, Montreal, Quebec, Canada

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
13	NCT02136875	<div><div><a href="#">Strategy for Early Treatment of Exacerbations in COPD: Standing Prescriptions of Advair With a Written Action Plan in the Event of an Exacerbation</a></div><div>Study Documents:</div></div>	<div>Title Acronym:</div> <div>Other Ids: BMC-08-001</div>	Completed	<div>•COPD</div> <div>•Chronic Obstructive Pulmonary Disease</div>	<div>•Drug: Double dose of Salmeterol + Fluticasone Propionate</div> <div>•Behavioral: Self-management education on the use of a self-administered prescription for exacerbation.</div> <div>•Drug: Self-administered prescription</div>	<div>Study Type: Interventional</div> <div>Phase: Phase 4</div> <div>Study Design:<div>•Intervention Model: Single Group Assignment</div><div>•Masking: None (Open Label)</div><div>•Primary Purpose: Treatment</div></div> <div>Outcome Measures:<div>•Percentage of participants with treatment success (no need of prednisone)</div><div>•Change from baseline in Quality of life as measured by the St Georges Respiratory Questionnaire</div><div>•Percentage of patients who used healthcare resources (visits to Doctor and visits to the COPD nurse)</div><div>•Percentage of patients who presented Cardiovascular Events</div><div>•Percentage of patients who presented any Adverse Events</div><div>•Percentage of patients who developed Pneumonia</div><div>•Percentage of patients with ER admissions</div><div>•Percentage of patients who had any Hospital admissions</div></div>	<div>Enrollment: 37</div> <div>Age: 40 Years and older (Adult, Older Adult)</div> <div>Sex: All</div>	<div>•McGill University Health Center</div> <div>•GlaxoSmithKline</div>	<div>•Other</div> <div>•Industry</div>	<div>Study Start: July 2008</div> <div>Primary Completion: August 2010</div> <div>Study Completion: August 2010</div> <div>First Posted: May 13, 2014</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: May 14, 2014</div>	<div>•Montreal Chest Institute, Montreal, Quebec, Canada</div>

Enrollment:  
37Age:  
40 Years and older (Adult, Older Adult)Sex:  
All

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
14	NCT02135627	<a href="#">TC-325 (HEMOSPRAY™) VS. CURRENT STANDARD OF CARE IN MANAGING MALIGNANT GASTROINTESTINAL BLEEDING: A PILOT STUDY TO INFORM A RANDOMIZED CONTROLLED TRIAL.</a>  Study Documents:	Title Acronym:  Other Ids: 13-251-BMD	Completed	•MALIGNANT GASTROINTESTINAL BLEEDING	•Drug: TC-325 monotherapy on initial endoscopy ± radiation therapy, angioembolization, and/or surgery.  •Other: Current standard therapy	Study Type: Interventional  Phase: Not Applicable  Study Design: •Allocation: Randomized •Intervention Model: Parallel Assignment •Masking: Single (Participant) •Primary Purpose: Treatment  Outcome Measures: •Hemostasis •Rebleeding •Transfusion •length of ICU admission •Length of hospitalization •Complications •Additional treatment modalities •Mortality	Enrollment: 20  Age: 18 Years and older (Adult, Older Adult)  Sex: All	•McGill University Health Center  •ASGE	•Other	Study Start: April 2014  Primary Completion: July 2016  Study Completion: July 2016  First Posted: May 12, 2014  Results First Posted: No Results Posted  Last Update Posted: November 22, 2016	•McGill University Health Center, Montreal, Quebec, Canada

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
15	NCT02131844	<div><div><a href="#">Early Mobilization After Colorectal Surgery</a></div><div>Study Documents:</div></div>	<div>Title Acronym:</div> <div>Other Ids:<ul style="list-style-type: none"><li>•MUHC Study Code 13-329-SDR</li><li>•Mitacs Elevate Fellowship</li></ul></div>	Completed	<ul style="list-style-type: none"><li>•Colonic Diseases</li><li>•Rectal Diseases</li></ul>	<ul style="list-style-type: none"><li>•Other: Facilitated early mobilization</li><li>•Other: Usual care</li></ul>	<div>Study Type: Interventional</div> <div>Phase: Not Applicable</div> <div>Study Design:<ul style="list-style-type: none"><li>•Allocation: Randomized</li><li>•Intervention Model: Parallel Assignment</li><li>•Masking: Single (Outcomes Assessor)</li><li>•Primary Purpose: Treatment</li></ul></div> <div>Outcome Measures:<ul style="list-style-type: none"><li>•Functional walking capacity (six-minute walk test)</li><li>•Time out of bed (sitting and standing)</li><li>•Time to readiness for discharge</li><li>•Time to recovery of gastrointestinal motility</li><li>•Postoperative fatigue (Multidimensional Fatigue Inventory)</li><li>•Self-reported physical activity status (Duke Activity Status Index)</li><li>•Mobility (Life-Space Mobility Assessment)</li><li>•Condition-specific health-related quality of life (Abdominal Surgery Impact Scale)</li><li>•Generic heath-related quality of life (RAND-36)</li><li>•Postoperative complications</li><li>•Pulmonary function (spirometry)</li></ul></div>	<div>Enrollment: 100</div> <div>Age: 18 Years and older (Adult, Older Adult)</div> <div>Sex: All</div>	<ul style="list-style-type: none"><li>•McGill University Health Center</li><li>•Mitacs</li></ul>	<ul style="list-style-type: none"><li>•Other</li><li>•Industry</li></ul>	<div>Study Start: August 2014</div> <div>Primary Completion: July 2015</div> <div>Study Completion: May 2016</div> <div>First Posted: May 6, 2014</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: March 5, 2018</div>	<ul style="list-style-type: none"><li>•Montreal General Hospital, Montreal, Quebec, Canada</li></ul>

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
16	NCT02018965	<a href="#">Niacin on Immune Activation : a Proof-of-concept Study</a> <div>Study Documents:</div>	<div>Title Acronym:</div> <div>Other Ids: CTN006</div>	Completed	•HIV	•Drug: Niacin	<div>Study Type: Interventional</div> <div>Phase: Phase 2</div> <div>Study Design:<ul style="list-style-type: none"><li>•Allocation: Randomized</li><li>•Intervention Model: Crossover Assignment</li><li>•Masking: None (Open Label)</li><li>•Primary Purpose: Treatment</li></ul></div> <div>Outcome Measures:<ul style="list-style-type: none"><li>•Comparison of the change in CD8CD38 percentage</li><li>•Comparison of the change in CD8CD38 percentage during the ER niacin + ART period</li><li>•Change in CD4 cell count and their subsets, including naïve, central memory and effector memory and Th17/ Treg cells</li><li>•Changes in inflammatory markers such as INF-#, IL-1, IL-6, IL-17, usCRP, LPS and D-dimers</li><li>•Change in plasmatic Trp levels</li><li>•Changes in total cholesterol, HDL, LDL cholesterol and triglycerides</li></ul></div>	<div>Enrollment: 16</div> <div>Age: 18 Years and older (Adult, Older Adult)</div> <div>Sex: All</div>	<div>•McGill University Health Center</div> <div>•CIHR Canadian HIV Trials Network</div>	•Other	<div>Study Start: November 2011</div> <div>Primary Completion: June 2017</div> <div>Study Completion: June 2017</div> <div>First Posted: December 24, 2013</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: April 23, 2018</div>	•Montreal Chest Institute, Montreal, Quebec, Canada

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
17	NCT01999257	<div><a href="#">Efficacy Study of an Online Educational Module Before Carrier Genetic Screening in Persons of Ashkenazi Jewish Descent.</a></div> <div>Study Documents:</div>	<div>Title Acronym:</div> <div>Other Ids: 3281</div>	Completed	<div>•Tay Sachs Disease</div> <div>•Canavan Disease</div> <div>•Familial Dysautonomia</div>	•Other: Online pre-test genetic education tool	<div>Study Type: Interventional</div> <div>Phase: Not Applicable</div> <div>Study Design:<div>•Allocation: Randomized</div><div>•Intervention Model: Parallel Assignment</div><div>•Masking: None (Open Label)</div><div>•Primary Purpose: Health Services Research</div></div> <div>Outcome Measures:<div>•Knowledge of Ashkenazi Jewish genetic conditions</div><div>•Patient anxiety</div><div>•Satisfaction with web-based/in-person genetic counselling</div><div>•Perceived risk of having a child with an Ashkenazi Jewish genetic condition</div></div>	<div>Enrollment: 60</div> <div>Age: 18 Years and older (Adult, Older Adult)</div> <div>Sex: All</div>	•McGill University Health Center	•Other	<div>Study Start: July 2014</div> <div>Primary Completion: April 2015</div> <div>Study Completion: August 2017</div> <div>First Posted: December 3, 2013</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: August 17, 2017</div>	•Montreal General Hospital (MUHC), Montreal, Quebec, Canada
18	NCT01838941	<div><a href="#">Betaine and Peroxisome Biogenesis Disorders</a></div> <div>Study Documents:</div>	<div>Title Acronym:</div> <div>Other Ids: RPGDN001</div>	Completed	•Peroxisome Biogenesis Disorders	•Drug: Betaine	<div>Study Type: Interventional</div> <div>Phase: Phase 3</div> <div>Study Design:<div>•Intervention Model: Single Group Assignment</div><div>•Masking: None (Open Label)</div><div>•Primary Purpose: Treatment</div></div> <div>Outcome Measures:<div>•Peroxisome Biochemical Functions as Measured by Plasma Very Long Chain Fatty Acid</div><div>•Developmental Status</div></div>	<div>Enrollment: 12</div> <div>Age: Child, Adult, Older Adult</div> <div>Sex: All</div>	•McGill University Health Center  •Children's Hospital and Medical Center, Omaha, Nebraska	•Other	<div>Study Start: March 2013</div> <div>Primary Completion: January 2015</div> <div>Study Completion: June 2015</div> <div>First Posted: April 24, 2013</div> <div>Results First Posted: June 28, 2016</div> <div>Last Update Posted: June 28, 2016</div>	•Montreal Children's Hospital, Montreal, Quebec, Canada

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
19	NCT01836978	<div><div><a href="#">Prehabilitation to Enhance Postoperative Functional Capacity Following Radical Cystectomy</a></div><div>Study Documents:</div></div>	<div>Title Acronym:</div> <div>Other Ids: 12-454-SDR</div>	Completed	<div>•Bladder Cancer</div> <div>•Entire Ileal Conduit</div> <div>•Urinary Bladder Cancer</div>	•Other: Prehabilitation	<div>Study Type: Interventional</div> <div>Phase: Not Applicable</div> <div>Study Design:<div>•Allocation: Randomized</div><div>•Intervention Model: Parallel Assignment</div><div>•Masking: None (Open Label)</div><div>•Primary Purpose: Supportive Care</div></div> <div>Outcome Measures: Six minute walking test (6MWT)</div>	<div>Enrollment: 70</div> <div>Age: 18 Years to 85 Years (Adult, Older Adult)</div> <div>Sex: All</div>	•McGill University Health Center	•Other	<div>Study Start: June 2013</div> <div>Primary Completion: December 2017</div> <div>Study Completion: December 2017</div> <div>First Posted: April 22, 2013</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: March 22, 2018</div>	•Montreal General Hospital, Montreal, Quebec, Canada

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
20	NCT01814995	<div><div><a href="#">Motivational Support and Meal Preparation Training to Reduce Vascular Risk After Gestational Diabetes</a></div><div>Study Documents:</div></div>	<div>Title Acronym: MoMM</div> <div>Other Ids: CIHR-CAI117789</div>	Completed	•Gestational Diabetes Mellitus With Baby Delivered	•Behavioral: Nutrition/Physical Activity Intervention	<div>Study Type: Interventional</div> <div>Phase: Not Applicable</div> <div>Study Design: •Intervention Model: Single Group Assignment  •Masking: None (Open Label)  •Primary Purpose: Prevention</div> <div>Outcome Measures: •percentage change in weight in participant  •change in BMI  •change in waist circumference  •change in waist to hip ratio  •change in total body fat  •adbominal adiposity  •change in fasting glucose levels  •change in 1-hour glucose level following 75-gram glucose load  •Proportion with elevated 1-hour glucose level following 75-gram glucose load  •change in 2-hour glucose level following 75-gram glucose load  •and 24 more</div>	<div>Enrollment: 36</div> <div>Age: 18 Years to 55 Years (Adult)</div> <div>Sex: Female</div>	<div>•McGill University Health Center</div> <div>•Canadian Institutes of Health Research (CIHR)</div>	•Other	<div>Study Start: January 2012</div> <div>Primary Completion: September 2013</div> <div>Study Completion: September 2013</div> <div>First Posted: March 20, 2013</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: September 11, 2014</div>	<div>•McGill University Health Centre, Montreal, Quebec, Canada</div> <div>•Sir Mortimer Davis Jewish General Hospital, Montreal, Quebec, Canada</div>



	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
21	NCT01790464	<div><a href="#">Glossopharyngeal Nerve Block for Awake Intubation</a></div> <div>Study Documents:</div>	<div>Title Acronym:</div> <div>Other Ids: 11-201-SDR</div>	Completed	•Morbid Obesity	•Drug: 2% Lidocaine  •Drug: placebo	<div>Study Type: Interventional</div> <div>Phase: Not Applicable</div> <div>Study Design: •Allocation: Randomized  •Intervention Model: Parallel Assignment  •Masking: Quadruple (Participant, Care Provider, Investigator, Outcomes Assessor)  •Primary Purpose: Health Services Research</div> <div>Outcome Measures: •Gag score  •Lidocaine serum level</div>	<div>Enrollment: 24</div> <div>Age: 18 Years to 60 Years (Adult)</div> <div>Sex: All</div>	•McGill University Health Center	•Other	<div>Study Start: April 2012</div> <div>Primary Completion: June 2013</div> <div>Study Completion: April 2014</div> <div>First Posted: February 13, 2013</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: September 17, 2014</div>	
22	NCT01748929	<div><a href="#">Postpartum Deworming: Improving Breastfeeding and Optimizing Infant Growth</a></div> <div>Study Documents:</div>	<div>Title Acronym:</div> <div>Other Ids: 12-198-GEN</div>	Completed	•Intestinal Diseases, Parasitic	•Drug: Albendazole  •Drug: Placebo	<div>Study Type: Interventional</div> <div>Phase: Phase 4</div> <div>Study Design: •Allocation: Randomized  •Intervention Model: Parallel Assignment  •Masking: Quadruple (Participant, Care Provider, Investigator, Outcomes Assessor)  •Primary Purpose: Prevention</div> <div>Outcome Measures: •Mean (± standard deviation) weight gain (kg)  •Infant morbidity  •Maternal hemoglobin levels and anemia  •Breastfeeding practices  •Maternal energy levels  •Maternal STH infection  •Breast milk quality  •Breast milk quantity transferred from mother to infant</div>	<div>Enrollment: 1010</div> <div>Age: Child, Adult, Older Adult</div> <div>Sex: Female</div>	•McGill University Health Center	•Other	<div>Study Start: February 24, 2014</div> <div>Primary Completion: February 13, 2015</div> <div>Study Completion: September 16, 2016</div> <div>First Posted: December 13, 2012</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: August 29, 2017</div>	•Asociación Civil Selva Amazónica, Iquitos, Peru

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
23	NCT01738178	<a href="#">Caffeine as a Therapy for Parkinson's Disease</a>	Title Acronym:	Completed	•Parkinson's Disease	•Drug: Caffeine •Drug: Placebo	Study Type: Interventional	Enrollment: 119	•McGill University Health Center  •Pontifícia Universidade Católica do Paraná  •University of Calgary  •University of Newfoundland and Eastern Health  •University Health Network, Toronto  •UBC Hospital  •Movement Disorder Clinic - Deer Lodge Centre  •The Ottawa Hospital	•Other	Study Start: April 2014	•Parana Parkinson Association - Pontifical Catholic University of Parana, Curitiba, PR, Brazil  •Heritage Medical Research Clinic - University of Calgary, Calgary, Alberta, Canada  •UBC Hospital - Pacific Parkinson's Research Centre, Vancouver, British Columbia, Canada  •Movement Disorder Clinic - Deer Lodge Centre, Winnipeg, Manitoba, Canada  •Memorial University of Newfoundland, St-John's, Newfoundland and Labrador, Canada  •The Ottawa Hospital - Civic Campus, Ottawa, Ontario, Canada  •Toronto western Hospital - Movement Disorders Research Centre, Toronto, Ontario, Canada  •McGill University Health Center, Montreal, Quebec, Canada
		Study Documents:	Other Ids: 2778				Phase: Phase 3	Age: 45 Years to 75 Years (Adult, Older Adult)			Sex: All	
24	NCT01718574	<a href="#">Bibliotherapy for Patients With Cancer</a>	Title Acronym:	Completed	•Cancer	•Other: Self-help book	Study Type: Interventional	Enrollment: 89	•McGill University Health Center  •Cedars CanSupport, Hope & Cope	•Other	Study Start: February 2013	•MUHC Cedars CanSupport, Montreal, Quebec, Canada  •Hope & Cope, JGH, Montreal, Quebec, Canada
		Study Documents:	Other Ids: 2888				Phase: Not Applicable	Age: 18 Years and older (Adult, Older Adult)			Sex: All	
							Study Design: •Allocation: Randomized  •Intervention Model: Parallel Assignment  •Masking: None (Open Label)  •Primary Purpose: Supportive Care					
							Outcome Measures: •change in Health Education Impact Questionnaire scores  •change in Ways of Coping Questionnaire - Cancer Version & Hospital Anxiety and Depression Scale scores					

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
25	NCT01702610	<a href="#">Phase II Trial of Neo-adjuvant Temozolomide Prior to Combined Temozolomide and Concurrent Accelerated Hypofractionated External Beam Radiotherapy Followed by Adjuvant Temozolomide in Patients With Newly Diagnosed Glioblastoma Multiforme</a> <div>Study Documents:</div>	Title Acronym: <div>Other Ids:<ul style="list-style-type: none"><li>•GEN-08-013</li><li>•MGRT01:TMZ/GBM</li></ul></div>	Completed	•Glioblastoma Mutliforme	<ul style="list-style-type: none"><li>•Radiation: IMRT Technique</li><li>•Radiation: IMRT and accelerated hypofractionation technique</li><li>•Radiation: neo-adjuvant TMZ followed by accelerated hypofractionated EBRT</li><li>•Drug: Temozolomide and Accelerated Hypofractionation RT</li></ul>	Study Type: Interventional <div>Phase: Not Applicable</div> <div>Study Design:<ul style="list-style-type: none"><li>•Intervention Model: Single Group Assignment</li><li>•Masking: None (Open Label)</li><li>•Primary Purpose: Treatment</li></ul></div> <div>Outcome Measures:<ul style="list-style-type: none"><li>•Percent of patients completing the study treatment</li><li>•To assess toxicity of the regimen</li></ul></div>	Enrollment: 50 <div>Age: 18 Years and older (Adult, Older Adult)</div> <div>Sex: All</div>	•McGill University Health Center	•Other	Study Start: December 2008 <div>Primary Completion: December 2014</div> <div>Study Completion: December 2014</div> <div>First Posted: October 8, 2012</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: September 28, 2016</div>	•McGill University Health Center, Montreal, Quebec, Canada
26	NCT01561274	<a href="#">ET 50 for Post Cesarean Section Spinal Hypotension</a> <div>Study Documents:</div>	Title Acronym: ET-50 <div>Other Ids: 11-134-SDR</div>	Completed	•Hypotension	<ul style="list-style-type: none"><li>•Drug: 2 ml bupivacaine</li><li>•Drug: 1.5 ml bupivacaine.</li></ul>	Study Type: Interventional <div>Phase: Phase 2</div> <div>Study Design:<ul style="list-style-type: none"><li>•Allocation: Randomized</li><li>•Intervention Model: Factorial Assignment</li><li>•Masking: Quadruple (Participant, Care Provider, Investigator, Outcomes Assessor)</li><li>•Primary Purpose: Prevention</li></ul></div> <div>Outcome Measures:<ul style="list-style-type: none"><li>•The time required to remain sitting after spinal anesthesia</li><li>•Bupivacaine dose</li></ul></div>	Enrollment: 50 <div>Age: 18 Years to 45 Years (Adult)</div> <div>Sex: Female</div>	•McGill University Health Center	•Other	Study Start: March 2012 <div>Primary Completion: March 2014</div> <div>Study Completion: May 2014</div> <div>First Posted: March 23, 2012</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: June 23, 2014</div>	•Royal Victoria Hospital, Montreal, Quebec, Canada

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
27	NCT01475201	<div><a href="#">Step Monitoring to Improve ARTERial Health</a></div> <div>Study Documents:</div>	<div>Title Acronym: SMARTER</div> <div>Other Ids: CIHR- MOP-114996</div>	Completed	<div>•Type 2 Diabetes</div> <div>•Hypertension</div>	<div>•Behavioral: Step count prescription</div> <div>•Behavioral: Usual care</div>	<div>Study Type: Interventional</div> <div>Phase: Not Applicable</div> <div>Study Design:<div>•Allocation: Randomized</div><div>•Intervention Model: Parallel Assignment</div><div>•Masking: Single (Outcomes Assessor)</div><div>•Primary Purpose: Treatment</div></div> <div>Outcome Measures:<div>•change in arterial stiffness</div><div>•change in daily step count</div><div>•change in physical activity</div><div>•change in physical fitness</div><div>•weight change from baseline</div><div>•body mass index change from baseline</div><div>•change in waist circumference</div><div>•change in waist- to- hip ratio</div><div>•change in systolic blood pressure</div><div>•change in insulin resistance</div><div>•and 14 more</div></div> <div>Enrollment: 347</div> <div>Age: 18 Years to 95 Years (Adult, Older Adult)</div> <div>Sex: All</div> <div>•McGill University Health Center</div> <div>•Canadian Institutes of Health Research (CIHR)</div> <div>•Other</div> <td><div>Study Start: February 2012</div><div>Primary Completion: March 2016</div><div>Study Completion: March 2016</div><div>First Posted: November 21, 2011</div><div>Results First Posted: No Results Posted</div><div>Last Update Posted: March 23, 2017</div></td> <td><div>•Institut de recherches cliniques de Montréal, Montreal, Quebec, Canada</div><div>•McGill University Health Centre - Royal Victoria Hosptial, Montreal, Quebec, Canada</div><div>•McGill University Health Centre - Montreal General Hospital, Montreal, Quebec, Canada</div><div>•Jewish General Hospital, Montreal, Quebec, Canada</div><div>•St. Mary's Hospital Center, Montreal, Quebec, Canada</div><div>•Lakeshore General Hospital, Montreal, Quebec, Canada</div></td>	<div>Study Start: February 2012</div> <div>Primary Completion: March 2016</div> <div>Study Completion: March 2016</div> <div>First Posted: November 21, 2011</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: March 23, 2017</div>	<div>•Institut de recherches cliniques de Montréal, Montreal, Quebec, Canada</div> <div>•McGill University Health Centre - Royal Victoria Hosptial, Montreal, Quebec, Canada</div> <div>•McGill University Health Centre - Montreal General Hospital, Montreal, Quebec, Canada</div> <div>•Jewish General Hospital, Montreal, Quebec, Canada</div> <div>•St. Mary's Hospital Center, Montreal, Quebec, Canada</div> <div>•Lakeshore General Hospital, Montreal, Quebec, Canada</div>			

Enrollment:  
347Age:  
18 Years to 95  
Years (Adult,  
Older Adult)Sex:  
All

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
28	NCT01426451	<div><div><a href="#">Assessment of a Drama Workshop Program for Immigrant and Refugee Adolescents</a></div><div>Study Documents:</div></div>	<div>Title Acronym:</div> <div>Other Ids: CIHR/ IRSC-229984</div>	Completed	•Learning Disabilities	•Other: Group tutoring program  •Other: Theatre workshops	<div>Study Type: Interventional</div> <div>Phase: Not Applicable</div> <div>Study Design: •Allocation: Randomized  •Intervention Model: Parallel Assignment  •Masking: None (Open Label)  •Primary Purpose: Supportive Care</div> <div>Outcome Measures: •Change in impairment of emotional and behavioural symptoms reported by youth  •Change in emotional and behavioural symptoms  •Change in impairment  •Change in relations with peers  •Change in school performance</div>	<div>Enrollment: 464</div> <div>Age: 12 Years to 17 Years (Child)</div> <div>Sex: All</div>	•McGill University Health Center	•Other	<div>Study Start: November 2011</div> <div>Primary Completion: December 2012</div> <div>Study Completion:</div> <div>First Posted: August 31, 2011</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: March 27, 2014</div>	•École Antoine-de-St-Exupéry, Montréal, Quebec, Canada  •École La Dauversière, Montréal, Quebec, Canada  •École La Voie, Montréal, Quebec, Canada  •École Lucien-Pagé, Montréal, Quebec, Canada  •École Saint-Luc, Montréal, Quebec, Canada

Enrollment:  
464Age:  
12 Years to 17 Years (Child)Sex:  
All

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
29	NCT01424254	<div><div><a href="#">The Effectiveness of Video-capsule Endoscopy in Gastrointestinal Bleeding of Obscure Origin</a></div><div>Study Documents:</div></div>	<div>Title Acronym:</div> <div>Other Ids: REC#03-025</div>	Completed	•Gastrointestinal Bleeding	•Device: Capsule GIVEN IMAGING  •Procedure: Push-Enteroscopy	<div>Study Type: Interventional</div> <div>Phase: Phase 3</div> <div>Study Design: •Allocation: Randomized  •Intervention Model: Parallel Assignment  •Masking: Single (Participant)  •Primary Purpose: Diagnostic</div> <div>Outcome Measures: •The primary outcome measure is the detection rate of clinically significant lesions thought to be responsible for the patients with gastrointestinal bleeding of obscure origin  •resolution of the anemia/ recurrent bleeding  •blood transfusion requirements  •Number of required imaging tests (i.e: gastroscopy, colonoscopy, etc)  •hospitalization/length of stay  •days away from usual activities (protocol unrelated)  •patient satisfaction</div>	<div>Enrollment: 79</div> <div>Age: 18 Years and older (Adult, Older Adult)</div> <div>Sex: All</div>	•McGill University Health Center  •American Society for Gastrointestinal Endoscopy  •American College of Gastroenterology  •Canadian Institutes of Health Research (CIHR)	•Other	<div>Study Start: October 2003</div> <div>Primary Completion: December 2010</div> <div>Study Completion: March 2011</div> <div>First Posted: August 26, 2011</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: August 26, 2011</div>	•Montreal General Hospital, Montreal, Quebec, Canada

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
30	NCT01414946	<div><div><a href="#">The Effect of Intravenous Nutrition in Patients Undergoing Abdominal Surgery</a></div><div>Study Documents:</div></div>	<div>Title Acronym:</div> <div>Other Ids: CIHR-2011</div>	Completed	•Postoperative Protein Catabolism	•Other: Intravenous nutrition with glucose and amino acids  •Other: Intravenous nutrition with amino acids	<div>Study Type: Interventional</div> <div>Phase: Not Applicable</div> <div>Study Design: •Allocation: Non-Randomized  •Intervention Model: Parallel Assignment  •Masking: Single (Participant)  •Primary Purpose: Treatment</div> <div>Outcome Measures: •protein balance  •albumin synthesis  •fibrinogen synthesis  •total plasma protein synthesis  •mRNA expression of ubiquitin</div>	<div>Enrollment: 40</div> <div>Age: 18 Years and older (Adult, Older Adult)</div> <div>Sex: All</div>	•McGill University Health Center	•Other	<div>Study Start: November 2009</div> <div>Primary Completion: June 2011</div> <div>Study Completion: July 2011</div> <div>First Posted: August 11, 2011</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: August 11, 2011</div>	•Royal Victoria Hospital, McGill University Health Centre, Montreal, Quebec, Canada
31	NCT01405274	<div><div><a href="#">Impact of Physiotherapy Intervention for Children With Ankle Sprains</a></div><div>Study Documents:</div></div>	<div>Title Acronym:</div> <div>Other Ids: 09-287-PED</div>	Completed	•Physical Therapy	•Other: Physiotherapy	<div>Study Type: Interventional</div> <div>Phase: Not Applicable</div> <div>Study Design: •Allocation: Randomized  •Intervention Model: Parallel Assignment  •Masking: Single (Outcomes Assessor)  •Primary Purpose: Treatment</div> <div>Outcome Measures: recurrence of ankle sprain</div>	<div>Enrollment: 170</div> <div>Age: 7 Years to 18 Years (Child, Adult)</div> <div>Sex: All</div>	•McGill University Health Center	•Other	<div>Study Start: July 2011</div> <div>Primary Completion: March 2016</div> <div>Study Completion: June 1, 2018</div> <div>First Posted: July 29, 2011</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: April 4, 2019</div>	•MUHC-Montreal Children's Hospital, Montreal, Quebec, Canada

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
32	NCT01397565	<div><div><a href="#">Minilaparoscopic Versus Conventional Laparoscopic Cholecystectomy</a></div><div>Study Documents:</div></div>	<div>Title Acronym:</div> <div>Other Ids: 11-053-SDR</div>	Completed	<div>•Cholelithiasis</div> <div>•Cholecystectomy</div>	<div>•Procedure: Laparoscopic cholecystectomy</div> <div>•Procedure: Minilaparoscopic cholecystectomy</div>	<div>Study Type: Interventional</div> <div>Phase: Phase 4</div> <div>Study Design:<div>•Allocation: Randomized</div><div>•Intervention Model: Parallel Assignment</div><div>•Masking: Double (Participant, Outcomes Assessor)</div><div>•Primary Purpose: Treatment</div></div> <div>Outcome Measures:<div>•Post-operative pain</div><div>•Time to recovery</div><div>•Cosmetic result</div><div>•Operative complications</div><div>•Operative technique</div><div>•Length of operation</div></div>	<div>Enrollment: 115</div> <div>Age: 18 Years and older (Adult, Older Adult)</div> <div>Sex: All</div>	<div>•McGill University Health Center</div>	<div>•Other</div>	<div>Study Start: February 2012</div> <div>Primary Completion: September 2015</div> <div>Study Completion: September 2015</div> <div>First Posted: July 19, 2011</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: September 29, 2015</div>	<div>•Montreal General Hospital, Montreal, Quebec, Canada</div>



	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
33	NCT01359904	<div><div><a href="#">Effect of Dialysis Glucose Bath on Glycemic Control in Hemodialysis (HD)</a></div><div>Study Documents:</div></div>	<div>Title Acronym:</div> <div>Other Ids: 10-361 GEN</div>	Completed	•Diabetes Type 2	•Other: High Dialysate bath	<div>Study Type: Interventional</div> <div>Phase: Not Applicable</div> <div>Study Design: •Allocation: Randomized •Intervention Model: Parallel Assignment •Masking: None (Open Label) •Primary Purpose: Treatment</div> <div>Outcome Measures: •Hemoglobin A1c Levels •Episodes of Hypoglycemia  •To Record the Effects of a Higher Dialysate Concentration of Glucose on Glycemic Control of Hemodialysis Patients With Type 2 Diabetes Mellitus by Measuring Serum Levels of Hemoglobin A1c.  •the Number of Infections Related to Vascular Access in Dialysis Among Those Who Receive a Higher Glucose Concentration in the Dialysate and Those Who Receive the Standard Concentration</div>	<div>Enrollment: 33</div> <div>Age: 18 Years to 95 Years (Adult, Older Adult)</div> <div>Sex: All</div>	•McGill University Health Center	•Other	<div>Study Start: May 2011</div> <div>Primary Completion: November 2012</div> <div>Study Completion: November 2012</div> <div>First Posted: May 25, 2011</div> <div>Results First Posted: November 28, 2016</div> <div>Last Update Posted: March 21, 2017</div>	•Montreal General Hospital, Montreal, Quebec, Canada

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
34	NCT01356277	<div><div><a href="#">Intervention to Improve Adherence in Teen Kidney Transplant</a></div><div>Study Documents:</div></div>	<div>Title Acronym: TAKE-IT</div> <div>Other Ids: R01DK092977-01</div>	Completed	<div>•Kidney Transplantation</div> <div>•Medication Adherence</div>	<div>•Behavioral: Action-focused problem-solving</div> <div>•Device: Electronic pillbox monitoring, dose reminders, and feedback</div>	<div>Study Type: Interventional</div> <div>Phase: Not Applicable</div> <div>Study Design:<div>•Allocation: Randomized</div><div>•Intervention Model: Parallel Assignment</div><div>•Masking: None (Open Label)</div><div>•Primary Purpose: Other</div></div> <div>Outcome Measures:<div>•Taking Adherence</div><div>•Timing Adherence</div><div>•Standard Deviation (SD) of Tacrolimus Trough Levels</div><div>•Self-reported Taking Adherence</div><div>•Self-reported Timing Adherence</div><div>•Acute Rejection Rate</div><div>•Annualized Change in Estimated Glomerular Filtration Rate (eGFR)</div></div>	<div>Enrollment: 170</div> <div>Age: 11 Years to 24 Years (Child, Adult)</div> <div>Sex: All</div>	<div>•McGill University Health Center</div> <div>•Children's Hospital of Philadelphia</div> <div>•Children's Hospital Medical Center, Cincinnati</div> <div>•Seattle Children's Hospital</div> <div>•Washington University School of Medicine</div> <div>•British Columbia Children's Hospital</div> <div>•The Hospital for Sick Children</div> <div>•St. Justine's Hospital</div> <div>•Temple University</div>	•Other	<div>Study Start: February 2012</div> <div>Primary Completion: June 2016</div> <div>Study Completion: June 2016</div> <div>First Posted: May 19, 2011</div> <div>Results First Posted: July 18, 2018</div> <div>Last Update Posted: July 18, 2018</div>	<div>•Washington University School of Medicine, Saint Louis, Missouri, United States</div> <div>•Cincinnati Children's Hospital Medical Center, Cincinnati, Ohio, United States</div> <div>•The Children's Hospital of Philadelphia, Philadelphia, Pennsylvania, United States</div> <div>•Seattle Children's Hospital, Seattle, Washington, United States</div> <div>•British Columbia Children's Hospital, Vancouver, British Columbia, Canada</div> <div>•University of Toronto Hospital for Sick Children, Toronto, Ontario, Canada</div> <div>•Montreal Children's Hospital, Montreal, Quebec, Canada</div> <div>•St. Justine's Hospital, Montreal, Quebec, Canada</div>

Enrollment:  
170Age:  
11 Years to 24 Years (Child, Adult)Sex:  
All

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations	
35	NCT01356264	<a href="#">Multimodal Prehabilitation for Colorectal Surgery</a>	Title Acronym:	Completed	•Colorectal Cancer  •Colorectal Cancer Stage III	•Behavioral: multimodal prehabilitation	Study Type: Interventional	Enrollment: 89	•McGill University Health Center  •Society of American Gastrointestinal and Endoscopic Surgeons  •Immunotec Inc.	•Other  •Industry	Study Start: July 2011	•McGill University Health Centre, Montreal, Quebec, Canada	
		Study Documents:	Other Ids: GEN# 11-004				Phase: Phase 2	Age: 18 Years to 100 Years (Adult, Older Adult)			Primary Completion: March 2013		
							Study Design: •Allocation: Randomized  •Intervention Model: Parallel Assignment  •Masking: Single (Outcomes Assessor)  •Primary Purpose: Treatment				Sex: All		Study Completion: December 2013
													Outcome Measures: •six minute walk test  •Health-related quality of life  •physical activity level  •Depression and anxiety  •nutritional status  •postoperative complications  •Fatigue
										Results First Posted: No Results Posted			
											Last Update Posted: September 29, 2015		
36	NCT01320852	<a href="#">PET Scan as a Screening Tool for Liver Transplant in Patients With Hepatocellular Carcinoma (HCC)</a>	Title Acronym:	Completed	•Hepatocellular Carcinoma	•Other: PET Scan	Study Type: Interventional	Enrollment: 100	•McGill University Health Center  •Pfizer	•Other  •Industry	Study Start: December 2010	•McGill Univeristy Health Centre, Montreal, Quebec, Canada	
		Study Documents:	Other Ids: BMD-09-209				Phase: Not Applicable	Age: 18 Years to 75 Years (Adult, Older Adult)			Primary Completion: September 2013		
							Study Design: •Allocation: Non-Randomized  •Intervention Model: Single Group Assignment  •Masking: None (Open Label)				Sex: All		Study Completion: October 2013
													Outcome Measures: Overall Survival
										Results First Posted: No Results Posted			
											Last Update Posted: October 25, 2013		

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
37	NCT01314937	<div><div><a href="#">The Effect of a Deworming Intervention to Improve Early Childhood Growth and Development in Resource-poor Areas</a></div><div>Study Documents:</div></div>	<div>Title Acronym:</div> <div>Other Ids: 10-242-PED</div>	Completed	<div>•Malnutrition</div> <div>•Intestinal Diseases, Parasitic</div>	<div>•Drug: Mebendazole</div> <div>•Other: Usual care</div>	<div>Study Type: Interventional</div> <div>Phase: Phase 4</div> <div>Study Design:<div>•Allocation: Randomized</div><div>•Intervention Model: Parallel Assignment</div><div>•Masking: Quadruple (Participant, Care Provider, Investigator, Outcomes Assessor)</div><div>•Primary Purpose: Treatment</div></div> <div>Outcome Measures:<div>•Mean (± standard deviation) weight gain (kg)</div><div>•Mean (± standard deviation) height gain (cm)</div><div>•Mean (± standard deviation) of the cognitive test score</div><div>•Soil-transmitted helminth infection (Ascaris, Trichuris or hookworm) - prevalence (%) and intensity (mean eggs per gram)</div><div>•Mean (± standard deviation) of the motor test score</div><div>•Mean (± standard deviation) of the language test score</div></div> <div>Enrollment: 1760</div> <div>Age: 12 Months to 24 Months (Child)</div> <div>Sex: All</div> <div>•McGill University Health Center</div> <div>•McGill University</div> <div>•Asociacion Civil Selva Amazonica</div> <div>•World Health Organization</div> <div>•Thrasher Research Fund</div> <div>•Canadian Institutes of Health Research (CIHR)</div>	•Other	<div>Study Start: September 2011</div> <div>Primary Completion: July 2013</div> <div>Study Completion: July 2013</div> <div>First Posted: March 15, 2011</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: August 26, 2014</div>	<div>•Asociacion Civil Selva Amazonica, Iquitos, Loreto, Peru</div>		

Enrollment:  
1760Age:  
12 Months to 24 Months (Child)Sex:  
All

•McGill University Health Center

•McGill University

•Asociacion Civil Selva Amazonica

•World Health Organization

•Thrasher Research Fund

•Canadian Institutes of Health Research (CIHR)

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
38	NCT01301352	<div><a href="#">Feeding Children Nasogastrically Versus Nasojejunally While Receiving Noninvasive Positive Pressure Ventilation</a></div> <div>Study Documents:</div>	<div>Title Acronym: FeedNIV</div> <div>Other Ids: 10-192-PED</div>	Completed	<div>•Respiratory Insufficiency</div> <div>•Pneumonia, Aspiration</div> <div>•Nutrition Disorders</div>	•Other: Route of feeding (nasogastric vs. nasojejunal)	<div>Study Type: Interventional</div> <div>Phase: Not Applicable</div> <div>Study Design:<div>•Allocation: Randomized</div><div>•Intervention Model: Single Group Assignment</div><div>•Masking: Single (Outcomes Assessor)</div><div>•Primary Purpose: Treatment</div></div> <div>Outcome Measures:<div>•The percent goal enteral calories received while receiving NPPV</div><div>•The time required to achieve goal calories while on NPPV</div><div>•The length of stay in ICU and in hospital</div><div>•Episodes of clinically important gastric aspiration</div></div>	<div>Enrollment: 30</div> <div>Age: up to 17 Years (Child)</div> <div>Sex: All</div>	•McGill University Health Center	•Other	<div>Study Start: February 2011</div> <div>Primary Completion: June 2014</div> <div>Study Completion: June 2014</div> <div>First Posted: February 23, 2011</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: July 16, 2014</div>	•Montreal Children's Hospital, Montreal, Quebec, Canada
39	NCT01276795	<div><a href="#">Whey Protein-based Enteral Nutrition Support to Improve Protein Economy in Surgical Patients</a></div> <div>Study Documents:</div>	<div>Title Acronym:</div> <div>Other Ids: 09-053-SDR</div>	Completed	<div>•Protein Metabolism</div> <div>•Colorectal Neoplasms</div>	•Dietary Supplement: Oral Nutrition Support	<div>Study Type: Interventional</div> <div>Phase: Not Applicable</div> <div>Study Design:<div>•Allocation: Randomized</div><div>•Intervention Model: Parallel Assignment</div><div>•Masking: Single (Participant)</div><div>•Primary Purpose: Supportive Care</div></div> <div>Outcome Measures: Protein balance</div>	<div>Enrollment: 13</div> <div>Age: 18 Years to 90 Years (Adult, Older Adult)</div> <div>Sex: All</div>	•McGill University Health Center •McGill University	•Other	<div>Study Start: January 2010</div> <div>Primary Completion: August 2010</div> <div>Study Completion: August 2010</div> <div>First Posted: January 13, 2011</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: January 13, 2011</div>	•Montreal General Hospital, Montreal, Quebec, Canada

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
40	NCT01275911	<a href="#">Non-opioid Analgesia for Fast-track Surgery</a>	Title Acronym:	Completed	•Pain	•Drug: Esmolol •Drug: Remifentanil	Study Type: Interventional	Enrollment: 40	•McGill University Health Center	•Other	Study Start: January 2009	•Montreal General Hospital, McGill University Health Centre, Montreal, Quebec, Canada
		Study Documents:	Other Ids: GEN#08-22				Phase: Not Applicable	Age: 18 Years to 85 Years (Adult, Older Adult)			Primary Completion: July 2010	
							Study Design: •Allocation: Randomized •Intervention Model: Parallel Assignment •Masking: Double (Participant, Outcomes Assessor) •Primary Purpose: Treatment	Sex: All				
							Outcome Measures: •Amount of postoperative opioid consumption •Postoperative pain intensity •Incidence of opioids side-effects •Length of stay in the PACU •Length of stay in the hospital •CHAMPS questionnaire •short-term SF-36 •2 minutes walking test •6 minutes walking test					
41	NCT01247389	<a href="#">Incisional Hernia After Midline Versus Transverse Extraction Incision in Laparoscopic Colectomy</a>	Title Acronym:	Completed	•Laparoscopic Colectomy	•Procedure: laparoscopic colectomy	Study Type: Interventional	Enrollment: 165	•McGill University Health Center	•Other	Study Start: July 2011	•Montreal General Hospital, Montreal, Quebec, Canada
		Study Documents:	Other Ids: 10-183-SDR				Phase: Not Applicable	Age: 18 Years and older (Adult, Older Adult)			Primary Completion: December 2016	
							Study Design: •Allocation: Randomized •Intervention Model: Parallel Assignment •Masking: Single (Outcomes Assessor) •Primary Purpose: Treatment	Sex: All				
							Outcome Measures: •Incisional hernia •surgical site infection •body image					

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
42	NCT01231685	<div><a href="#">Raltegravir Switch Study to Reduce Liver Fibrosis Progression in HIV-Hepatitis C Co-infection</a></div> <div>Study Documents:</div>	<div>Title Acronym:</div> <div>Other Ids: CTN260</div>	Completed	<div>•HIV</div> <div>•Hepatitis C</div> <div>•Liver Fibrosis</div>	<div>•Drug: Raltegravir</div> <div>•Drug: Ritonavir-boosted protease inhibitor</div>	<div>Study Type: Interventional</div> <div>Phase: Phase 2</div> <div>Study Design:<div>•Allocation: Randomized</div><div>•Intervention Model: Parallel Assignment</div><div>•Masking: None (Open Label)</div><div>•Primary Purpose: Treatment</div></div> <div>Outcome Measures:<div>•To evaluate the effect of switch on change in liver fibrosis score</div><div>•To evaluate inflammatory markers associated with liver fibrosis</div><div>•To evaluate effect of switch on hepatic function</div><div>•To evaluate effect of switch on metabolic parameters</div><div>•Immunologic and virologic safety</div></div>	<div>Enrollment: 9</div> <div>Age: 18 Years and older (Adult, Older Adult)</div> <div>Sex: All</div>	<div>•McGill University Health Center</div> <div>•Merck Sharp &amp; Dohme Corp.</div> <div>•CIHR Canadian HIV Trials Network</div>	<div>•Other</div> <div>•Industry</div>	<div>Study Start: December 2011</div> <div>Primary Completion: March 2016</div> <div>Study Completion: September 2016</div> <div>First Posted: November 1, 2010</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: September 21, 2016</div>	<div>•Providence Health Care- St. Paul's Hospital, Vancouver, British Columbia, Canada</div> <div>•University Health Network - Toronto General Hospital Division, Toronto, Ontario, Canada</div> <div>•Montreal Chest Institute, Montreal, Quebec, Canada</div>
43	NCT01222208	<div><a href="#">Oral Versus Parenteral Nutrition Support to Improve Protein Balance in Colorectal Surgical Patients</a></div> <div>Study Documents:</div>	<div>Title Acronym:</div> <div>Other Ids: 10-106-GEN</div>	Completed	<div>•Colon Cancer</div>	<div>•Dietary Supplement: Oral Nutrition with dextrose and pressurized whey protein</div> <div>•Dietary Supplement: Peripheral Parenteral Nutrition</div>	<div>Study Type: Interventional</div> <div>Phase: Not Applicable</div> <div>Study Design:<div>•Allocation: Randomized</div><div>•Intervention Model: Parallel Assignment</div><div>•Masking: None (Open Label)</div><div>•Primary Purpose: Supportive Care</div></div> <div>Outcome Measures:<div>•Whole body protein balance</div><div>•Synthesis rates of hepatic secretory proteins</div></div>	<div>Enrollment: 20</div> <div>Age: 18 Years to 85 Years (Adult, Older Adult)</div> <div>Sex: All</div>	<div>•McGill University Health Center</div> <div>•Montreal General Hospital</div> <div>•McGill University</div>	<div>•Other</div>	<div>Study Start: March 2011</div> <div>Primary Completion: November 2011</div> <div>Study Completion: November 2011</div> <div>First Posted: October 18, 2010</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: February 7, 2012</div>	<div>•Montreal General Hospital, Montreal, Quebec, Canada</div>

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
44	NCT01176643	<a href="#">Development and Evaluation of Modified Yoga in Systemic Lupus Erythematosus (SLE)</a>	Title Acronym:	Completed	•Systemic Lupus Erythematosus	•Other: Standard care plus Yoga	Study Type: Interventional	Enrollment: 57	•McGill University Health Center	•Other	Study Start: August 2010	•McGill University Health Centre at Montreal General Hospital, Montreal, Quebec, Canada
			Other Ids: GEN10-037				Phase: Not Applicable	Age: 18 Years to 65 Years (Adult, Older Adult)			Primary Completion: May 2012	
		Study Documents:					Study Design: •Allocation: Randomized  •Intervention Model: Parallel Assignment  •Masking: Single (Outcomes Assessor)  •Primary Purpose: Supportive Care	Sex: All			Study Completion: August 2013	
							Outcome Measures: •Measures of compliance (class attendance, frequency of home practice)and results of post-yoga evaluations and post yoga discussion groups will be used as measures of feasibility of using yoga in SLE  •Pre- and post-yoga measurements of disease activity, quality of life, psychological distress (depression,anxiety and stress), sleep quality, fatigue, pain, and a global assessment of health will be used to assess efficacy of yoga in SLE				First Posted: August 6, 2010	
											Results First Posted: No Results Posted	
											Last Update Posted: September 24, 2013	
45	NCT01155440	<a href="#">Bowel Function After Laparoscopic Colon Surgery: Effect of IV Lidocaine</a>	Title Acronym:	Completed	•Colon Cancer  •Inflammatory Bowel Diseases  •Diverticulitis	•Drug: Lidocaine  •Procedure: Thoracic epidural block	Study Type: Interventional	Enrollment: 60	•McGill University Health Center	•Other	Study Start: June 2009	•MUHC, Montreal, Quebec, Canada
			Other Ids: GEN-06-023(1)				Phase: Phase 2	Age: 18 Years and older (Adult, Older Adult)			Primary Completion: October 2011	
		Study Documents:					Study Design: •Allocation: Randomized  •Intervention Model: Parallel Assignment  •Masking: Single (Outcomes Assessor)  •Primary Purpose: Supportive Care	Sex: All			Study Completion: October 2011	
							Outcome Measures: •Restoration of bowel function  •Pain intensity				First Posted: July 1, 2010	
											Results First Posted: No Results Posted	
											Last Update Posted: November 28, 2011	



	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
46	NCT01085799	<a href="#">Education Intervention to Reduce Helminth Infections and Absenteeism in Grade 5 School-children</a> <div>Study Documents:</div>	Title Acronym: <div>Other Ids:<ul style="list-style-type: none"><li>•GEN-09-214</li><li>•HOA-80064</li></ul></div>	Completed	•Infections	•Behavioral: Health Education Intervention	Study Type: <div>Interventional</div> <div>Phase:<div>Not Applicable</div></div> <div>Study Design:<ul style="list-style-type: none"><li>•Allocation: Randomized</li><li>•Intervention Model: Parallel Assignment</li><li>•Masking: None (Open Label)</li><li>•Primary Purpose: Prevention</li></ul></div> <div>Outcome Measures:<ul style="list-style-type: none"><li>•Soil-transmitted helminth re-infection (Ascaris, Trichuris, or Hookworm).</li><li>•Absenteeism rate.</li><li>•Eggs per grams reduction rate.</li><li>•Weight gain (kg)</li><li>•Height gain (cm)</li></ul></div>	Enrollment: <div>1101</div> <div>Age:<div>Child, Adult, Older Adult</div></div> <div>Sex:<div>All</div></div>	•McGill University Health Center	•Other	Study Start: <div>April 2010</div> <div>Primary Completion:<div>October 2010</div></div> <div>Study Completion:<div>October 2010</div></div> <div>First Posted:<div>March 12, 2010</div></div> <div>Results First Posted:<div>No Results Posted</div></div> <div>Last Update Posted:<div>March 16, 2011</div></div>	•Asociación Civil Selva Amazónica, Iquitos, Loreto, Peru
47	NCT01077102	<a href="#">Eccentric Exercise Training as Novel Rehabilitation for Chronic Obstructive Pulmonary Disease (COPD)</a> <div>Study Documents:</div>	Title Acronym: <div>Other Ids:<div>MUHC Pilot Project 2007</div></div>	Completed	•Pulmonary Disease, Chronic Obstructive <ul style="list-style-type: none"><li>•Bronchitis, Chronic</li><li>•Emphysema</li></ul>	•Other: Eccentric exercise training	Study Type: <div>Interventional</div> <div>Phase:<div>Not Applicable</div></div> <div>Study Design:<ul style="list-style-type: none"><li>•Allocation: Randomized</li><li>•Intervention Model: Parallel Assignment</li><li>•Masking: Single (Outcomes Assessor)</li><li>•Primary Purpose: Treatment</li></ul></div> <div>Outcome Measures:<ul style="list-style-type: none"><li>•Muscle strength</li><li>•Muscle cellular adaptation</li><li>•Exercise capacity (maximal and submaximal)</li><li>•Physical Activity</li><li>•Health-related quality of life (HRQL)</li><li>•Muscle pain and creatine kinase(CK)levels</li></ul></div>	Enrollment: <div>24</div> <div>Age:<div>40 Years to 80 Years (Adult, Older Adult)</div></div> <div>Sex:<div>Male</div></div>	•McGill University Health Center	•Other	Study Start: <div>January 2011</div> <div>Primary Completion:<div>December 2012</div></div> <div>Study Completion:<div>December 2012</div></div> <div>First Posted:<div>February 26, 2010</div></div> <div>Results First Posted:<div>No Results Posted</div></div> <div>Last Update Posted:<div>August 24, 2018</div></div>	•Montreal Chest Institute, Montreal, Quebec, Canada

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
48	NCT01062906	<a href="#">Intravenous Lidocaine for Laparoscopic Cholecystectomy</a>	Title Acronym:	Completed	•Postoperative Pain  •Opioid Consumption	•Drug: Lidocaine  •Drug: Fentanyl	Study Type: Interventional	Enrollment: 80	•McGill University Health Center	•Other	Study Start: March 2010	•McGill University Health Centre, Montreal General Hospital, Montreal, Quebec, Canada
		Study Documents:	Other Ids: GEN#08-021				Phase: Not Applicable	Age: 18 Years to 85 Years (Adult, Older Adult)			Primary Completion: March 2010	
							Study Design: •Allocation: Randomized  •Intervention Model: Parallel Assignment  •Masking: Triple (Participant, Investigator, Outcomes Assessor)  •Primary Purpose: Treatment	Sex: All			Study Completion: March 2010	
							Outcome Measures: •Fentanyl consumption (measured as fentanyl equivalents -mcg)  •Pain, Static and Dynamic  •Opioids side-effects				First Posted: February 4, 2010	
											Results First Posted: No Results Posted	
											Last Update Posted: January 13, 2011	
49	NCT01019746	<a href="#">Controlled Propofol Administration</a>	Title Acronym:	Completed	•HYPNOSIS	•Drug: propofol	Study Type: Interventional	Enrollment: 40	•McGill University Health Center	•Other	Study Start: August 2007	•MUHC - Montreal General Hospital, Montreal, Quebec, Canada
		Study Documents:	Other Ids: •GEN-07-002  •GEN#07-002				Phase: Phase 4	Age: 18 Years to 90 Years (Adult, Older Adult)			Primary Completion: May 2008	
							Study Design: •Allocation: Randomized  •Intervention Model: Parallel Assignment  •Masking: None (Open Label)  •Primary Purpose: Treatment	Sex: All			Study Completion:	
							Outcome Measures: •Comparison of control administration of propofol with manual administration.  •Emergence from anesthesia				First Posted: November 25, 2009	
											Results First Posted: No Results Posted	
											Last Update Posted: November 25, 2009	

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
50	NCT00982618	<div><a href="#">Functional Restoration After Abdominal and Pelvic Laparoscopic Surgery: Effect of Perioperative Intravenous Lidocaine</a></div> <div>Study Documents:</div>	<div>Title Acronym:</div> <div>Other Ids: GEN-06-023</div>	Completed	<div>•Colon Cancer</div> <div>•Inflammatory Bowel Diseases</div> <div>•Diverticulitis</div>	<div>•Drug: Lidocaine</div> <div>•Procedure: Epidural Block</div> <div>•Drug: PCA Morphine</div>	<div>Study Type: Interventional</div> <div>Phase: Not Applicable</div> <div>Study Design:<div>•Allocation: Randomized</div><div>•Intervention Model: Parallel Assignment</div><div>•Masking: None (Open Label)</div><div>•Primary Purpose: Treatment</div></div> <div>Outcome Measures:<div>•Postoperative functional recovery</div><div>•postoperative pain</div><div>•opioid consumption</div><div>•opioid side effects</div></div>	<div>Enrollment: 60</div> <div>Age: 18 Years to 85 Years (Adult, Older Adult)</div> <div>Sex: All</div>	•McGill University Health Center	•Other	<div>Study Start: July 2009</div> <div>Primary Completion: June 2010</div> <div>Study Completion: June 2011</div> <div>First Posted: September 23, 2009</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: November 28, 2011</div>	•Montreal General Hospital, Montreal, Quebec, Canada
51	NCT00840008	<div><a href="#">The Dissemination of Consensus Recommendations on Upper Gastrointestinal Bleeding</a></div> <div>Study Documents:</div>	<div>Title Acronym: REASON-II</div> <div>Other Ids: MCT-88113</div>	Completed	•Peptic Ulcer Hemorrhage	•Other: Educational intervention	<div>Study Type: Interventional</div> <div>Phase: Phase 4</div> <div>Study Design:<div>•Allocation: Randomized</div><div>•Intervention Model: Parallel Assignment</div><div>•Masking: None (Open Label)</div></div> <div>Outcome Measures:<div>•Adherence to guidelines G10 and G17 of the 2003 International Consensus Guidelines on nonvariceal upper GI bleeding.</div><div>•Adherence to guidelines G10 or G17 alone, G5b, G6, G7a, G7b , G7c, G18 of the 2003 International Consensus Conference on nonvariceal upper GI bleeding.</div></div>	<div>Enrollment: 3157</div> <div>Age: 18 Years and older (Adult, Older Adult)</div> <div>Sex: All</div>	•McGill University Health Center •Horizon Health Network •Queen Elizabeth II Health Sciences Centre •St-Johns Health Sciences Centre •Centre hospitalier de l'Université de Montréal (CHUM) •Jewish General Hospital •Montreal General Hospital •Royal Victoria Hospital, Canada •Maisonneuve-Rosemont Hospital •St Mary's Hospital, London •and 29 more	•Other	<div>Study Start: September 2008</div> <div>Primary Completion: December 2009</div> <div>Study Completion: December 2010</div> <div>First Posted: February 10, 2009</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: August 26, 2011</div>	

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
52	NCT00798473	<a href="#">Zoledronate for Osteopenia in Pediatric Crohn's</a>	Title Acronym:	Completed	•Crohn's Disease •Osteopenia •Osteoporosis	•Drug: zoledronic acid  •Other: IV saline infusion	Study Type: Interventional	Enrollment: 13	•McGill University Health Center  •Crohn's and Colitis Foundation	•Other	Study Start: September 2004	•McGill University Health Center - Montreal Children's Hospital, Montreal, Quebec, Canada
		Study Documents:	Other Ids: MCH002-56				Phase: Phase 3	Age: 6 Years to 18 Years (Child, Adult)			Primary Completion: September 2007	
							Study Design: <ul style="list-style-type: none"><li>•Allocation: Randomized</li><li>•Intervention Model: Parallel Assignment</li><li>•Masking: Quadruple (Participant, Care Provider, Investigator, Outcomes Assessor)</li><li>•Primary Purpose: Treatment</li></ul>	Sex: All				
							Outcome Measures: <ul style="list-style-type: none"><li>•Lumbar spine density by DEXA</li><li>•Duration of effect by urinary bone metabolite markers</li><li>•safety and tolerability (side-effects, renal and liver function, biochemical parameters)</li><li>•Lumbar spine bone density</li><li>•Total body bone density</li><li>•Fractures</li></ul>					
53	NCT00774098	<a href="#">Improving Glycogen Liver Content Will Improve Post-operative Liver Function in Patients Undergoing Major Liver Resections</a>	Title Acronym:	Completed	•Liver Function	•Drug: dextrose 10% (D10W ®) infusion  •Drug: hyperinsulinemic normoglycemic clamp  •Dietary Supplement: high calorie diet 35 kcal/kg  •Drug: Intravenous normal saline (NS 0.9)	Study Type: Interventional	Enrollment: 60	•McGill University Health Center	•Other	Study Start: January 2007	•Royal Victoria Hospital, Montreal, Quebec, Canada
		Study Documents:	Other Ids: SDR-06-012				Phase: Not Applicable	Age: 18 Years and older (Adult, Older Adult)			Primary Completion: September 2009	
							Study Design: <ul style="list-style-type: none"><li>•Allocation: Randomized</li><li>•Intervention Model: Parallel Assignment</li><li>•Masking: None (Open Label)</li><li>•Primary Purpose: Supportive Care</li></ul>	Sex: All				
							Outcome Measures: <ul style="list-style-type: none"><li>•Postoperative liver function test</li><li>•Liver and muscle glycogen, TG, and protein content at beginning and end of the procedure.</li><li>•Incidence of complications</li></ul>					

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
54	NCT00614133	<a href="#">Effect of Intravenous Nutrition and Epidural Analgesia on Protein Loss After Surgery</a>	Title Acronym:	Completed	•Postoperative Protein Catabolism	•Other: Intravenous nutrition with glucose and amino acids  •Other: Intravenous nutrition with glucose and amino acids.	Study Type: Interventional	Enrollment: 22	•McGill University Health Center	•Other	Study Start: June 2004	•Royal Victoria Hospital, McGill University Health Centre, Montreal, Quebec, Canada
		Study Documents:	Other Ids: MOP-64456				Phase: Not Applicable	Age: 18 Years and older (Adult, Older Adult)			Primary Completion: June 2007	
							Study Design: •Allocation: Randomized  •Intervention Model: Parallel Assignment  •Masking: Double (Participant, Outcomes Assessor)  •Primary Purpose: Treatment	Sex: All			Study Completion: June 2007	
							Outcome Measures: •protein balance  •albumin synthesis, fibrinogen synthesis, total plasma protein synthesis, mRNA expression of ubiquitin				First Posted: February 13, 2008	
											Results First Posted: No Results Posted	
											Last Update Posted: February 13, 2008	
55	NCT00483314	<a href="#">Homocystinuria: Treatment With N-Acetylcysteine</a>	Title Acronym:	Completed	•Homocystinuria	•Drug: N-acetylcysteine	Study Type: Interventional	Enrollment: 5	•McGill University Health Center  •March of Dimes	•Other	Study Start: November 2007	•MUHC-Royal Victoria Hospital, Montreal, Quebec, Canada  •Royal Victoria Hospital, Montreal, Quebec, Canada
		Study Documents:	Other Ids: #6-FY06-317				Phase: Phase 2	Age: 18 Years and older (Adult, Older Adult)			Primary Completion: December 2008	
							Study Design: •Allocation: Non-Randomized  •Intervention Model: Single Group Assignment  •Masking: None (Open Label)  •Primary Purpose: Treatment	Sex: All			Study Completion: February 2009	
							Outcome Measures: •Lowering plasma total homocysteine  •Change in flow-mediated dilatation of brachial artery				First Posted: June 7, 2007	
											Results First Posted: No Results Posted	
											Last Update Posted: February 18, 2009	

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
56	NCT00475163	<a href="#">Mentors in Motion: A Physical Activity Intervention for Obese Adolescents</a>	Title Acronym: MIM	Completed	•Obesity	•Behavioral: Behavior modification	Study Type: Interventional	Enrollment: 34	•McGill University Health Center	•Other	Study Start: November 2004	•Montreal Children's Hospital, Montreal, Quebec, Canada
		Study Documents:	Other Ids: PED-04-018				Phase: Not Applicable	Age: 13 Years to 17 Years (Child)			Primary Completion: May 2008	
							Study Design: •Allocation: Randomized  •Intervention Model: Parallel Assignment  •Masking: None (Open Label)  •Primary Purpose: Prevention	Sex: All			Study Completion: May 2008	
							Outcome Measures: •Weight gain  •Fitness  •self esteem				First Posted: May 21, 2007	
											Results First Posted: No Results Posted	
											Last Update Posted: March 4, 2009	
57	NCT00460135	<a href="#">The Impact of Resistance Exercise Training On Metabolic Dysregulation in Obese Children.</a>	Title Acronym:	Completed	•Childhood Obesity  •Body Composition  •Resistance Training  •Insulin Resistance	•Behavioral: resistance training	Study Type: Interventional	Enrollment: 20	•McGill University Health Center	•Other	Study Start: April 2006	•Montreal Children's Hospital, Montreal, Quebec, Canada
		Study Documents:	Other Ids: PED-06-004				Phase: Not Applicable	Age: 8 Years to 12 Years (Child)			Primary Completion: July 2008	
							Study Design: •Allocation: Randomized  •Intervention Model: Parallel Assignment  •Masking: None (Open Label)  •Primary Purpose: Prevention	Sex: All			Study Completion: July 2008	
							Outcome Measures: •Changes in body composition as per DEXA scans  •Changes in insulin resistance as per HOMA score				First Posted: April 13, 2007	
											Results First Posted: No Results Posted	
											Last Update Posted: March 4, 2009	

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations	
58	NCT00458055	<a href="#">High-Density Lipoprotein (HDL) Treatment Study</a>	Title Acronym:	Completed	•Coronary Arteriosclerosis  •Hypoalphalipoprotein  •Genetic Diseases, Inborn	•Drug: Atorvastatin; Fenofibrate; Niacin	Study Type: Interventional	Enrollment: 19	•McGill University Health Center	•Other	Study Start: November 2006	•MUHC-Royal Victoria Hospital, Montreal, Quebec, Canada	
		Study Documents:	Other Ids: MUHC-RI 0906				Phase: Not Applicable	Age: 18 Years and older (Adult, Older Adult)			Primary Completion: September 2007		
							Study Design: •Allocation: Non-Randomized  •Intervention Model: Single Group Assignment  •Masking: None (Open Label)  •Primary Purpose: Treatment				Sex: All		Study Completion: September 2007
							Outcome Measures: •HDL cholesterol  •apo AI						First Posted: April 9, 2007
										Results First Posted: No Results Posted			
											Last Update Posted: June 4, 2008		
59	NCT00457873	<a href="#">Isotonic Versus Hypotonic Fluid for Maintenance IV Therapy</a>	Title Acronym:	Completed	•Gastroenteritis  •Bronchiolitis  •Sepsis  •Urinary Tract Infection	•Drug: 0.9% saline in 5% dextrose (intravenous)  •Drug: 0.45% saline in 5% dextrose (intravenous)	Study Type: Interventional	Enrollment: 38	•McGill University Health Center	•Other	Study Start: January 2007	•Montreal Children's Hospital, Montreal, Quebec, Canada	
		Study Documents:	Other Ids: PED-06-016				Phase: Phase 3	Age: 1 Month to 18 Years (Child, Adult)			Primary Completion: April 2008		
							Study Design: •Allocation: Randomized  •Intervention Model: Parallel Assignment  •Masking: Quadruple (Participant, Care Provider, Investigator, Outcomes Assessor)  •Primary Purpose: Treatment				Sex: All		Study Completion: April 2008
							Outcome Measures: •rate of change in serum sodium  •hypertension  •congestive heart failure						First Posted: April 9, 2007
										Results First Posted: No Results Posted			
											Last Update Posted: May 22, 2008		



	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
60	NCT00381355	<div><div><a href="#">RCT of a Written Action Plan vs. Usual Care in Children With Acute Asthma</a></div><div>Study Documents:</div></div>	<div>Title Acronym:</div> <div>Other Ids: 051703</div>	Completed	•Asthma	•Procedure: Written Action Plan for Acute Asthma	<div>Study Type: Interventional</div> <div>Phase: Phase 4</div> <div>Study Design: •Allocation: Randomized •Intervention Model: Parallel Assignment •Masking: Single</div> <div>Outcome Measures: •Adherence rate to daily inhaled steroids, reported as the ratio of the sum of number of recorded over prescribed activation per day during the 28 days following the index visit. •Proportion of children filling their prescription of oral steroids •Use of rescue B2-agonists measured by dose counter •Quality of life in children aged 7 years and older, measured by the Juniper Questionnaire •Quality of life of their parent, measured by the Juniper Questionnaire •Asthma control, measured by the Asthma Quiz for Kidz •Attendance to asthma education •Attendance to regular medical review •Return visit rate to the ED</div>	<div>Enrollment: 218</div> <div>Age: 1 Year to 17 Years (Child)</div> <div>Sex: All</div>	<div>•McGill University Health Center</div> <div>•Fonds de la Recherche en Santé du Québec</div>	•Other	<div>Study Start: October 2006</div> <div>Primary Completion: April 2007</div> <div>Study Completion:</div> <div>First Posted: September 27, 2006</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: March 27, 2014</div>	•Ste-Justine Hospital, Montréal, Quebec, Canada



	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
61	NCT00238927	<div><a href="#">Clinical Trial of Fluticasone Versus Placebo at the Onset of a Cold for Children With Asthma</a></div> <div>Study Documents:</div>	<div>Title Acronym:</div> <div>Other Ids:<ul style="list-style-type: none"><li>•FAP30006</li><li>•MRC/PMAC program</li></ul></div>	Completed	•Asthma	•Drug: inhaled fluticasone 750 mcg/day twice daily until 2 days without symptoms (maximum 15 consecutive days)	<div>Study Type:<div>Interventional</div></div> <div>Phase:<div>Phase 4</div></div> <div>Study Design:<ul style="list-style-type: none"><li>•Allocation: Randomized</li><li>•Intervention Model: Parallel Assignment</li><li>•Masking: Double</li><li>•Primary Purpose: Treatment</li></ul></div> <div>Outcome Measures:<ul style="list-style-type: none"><li>•The proportion of upper respiratory tract infections (URTIs) in each group requiring treatment with systemic corticosteroids as confirmed by review of medical records and pharmacy records of prescriptions dispensed.</li><li>•Rate of unscheduled visits for asthma to an acute care setting adjusted for the number of upper respiratory tract infections (URTIs).</li><li>•Rate of hospital admissions for asthma adjusted for the number of URTIs.</li><li>•Maximum and mean number of puffs of <math>\beta</math>2-agonists/day during URTI illness.</li><li>•Peak and mean symptom scores during URTI illness</li><li>•The mean # of days/URTIs during which rescue <math>\beta</math>2-agonists were used for asthma symptoms.</li><li>•The mean # of days/URTIs during which asthma symptoms were observed</li><li>•growth velocity from baseline to endpoint</li><li>•change in bone mineral density between baseline and endpoint</li><li>•proportion of osteopenia at endpoint</li><li>•and 3 more</li></ul></div>	<div>Enrollment:<div>150</div></div> <div>Age:<div>1 Year to 6 Years (Child)</div></div> <div>Sex:<div>All</div></div>	<div>•McGill University Health Center</div> <div>•Medical Research Council of Canada</div>	•Other	<div>Study Start:<div>November 1999</div></div> <div>Primary Completion:<div>September 2005</div></div> <div>Study Completion:<div>September 2005</div></div> <div>First Posted:<div>October 14, 2005</div></div> <div>Results First Posted:<div>No Results Posted</div></div> <div>Last Update Posted:<div>March 27, 2014</div></div>	<div>•Hopital Sainte-Justine, Montreal, Quebec, Canada</div> <div>•Montreal Children's Hospital, Montreal, Quebec, Canada</div> <div>•Hopital Maisonneuve-Rosemont, Montreal, Quebec, Canada</div> <div>•Centre Pédiatrique La Courte Échelle, Repentigny, Quebec, Canada</div> <div>•Centre Hospitalier Universitaire de Sherbrooke, Sherbrooke, Quebec, Canada</div>

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
62	NCT00238888	<div><div><a href="#">Randomised Controlled Trial of a Multi-faceted Community-based Intervention to Improve Asthma in Children</a></div><div>Study Documents:</div></div>	<div>Title Acronym:</div> <div>Other Ids: 015117</div>	Completed	•Asthma	<div>•Procedure: asthma control awareness</div> <div>•Procedure: Usual care</div>	<div>Study Type: Interventional</div> <div>Phase: Phase 4</div> <div>Study Design:<div>•Allocation: Randomized</div><div>•Intervention Model: Parallel Assignment</div><div>•Masking: Single (Participant)</div><div>•Primary Purpose: Other</div></div> <div>Outcome Measures:<div>•rate of emergency department (ED) visits per person-month of observation, derived from Quebec provincial database (RAMQ) data.</div><div>•Usage of asthma medication (refill rate of reliever drugs, ratio of reliever/preventer drugs; rate of rescue systemic steroids) as assessed from pharmacy records and RAMQ data</div><div>•Quality of life of the child and caregivers using Juniper's instruments</div><div>•Change in asthma control between baseline and 12 months</div><div>•Health care resources utilisation for asthma care (hospitalisation for asthma, hospitalisation for any cause, ratio of clinic to emergency department, as reflection of the ratio of preventive over curative care).</div></div>	<div>Enrollment: 298</div> <div>Age: 5 Years to 17 Years (Child)</div> <div>Sex: All</div>	<div>•McGill University Health Center</div> <div>•Fonds de la Recherche en Santé du Québec</div> <div>•GlaxoSmithKline</div>	<div>•Other</div> <div>•Industry</div>	<div>Study Start: August 2002</div> <div>Primary Completion: April 2007</div> <div>Study Completion: December 2011</div> <div>First Posted: October 14, 2005</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: April 20, 2017</div>	<div>•Ste-Justine Hospital, Montreal, Quebec, Canada</div>

Enrollment:  
298Age:  
5 Years to 17 Years (Child)Sex:  
All

•McGill University Health Center

•Fonds de la Recherche en Santé du Québec

•GlaxoSmithKline

•Other

•Industry

Study Start:  
August 2002Primary Completion:  
April 2007Study Completion:  
December 2011First Posted:  
October 14, 2005Results First Posted:  
No Results PostedLast Update Posted:  
April 20, 2017

•Ste-Justine Hospital, Montreal, Quebec, Canada

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
63	NCT01477190	<div><a href="#">Spinal Analgesia for Colonic Resection Using an Enhanced Recovery After Surgery (ERAS) Program</a></div> <div>Study Documents:</div>	<div>Title Acronym:</div> <div>Other Ids: GEN-06-023(2)</div>	Completed	<div>•Colon Cancer</div> <div>•Inflammatory Bowel Diseases</div> <div>•Diverticulitis</div>	<div>•Drug: Spinal analgesia</div> <div>•Drug: Patient Control Analgesia (PCA) Morphine</div>	<div>Study Type: Interventional</div> <div>Phase: •Phase 1 •Phase 2</div> <div>Study Design: •Allocation: Randomized •Intervention Model: Parallel Assignment •Masking: None (Open Label) •Primary Purpose: Treatment</div> <div>Outcome Measures: •postoperative pain •opioid consumption •opioid side effects</div>	<div>Enrollment: 40</div> <div>Age: 18 Years to 90 Years (Adult, Older Adult)</div> <div>Sex: All</div>	•McGill University Health Center	•Other	<div>Study Start: October 2010</div> <div>Primary Completion: October 2011</div> <div>Study Completion: October 2011</div> <div>First Posted: November 22, 2011</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: November 28, 2011</div>	•Montreal General Hospital, Montreal, Quebec, Canada
64	NCT00381212	<div><a href="#">A Pilot Study to Investigate the Safety and Immunologic Activity AGS-004 an Autologous HIV Immunotherapeutic Agent.</a></div> <div>Study Documents:</div>	<div>Title Acronym:</div> <div>Other Ids: •BMB#06-003 •CAN-HIV-001 •CTN229</div>	Completed	<div>•HIV Seropositivity</div> <div>•Acquired Immunodeficiency Syndrome</div>	•Biological: AGS-004	<div>Study Type: Interventional</div> <div>Phase: •Phase 1 •Phase 2</div> <div>Study Design: •Allocation: Non-Randomized •Intervention Model: Single Group Assignment •Masking: None (Open Label) •Primary Purpose: Treatment</div> <div>Outcome Measures: •Immunologic activity of AGS-004 will be as measured by flow cytometry •To determine the safety of AGS-004 in the entire study population by frequency and severity of treatment emergent adverse events</div>	<div>Enrollment: 10</div> <div>Age: 18 Years to 65 Years (Adult, Older Adult)</div> <div>Sex: All</div>	•McGill University Health Center •Université de Montréal •Argos Therapeutics	•Other •Industry	<div>Study Start: September 2006</div> <div>Primary Completion: February 2008</div> <div>Study Completion: November 2008</div> <div>First Posted: September 27, 2006</div> <div>Results First Posted: No Results Posted</div> <div>Last Update Posted: January 29, 2009</div>	•Immunodeficiency Service/ Montreal Chest Institute, Montreal, Quebec, Canada