Expt. No.: 2(a) EXCHANGE OF TWO VALUES USING THIRD VARIABLE

Date : 25-12-2022

Name:Richard Deva priyan

Rollno:22csea55

Aim:

To draw flowchart and write algorithm, program to exchange two values using third variable.

Algorithm:

Step 1 : Start

Step 2 : read values of a and b

Step 3 : assign c=a

Step 4 : assign a=b

Step 5 : assign b=c

Step 6 : display a, b

Step 7 : Stop

```
In [8]:

1 a=int(input('First value : '))

2 b=int(input('Second value : '))

3 c=a # using third variable

4 a=b


5 b=c

6 print(f'The exchanged values are a={a} and b={b}')

First value : 2

Second value : 3

The exchanged values are a=3 and b=2
```



Result:

Expt. No.: 2(b) EXCHANGE OF TWO VALUES USING COMMA OPERATOR

Date : 25-12-2022

Aim:

To draw flowchart and write algorithm, program to exchange two values using comma operator.

Algorithm:

Step 1 : Start

Step 2 : read values of x, y


Step 3 : assign x, y=y, x

Step 4 : display x, y

Step 5 : Stop

```
In [9]:
1 x=int(input('First value : '))
2 y=int(input('Second value : '))
3 x,y=y,x # using comma operator
4 print(f'The exchanged values are a={x} and b={y}')

First value : 2
Second value : 3
The exchanged values are a=3 and b=2
```



Result:

Expt. No.: 2(c) EXCHANGE OF TWO VALUES USING ARITHMETIC OPERATOR

Date : 25-12-2022

Aim:

To draw flowchart and write algorithm, program to exchange two values using arithmetic operator.

Algorithm:

Step 1 : Start

Step 2 : read values of a, b

Step 3 : compute a=a + b

Step 4 : compute b=a-b

Step 5 : compute a=a-b


Step 6 : display a, b

Step 7 : Stop

```
In [11]:

1    a=int(input('First value : '))
2    b=int(input('Second value : '))
3    a=a+b
4    b=a-b # using arithmetic operator
5    a=a-b
6    print(f'The exchanged values are a={a} and b={b}')

First value : 10
Second value : 15
The exchanged values are a=15 and b=10
```



Result:

Expt. No.: 2(c) EXCHANGE OF TWO VALUES USING XOR OPERATOR

Date : 25-12-2022

Aim:

To draw flowchart and write algorithm, program to exchange two values using XOR operator.

Algorithm:

Step 1 : Start

Step 2 : read values of a, b

Step 3 : compute a=a ^ b

Step 4 : compute b=a ^ b


Step 5 : compute a=a ^ b

Step 6 : display a, b

Step 7 : Stop

```
In [12]:
1    a=int(input('First value : '))
2    b=int(input('Second value : '))
3    a=a^b
4    b=a^b  # using XOR operator
5    a=a^b
6    print(f'The exchanged values are a={a} and b={b}')

First value : 2
Second value : 3
The exchanged values are a=3 and b=2
```



Result:

Expt. No.: 2(d) CIRCULATING THE LIST OF VALUES USING IN-BUILD FUNCTIONS

Date : 25-12-2022

Aim:

To draw flowchart and write algorithm, program to circulating the list of values usng in-build functions in python.

Algorithm:

Step 1 : Start

Step 2 : read list a

Step 3 : display a

Step 4 : assign i=0, n=size of a

Step 5 : Check if i<n


Step 5.1 : If Yes, then a.append(a[0]), a.pop(0), i=i+1

Step 5.2 : display a and go to step 5

Step 5.3 : If No, then go to step 6

Step 6 : Stop

```
In [15]:
           1 a=input('Enter values : ').split(',')
           2 print(f'The original list is {a}','\n','Circulating the list')
           3 for i in range(len(a)):
                   a.append(a[0])
                   a.pop(0)
           5
                                  # using Build_in function
           6
                   print(a)
          Enter values : 1,2,3,4,5
          The origianl list is ['1', '2', '3', '4', '5']
           Circulating the list
          ['2', '3', '4', '5', '1']
          ['3', '4', '5', '1', '2']
          ['4', '5', '1', '2', '3']
          ['5', '1', '2', '3', '4']
          ['1', '2', '3', '4', '5']
```



Result:

Expt. No.: 2(e) CIRCULATING THE LIST OF VALUES USING SLICING OPERATOR

Date : 25-12-2022

Aim:

To draw flowchart and write algorithm, program to circulating the list of values using slicing operator.

Algorithm:

Step 1 : Start

Step 2 : read list a

Step 3 : display a

Step 4 : assign i=0, n=size of a

Step 5 : Check if I < n

Step 5.1 : If Yes , then compute cir=a[1:]+[a[0]], i=i+1


Step 5.2 : display cir and go to step 5

Step 5.3 : If No, then go to step 6

Step 6 : Stop

```
In [17]:
    1 a=input('Enter values : ').split(',')
    2 print(f'The origianl list is {a}','\n','Circulating the list')
    3 for i in range(len(a)):
    4    cir=a[1:]+[a[0]] # using sticing operator
    5    print(cir)

Enter values : 1,2,3,4,5
The origianl list is ['1', '2', '3', '4', '5']
    Circulating the list
    ['2', '3', '4', '5', '1']
    ['2', '3', '4', '5', '1']
    ['2', '3', '4', '5', '1']
    ['2', '3', '4', '5', '1']
```



Result:

Expt. No.: 2(f) CALCULATE THE DISTANCE BETWEEN TWO POINTS

Date : 25-12-2022

Aim:

To draw flowchart and write algorithm, program to calculate the distance between two points.

Algorithm:

Step 1 : Start

Step 2 : read values of x1,x2, y1, y2

Step 3 : import math

Step 4 : compute d= math.sqrt((x2-x1)**2+(y2-y1)**2)

Step 5 : display d

Step 6 : Stop

```
In [21]:

1  # Calculate the distance between two points

2  import math

3  x1=int(input('Enter x1 : '))

4  x2=int(input('Enter x2 : '))


5  y1=int(input('Enter y1 : '))

6  y2=int(input('Enter y2 : '))

7  d=math.sqrt((x2-x1)**2+(y2-y1)**2)

8  print(f'The distance between two points is {d}')

Enter x1 : 3
Enter x2 : 7
Enter y1 : 2
Enter y2 : 8
The distance between two points is 7.211102550927978
```



Result: