

Apps for Good Rubric: Mobile Application Development

	Unsatisfactory (Up to 3 points)	Needs Improvement (Up to 5 points)	Meets (Up to 7 points)	Exceeds (Up to 9 points)
Use of Model-View-Control Application Design	Only the Activity Class is defined. No modeling of objects or data in program is present. Data is passed directly to view without the use of variables or modeling.	Only the Activity Class is defined. Modeling of data in program is present with fields and functions.	Activity and one additional class is defined. Model is evident between the two classes.	Multiple classes present to create a well-defined and flexible model for the application. Accessor and Modifier functions exist to pass data through the Application. Objects in App are modeled as a separate class.
XML and User Interface Design	Errors present in XML Layout. Minimal or no use of XML layout tools such as layouts. No use of custom view objects in XML.	XML runs as designed. However, the XML does not deviate from basic layout. Less than 3 XML objects present.	XML fills out features for the App, providing a wide selection of buttons, seekbars, imageViews, and custom View Object.	XML fills out features for the App, providing a wide selection of buttons, seekbars, imageViews, and custom View Object. Colors and design of XML interface are visually pleasing and add creativity and functionality to the App.
Relevance and Creativity	App has little relevance beyond fulfilling the requirements of the rubric.	App has relevance to real world use but shows little or no visual creativity beyond the function of the program.	App has relevance and employs some creative touches in visual, sound, or sensor design.	App is fully featured and presents a possible prototype for a consumer or commercial application. Visual and functional elements of the App combine for a compelling user experience.

Java and Android API Conventions	Comments are not used or are not descriptive. Names of Java objects do not match their role in the program.	Application does not perform as intended. Some comments are used but they provide little description or guidance as to the intentions of the program. Fields and functions exist but are inefficient or do not have descriptive names. Code does not follow Java conventions for names of variables.	Comments exist and provide description for classes, variables, fields, and functions. Inner classes exist to retrieve data from User events in the form of Listeners. App features multiple classes with accessor and modifier functions. Proper tabbing and naming conventions help code be easy to read.	Comments exist and provide description for classes, variables, fields, and functions. Inner classes exist to retrieve data from User events in the form of Listeners. App features multiple classes with accessor and modifier functions. Proper tabbing and naming conventions help code be easy to read. Program explores Android API elements not covered in class.
Persistent Storage	Persistent storage is not used in application.	Attempted to use persistent storage in application; however, it does not work as designed or does not add functionality to the app.	Persistent storage is used where appropriate within the application. Data Listener functions or classes are present.	Persistent storage is used within the application to save and retrieve data. Data Listener functions or classes are present. Persistent storage data is modeled and is passed between classes using model with variables and functions.
Application Build	Code does not compile. There are five or more syntax errors present.	Code does not compile. There are three or four syntax errors present.	Code does not compile. There are one or two syntax errors present.	Code compiles with no syntax errors present.
Application Execution	Application crashes during execution.	App executes successfully but does not run as designed.	App executes successfully and runs almost as designed.	App executes successfully and runs exactly as designed.