

ALLE GATEN Ø 18

ALLE LASNADEN a=4

K25

K26

K27

K28

K29

K30

K31

K32

K36

K35

P/w 28-10-76

Oplage - del

gew.	d.d.	onderdeel KOLOMMEN HAL		
W.S.	23/9			
W.S.	28/9	werk Opslag en expeditiehal met kantoren te Alphen a/d Rijn voor b.v. Rutges		
		opdrachtgever onroerend goed mij: WIPMOLEN B.V.		
schaal 1 : 10		datum 6-9-76	get. W.S.	gez.

IMETAAL b.v.


STAALBOUW ULFT

08356 - 3232


formaat A1




tek.no.

7608 - 14




K36 2X HE 180A LG 6821






K30 1X HE180A LG 6890




K 25 1X HE 180A LG 6871 ZONDER POS 25, MET POS 95
 K29 1X „ „ LG 6871 ALS GETEKEND MET POS 95.
 K26 3X „ „ LG 6871 ZONDER POS 118 EN 123, MET
 POS 2 IPV POS 95.




K 27 3X HE 180A LG 6871 ZONDER POS 118,131,123

MET POS 2 I.P.V. POS 95.


K28 1X HE180A LG 6871 ALS GETEKEND MET POS95 I.P.V.
POS 2.



K31 1X HE180A LG 6821



K 32 1X HE 180A LG 6821



K 25 1X HE 180A LG 6671 ZONDER POS 25/MET POS 95
 K 29 1X " " LG 6871 ALS GETEKEND MET POS 95
 K 26 3X " " LG 6871 ZONDER POS 118 EN 123/MET
 POS 2 IPV POS 95

K27 3X HE180A LG 6871 ZONDER POS 118.131.123
MET POS 2 IPV POSS95.
K28 IXHE180ALG 6871 ALS GETEKEND MET POSS95 IPV
POS 2.

K31 1X HE180A LG 6821

K 32 1X HE 180A LG 6821

A technical drawing of a bridge deck. The deck is represented by a horizontal line with vertical supports. Two spans are labeled: the first span from the left support to the first internal pier is 2235, and the second span from the first internal pier to the right support is 2250. The supports are marked with vertical lines and labels: '000' at the far left, '000' at the first support, '+ 000' at the first internal pier, '+ 000' at the second internal pier, '+ 000' at the third internal pier, '+ 000' at the fourth internal pier, and '+ 000' at the right support. The drawing is on aged paper.

ALLE GATEN ♂ 18
ALLE LASNADEN ♂ 17

JUN 22-1971