

Swagger UI Endpoint Tests

I. Included Endpoints

- ✓ Authentication (Auth)
- ✓ Progress
- ✓ Module
- ✓ Lesson
- ✓ Quiz
- ✓ Question
- ✓ Answer
- ✓ User
- ✓ Appointment
- ✓ Carelink

Document Notes:

- Please keep this document as organized as possible.
- Section Titles: Label each section tested based on its Controller name and add 'Endpoint Tests' to the end
 - (EX: Module Endpoint Tests).
- Start a new page for each section tested via Insert tab > Pages > Page Break.
 - Adjust images as necessary to fit within the document.

Module Endpoint Tests

GET /api/modules

Code

Details

200

Response body

```
[
  {
    "id": 1,
    "title": "Module 1",
    "description": "Recognizing Common Scam Tactics",
    "lessons": [
      {
        "id": 1,
        "title": "Lesson 1",
        "description": "What are Email and Text Scams?",
        "quizzes": [
          {
            "id": 1,
            "name": "Quiz 1 - Recognizing Common Email and Text Scams",
            "questions": [
              {
                "id": 1,
                "text": "What is one clue that a text message might be fake?",
                "answers": [
                  {
                    "id": 1,
                    "text": "A. It uses your first and last name.",
                    "correct": false
                  },
                  {
                    "id": 2,
                    "text": "B. It comes from a known number.",
                    "correct": true
                  }
                ]
              }
            ]
          }
        ]
      }
    ]
  }
]
```

Response headers

POST /api/modules

Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/modules' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "title": "Module 3 POST Test",
    "description": "Example description test."
  }'
```

Request URL

http://localhost:8080/api/modules

Server response

Code

Details

200

Response body

```
{
  "id": 3,
  "title": "Module 3 POST Test",
  "description": "Example description test.",
  "lessons": []
}
```

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 07 Oct 2025 23:42:12 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

PUT /api/modules/{moduleId}

Curl

```
curl -X 'PUT' \
  'http://localhost:8080/api/modules/3' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "title": "Basic Device Safety",
    "description": "Keeping phones and computers safe with updates."
  }'
```

Request URL

http://localhost:8080/api/modules/3

Server response

Code	Details
200	Response body <pre>{ "id": 3, "title": "Basic Device Safety", "description": "Keeping phones and computers safe with updates.", "lessons": [] }</pre> Response headers <pre>connection: keep-alive content-type: application/json date: Tue, 07 Oct 2025 23:45:14 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

Lesson Endpoint Tests

GET /api/modules/{moduleId}/lessons/{lessonId}

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/modules/2/lessons/2' \
  -H 'accept: */*' \
```

Request URL

http://localhost:8080/api/modules/2/lessons/2

Server response

Code	Details
200	Response body <pre>{ "id": 2, "title": "Lesson 2", "description": "Creating Strong Passwords", "quizzes": [{ "id": 2, "name": "Quiz 2 - Weak vs. Strong Passwords", "questions": [{ "id": 2, "text": "What should a strong password include?", "answers": [{ "id": 4, "text": "A. Your favorite color.", "correct": false }, { "id": 5, "text": "B. The name of your pet.", "correct": false }, { "id": 6, "text": "C. \"password\", \"abc\", or \"123\"", "correct": false }] }] }] }</pre> Response headers <pre>connection: keep-alive content-type: application/json date: Tue, 07 Oct 2025 23:49:15 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

POST /api/modules/{moduleId}/lessons

Curl

```
curl -X 'POST' \
'http://localhost:8080/api/modules/3/lessons' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
  "title": "Why Device Safety Matters",
  "description": "What device safety means, importance of keeping devices safe, and potential threats."
}'
```

Request URL

```
http://localhost:8080/api/modules/3/lessons
```

Server response

Code

Details

201

Undocumented

Response body

```
{
  "id": 3,
  "title": "Why Device Safety Matters",
  "description": "What device safety means, importance of keeping devices safe, and potential threats.",
  "quizzes": []
}
```

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue,07 Oct 2025 23:53:59 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

DELETE /api/modules/{moduleId}/lessons/{lessonId}

Curl

```
curl -X 'DELETE' \
'http://localhost:8080/api/modules/2/lessons/2' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/modules/2/lessons/2
```

Server response

Code

Details

204

Undocumented

Response headers

```
connection: keep-alive
date: Wed,08 Oct 2025 19:12:51 GMT
keep-alive: timeout=60
```

Quiz Endpoints

POST /api/modules/{moduleId}/lessons/{lessonId}/quizzes

Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/modules/3/lessons/3/quizzes' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "name": "Quiz 1 - Understanding Updates"
  }'
```

Request URL

http://localhost:8080/api/modules/3/lessons/3/quizzes

Server response

Code	Details
201	Response body <pre>{ "id": 5, "name": "Quiz 1 - Understanding Updates", "questions": [] }</pre> Response headers <pre>connection: keep-alive content-type: application/json date: Wed, 08 Oct 2025 00:12:12 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

PUT /api/modules/{moduleId}/lessons/{lessonId}/quizzes/{quizId}

Curl

```
curl -X 'PUT' \
  'http://localhost:8080/api/modules/3/lessons/3/quizzes/5' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "name": "Quiz 1 - Put Test"
  }'
```

Request URL

http://localhost:8080/api/modules/3/lessons/3/quizzes/5

Server response

Code	Details
200	Response body <pre>{ "id": 5, "name": "Quiz 1 - Put Test", "questions": [] }</pre> Response headers <pre>connection: keep-alive content-type: application/json date: Wed, 08 Oct 2025 00:17:08 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

GET /api/modules/{moduleId}/lessons/{lessonId}/quizzes/{quizId}

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/modules/3/lessons/3/quizzes/5' \
-H 'accept: */*'
```

Request URL

<http://localhost:8080/api/modules/3/lessons/3/quizzes/5>

Server response

Code	Details
200	Response body <pre>{ "id": 5, "name": "Quiz 1 - Put Test", "questions": [] }</pre> Response headers <pre>connection: keep-alive content-type: application/json date: Wed, 08 Oct 2025 00:19:42 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

Question Endpoint Tests (POST, PUT, GET, DELETE)

POST /api/modules/{moduleId}/lessons/{lessonId}/quizzes/{quizId}/questions
(Created 2 questions, 1 created outside of this command for testing purposes)

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/modules/3/lessons/3/quizzes/5/questions' \
-H 'accept: */*'
```

Request URL

<http://localhost:8080/api/modules/3/lessons/3/quizzes/5/questions>

Server response

Code	Details
200	Response body <pre>[{ "id": 4, "text": "Why should you regularly install updates?", "answers": [] }, { "id": 5, "text": "Where should you install updates from?", "answers": [] }]</pre> Response headers <pre>connection: keep-alive content-type: application/json date: Wed, 08 Oct 2025 00:31:13 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

PUT /api/modules/{moduleId}/lessons/{lessonId}/quizzes/{quizId}/questions/{questionId}

Curl

```
curl -X 'PUT' \
  'http://localhost:8080/api/modules/3/lessons/3/quizzes/5/questions/5' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "text": "What\'s the best place to install updates on a device?"
  }'
```

Request URL

http://localhost:8080/api/modules/3/lessons/3/quizzes/5/questions/5

Server response

Code	Details
200	Response body <pre>{ "id": 5, "text": "What's the best place to install updates on a device?", "answers": [] }</pre> Response headers <pre>connection: keep-alive content-type: application/json date: Wed, 08 Oct 2025 00:34:09 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

GET /api/modules/{moduleId}/lessons/{lessonId}/quizzes/{quizId}/questions

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/modules/3/lessons/3/quizzes/5/questions' \
  -H 'accept: */*'
```

Request URL

http://localhost:8080/api/modules/3/lessons/3/quizzes/5/questions

Server response

Code	Details
200	Response body <pre>[{ "id": 4, "text": "Why should you regularly install updates?", "answers": [] }, { "id": 5, "text": "What's the best place to install updates on a device?", "answers": [] }]</pre> Response headers <pre>connection: keep-alive content-type: application/json date: Wed, 08 Oct 2025 00:36:21 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

DELETE /api/modules/{moduleId}/lessons/{lessonId}/quizzes/{quizId}/questions/{questionId}

Curl

```
curl -X 'DELETE' \
  'http://localhost:8080/api/modules/3/lessons/3/quizzes/5/questions/5' \
  -H 'accept: */*'
```

Request URL

http://localhost:8080/api/modules/3/lessons/3/quizzes/5/questions/5

Server response

Code	Details
204 <i>Undocumented</i>	Response headers <pre>connection: keep-alive date: Wed, 08 Oct 2025 00:38:04 GMT keep-alive: timeout=60</pre>

Answer Endpoint Tests (POST, PUT, GET, DELETE)

POST /api/modules/{moduleId}/lessons/{lessonId}/quizzes/{quizId}/questions/{questionId}/answers /{lessonId} (Created additional 3 answers outside of the creation of this specific one)

Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/modules/3/lessons/3/quizzes/5/questions/4/answers' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "text": "D. To call someone.",
    "correct": false
  }'
```

Request URL

```
http://localhost:8080/api/modules/3/lessons/3/quizzes/5/questions/4/answers
```

Server response

Code	Details
201	Response body

Undocumented

```
{
  "id": 14,
  "text": "D. To call someone.",
  "correct": false
}
```

Response headers

```
connection: keep-alive
content-type: application/json
date: Wed, 08 Oct 2025 01:27:17 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

PUT /api/modules/{moduleId}/lessons/{lessonId}/quizzes/{quizId}/questions/{questionId}/answers/{answerId}

Curl

```
curl -X 'PUT' \
  'http://localhost:8080/api/modules/3/lessons/3/quizzes/5/questions/4/answers/14' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "text": "D. To delete all data off the device.",
    "correct": true
  }'
```

Request URL

```
http://localhost:8080/api/modules/3/lessons/3/quizzes/5/questions/4/answers/14
```

Server response

Code	Details
200	Response body

Response headers

```
connection: keep-alive
content-type: application/json
date: Wed, 08 Oct 2025 01:32:41 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```


GET /api/modules/{moduleId}/lessons/{lessonId}/quizzes/{quizId}/questions/{questionId}/answers

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/modules/3/lessons/3/quizzes/5/questions/4/answers' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/modules/3/lessons/3/quizzes/5/questions/4/answers
```

Server response

Code	Details
200	Response body <pre>[{ "id": 11, "text": "A. To slow down your internet connection.", "correct": false }, { "id": 12, "text": "B. To download an app.", "correct": false }, { "id": 13, "text": "C. To better protect your device from new threats.", "correct": true }, { "id": 14, "text": "D. To delete all data off the device.", "correct": true }]</pre>  Download Response headers <pre>connection: keep-alive content-type: application/json date: Wed,08 Oct 2025 01:36:35 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

DELETE /api/modules/{moduleId}/lessons/{lessonId}/quizzes/{quizId}/questions/{questionId}/answers/{answerId}

Curl

```
curl -X 'DELETE' \
'http://localhost:8080/api/modules/3/lessons/3/quizzes/5/questions/4/answers/14' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/modules/3/lessons/3/quizzes/5/questions/4/answers/14
```

Server response

Code	Details
204 <i>Undocumented</i>	Response headers <pre>connection: keep-alive date: Wed,08 Oct 2025 01:37:23 GMT keep-alive: timeout=60</pre>

Authentication Endpoints (POST, GET)

POST /api/auth/register

(Created 1 new user with the username: ricardo_senior, and the password: password456. Note that the “role” is not currently assigned during registration, and that the “user Id” auto-increments and doesn’t need to be provided manually)

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/auth/register' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "username": "ricardo_senior",
    "password": "password456"
  }'
```

Request URL

http://localhost:8080/api/auth/register

Server response

Code

Details

201

Undocumented

Response body

```
{
  "token": "a91cc10f-1973-4a11-8c41-16c23004e2a4",
  "expiresAt": "2025-10-10T16:25:20.749766200Z",
  "user": {
    "id": 5,
    "username": "ricardo_senior",
    "role": null
  }
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Fri, 10 Oct 2025 15:25:20 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

POST /api/auth/logout

(Logout with the user that we just created, requires AUTH token provided from login/register)

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/auth/logout' \
  -H 'accept: */*' \
  -H 'X-AUTH-TOKEN: a91cc10f-1973-4a11-8c41-16c23004e2a4' \
  -d ''
```

Request URL

http://localhost:8080/api/auth/logout

Server response

Code

Details

200

Response body

```
{
  "message": "Logged out successfully"
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Fri,10 Oct 2025 15:45:13 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

POST /api/auth/login

(Log back in with the user that we created)

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/auth/logout' \
  -H 'accept: */*' \
  -H 'X-AUTH-TOKEN: a91cc10f-1973-4a11-8c41-16c23004e2a4' \
  -d ''
```

Request URL

http://localhost:8080/api/auth/logout

Server response

Code

Details

200

Response body

```
{
  "message": "Logged out successfully"
}
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Fri,10 Oct 2025 15:45:13 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

GET /api/auth/users

(Includes user that we created above, plus seed data from data.sql file)

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/auth/users' \
-H 'accept: */*'
```

Request URL

http://localhost:8080/api/auth/users

Server response

Code

Details

200

Response body

```
{
  "id": 2,
  "password": "password123",
  "username": "alice_senior",
  "role": "SENIOR",
  "appointments": []
},
{
  "id": 3,
  "password": "password123",
  "username": "mary_caregiver",
  "role": "CAREGIVER",
  "appointments": []
},
{
  "id": 4,
  "password": "adminpass",
  "username": "admin_tom",
  "role": "ADMIN",
  "appointments": []
},
{
  "id": 5,
  "password": "password456",
  "username": "ricardo_senior",
  "role": null,
  "appointments": []
}
]
```



Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Fri, 10 Oct 2025 15:39:10 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Progress Endpoints

POST /api/modules/{moduleId}/lessons/{lessonId}/complete

(Intended to keep track of what Lessons a user completes. Requires an AUTH token from the logged-in user, as well as the Id of the module/lesson that they complete. Adds an entry to the lesson_completion table)

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/modules/1/lessons/1/complete' \
  -H 'accept: */*' \
  -H 'X-AUTH-TOKEN: 2c1dc0cc-a3f7-48a0-b5ef-cd7177605709' \
  -d ''
```

Request URL

```
http://localhost:8080/api/modules/1/lessons/1/complete
```

Server response

Code Details

204

Undocumented

Response headers

```
connection: keep-alive
date: Fri,10 Oct 2025 16:56:25 GMT
keep-alive: timeout=60
```

GET /api/progress

(User “ricardo_senior” has completed Lesson 1 from Module 1 but has not yet completed Lesson 2 from Module 1, nor has he completed any lessons from Module 2.

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/progress' \
  -H 'accept: */*' \
  -H 'X-AUTH-TOKEN: 2c1dc0cc-a3f7-48a0-b5ef-cd7177605709'
```

Request URL

```
http://localhost:8080/api/progress
```

Server response

Code Details

200

Response body

```
{
  "userId": 5,
  "modules": [
    {
      "moduleId": 1,
      "moduleTitle": "Module 1",
      "completedLessons": [
        {
          "id": 1,
          "title": "Lesson 1"
        }
      ],
      "remainingLessons": [
        {
          "id": 2,
          "title": "Lesson 2"
        }
      ]
    },
    {
      "moduleId": 2,
      "moduleTitle": "Module 2",
      "completedLessons": [],
      "remainingLessons": [
        {
          "id": 3,
          "title": "Lesson 1"
        }
      ]
    }
  ]
}
```

Response headers

```
connection: keep-alive
content-type: application/json
date: Fri,10 Oct 2025 17:17:21 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

User Endpoints

POST /users

Create a Senior

```
curl -X 'POST' \
  'http://localhost:8080/users' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "username": "BettyWhite",
    "password": "GoldenGirl",
    "role": "SENIOR"
  }'
```

Request URL

http://localhost:8080/users

Server response

Code

Details

201

undocumented

Response body

```
{
  "id": 5,
  "username": "BettyWhite",
  "role": "SENIOR"
}
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Sun, 12 Oct 2025 19:35:59 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code

Description

Links

Create a Caregiver

```
curl -X 'POST' \
  'http://localhost:8080/users' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "username": "DrHouse",
    "password": "hughie123",
    "role": "CAREGIVER"
  }'
```

Request URL

http://localhost:8080/users

Server response

Code

Details

201

undocumented

Response body

```
{
  "id": 6,
  "username": "DrHouse",
  "role": "CAREGIVER"
}
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Sun, 12 Oct 2025 19:40:51 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code

Description

Links

200

OK

No links

Create a Family member

Curl

```
curl -X 'POST' \
'http://localhost:8080/users' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
  "username": "SteveIrwin",
  "password": "gator123",
  "role": "FAMILY"
}'
```

Request URL

http://localhost:8080/users

Server response

Code

Details

201

undocumented

Response body

```
{
  "id": 0,
  "username": "SteveIrwin",
  "role": "FAMILY"
}
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Sun, 12 Oct 2025 19:44:11 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

GET /users

Curl	<pre>curl -X 'GET' \ 'http://localhost:8080/users' \ -H 'accept: */*'</pre>		
Request URL	http://localhost:8080/users		
Server response			
Code	Details		
200	Response body	<pre>{ "username": "mary_caregiver", "role": "CAREGIVER" }, { "id": 4, "username": "admin_tom", "role": "ADMIN" }, { "id": 5, "username": "BettyWhite", "role": "SENIOR" }, { "id": 6, "username": "ChristopherWalken", "role": "SENIOR" }, { "id": 8, "username": "DrHouse", "role": "CAREGIVER" }, { "id": 9, "username": "SteveIrwin", "role": "FAMILY" } }</pre>	
	Response headers	<pre>connection: keep-alive content-type: application/json date: Sun, 12 Oct 2025 19:45:33 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>	
Responses			
Code	Description	Links	
200	OK	No link	

DELETE /user/{id}

DELETE

/users/{id}

Cancel

Parameters

Name	Description
id required	
integer(int32)	9
(path)	

Execute

Clear

Responses

Curl

curl -X 'DELETE' \

'http://localhost:8080/users/9' \

-H 'accept: */*'

Request URL

http://localhost:8080/users/9

Server response

Code	Details
204	Response headers
Undocumented	connection: keep-alive
	date: Sun, 12 Oct 2025 20:04:43 GMT
	keep-alive: timeout=60

Responses

Code	Description	Link
200	OK	No link

progress-controller

POST

/api/modules/{moduleId}/lessons/{lessonId}/complete

Appointment Endpoints

POST /api/appointments

An unauthorized caretaker attempting to make an appointment for a senior

POST

/api/appointments

Cancel

Reset

Parameters

Name	Description
seniorId required	5
integer(int32)	
(query)	
requesterId required	8
integer(int32)	
(query)	

Request body required

application/json

Edit Value

Schema

```
{
  "id": 0,
  "title": "Dentist Appt",
  "notes": "Remember to floss",
  "start": "2025-11-12T19:47:35.256Z",
  "end": "2025-12-12T19:47:35.256Z",
  "location": "Aspen Dental",
  "senior": {
    "username": "string",
    "password": "string",
    "role": "SENIOR"
  }
}
```

Execute

Clear

Responses

Curl

curl -X 'POST' \

'http://localhost:8080/api/appointments?seniorId=5&requesterId=8' \

-H 'accept: */*' \

-H 'Content-Type: application/json' \

-d '{

"id": 0,

"title": "Dentist Appt",

"notes": "Remember to floss",

"start": "2025-11-12T19:47:35.256Z",

"end": "2025-12-12T19:47:35.256Z",

"location": "Aspen Dental",

"senior": {

"username": "string",

"password": "string",

"role": "SENIOR"

}

}

Request URL

http://localhost:8080/api/appointments?seniorId=5&requesterId=8

Server response

Code	Details
------	---------

An authorized caregiver making an appointment for a senior they are linked to

Edit Value | Schema

```
{
  "title": "Dentist Apt",
  "notes": "remember to floss",
  "start": "2025-11-11T16:50:00",
  "end": "2025-11-12T15:52:27",
  "location": "Aspen Dental"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/appointments?seniorId=5&requesterId=8' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "title": "Dentist Apt",
    "notes": "remember to floss",
    "start": "2025-11-11T16:50:00",
    "end": "2025-11-12T15:52:27",
    "location": "Aspen Dental"
  }'
```

Request URL

```
http://localhost:8080/api/appointments?seniorId=5&requesterId=8
```

Server response

Code

Details

201

Response body

```
{
  "id": 1,
  "title": "Dentist Apt",
  "notes": "remember to floss",
  "start": "2025-11-11T16:50:00",
  "end": "2025-11-12T15:52:27",
  "location": "Aspen Dental",
  "senior": {
    "id": 5,
    "username": "BettyWhite",
    "role": "SENIOR"
  }
}
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Sun, 12 Oct 2025 19:59:10 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code

Description

Links

201

Created

No links

GET /api/appointments

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/appointments?seniorId=6&requesterId=7' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/appointments?seniorId=6&requesterId=7
```

Server response

Code	Details
200	Response body <pre>[{ "id": 1, "title": "Dentist", "notes": "Floss", "start": "2025-11-17T20:45:33.93", "end": "2025-12-11T20:45:33.93", "location": "aspen dental", "senior": { "id": 6, "username": "BettyWhite", "role": "SENIOR" } }]</pre> Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Sun, 12 Oct 2025 20:47:46 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

DELETE /api/appointments/{appointmentId}

appointmentId * required
integer(\$int32)
(path)

seniorId * required
integer(\$int32)
(query)

requesterId * required
integer(\$int32)
(query)

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
'http://localhost:8080/api/appointments/1?seniorId=6&requesterId=7' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/appointments/1?seniorId=6&requesterId=7
```

Server response

Code	Details
204	Response headers <pre>connection: keep-alive date: Sun, 12 Oct 2025 20:48:28 GMT keep-alive: timeout=60</pre>

Responses

Code	Description	Links
204	No Content	No links

PUT /api/appointments/{appointmentId}

Edit Value | Schema

```
{
  "title": "string",
  "notes": "string",
  "start": "2025-10-12T20:51:14.605Z",
  "end": "2025-10-12T20:51:14.605Z",
  "location": "the other dentist office"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
  'http://localhost:8080/api/appointments/2?seniorId=6&requesterId=7' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "title": "string",
    "notes": "string",
    "start": "2025-10-12T20:51:14.605Z",
    "end": "2025-10-12T20:51:14.605Z",
    "location": "the other dentist office"
  }'
```

Request URL

```
http://localhost:8080/api/appointments/2?seniorId=6&requesterId=7
```

Server response

Code	Details
200	Response body <pre>{ "id": 2, "title": "string", "notes": "string", "start": "2025-10-12T20:51:14.605", "end": "2025-10-12T20:51:14.605", "location": "the other dentist office", "senior": { "id": 6, "username": "BettyWhite", "role": "SENIOR" } }</pre> Download Response headers <pre>connection: keep-alive content-type: application/json date: Sun, 12 Oct 2025 20:53:10 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

Responses

Code	Description	Links
200	OK	No links

Care Link Endpoints

POST /api/care-links

Linking seniorID 5 to CaretakerID 8

POST

/api/care-links

Parameters

Cancel

Name	Description
caregiverId * required integer(\$int32) (query)	8
seniorId * required integer(\$int32) (query)	5

Execute

Clear

Responses

Curl

curl -X 'POST' \n'http://localhost:8080/api/care-links?caregiverId=8&seniorId=5' \n-H 'accept: */*' \n-d ''

Request URL

http://localhost:8080/api/care-links?caregiverId=8&seniorId=5

Server response

Code	Details
201	Response body {\n "id": 1,\n "caregiver": {\n "id": 8,\n "username": "DrHouse",\n "role": "CAREGIVER"\n },\n "senior": {\n "id": 5,\n "username": "BettyWhite",\n "role": "SENIOR"\n }\n} Response headers connection: keep-alive\ncontent-type: application/json\ndate: Sun, 12 Oct 2025 19:52:21 GMT\nkeep-alive: timeout=60\ntransfer-encoding: chunked

Responses

Code	Description	Links
------	-------------	-------

GET /api/care-links/by-senior/{seniorID}

Curl

curl -X 'GET' \n'http://localhost:8080/api/care-links/by-senior/5' \n-H 'accept: */*'

Request URL

http://localhost:8080/api/care-links/by-senior/5

Server response

Code	Details
200	Response body {\n {\n "id": 1,\n "caregiver": {\n "id": 8,\n "username": "DrHouse",\n "role": "CAREGIVER"\n },\n "senior": {\n "id": 5,\n "username": "BettyWhite",\n "role": "SENIOR"\n }\n }\n} Response headers connection: keep-alive\ncontent-type: application/json\ndate: Sun, 12 Oct 2025 19:54:14 GMT\nkeep-alive: timeout=60\ntransfer-encoding: chunked

Responses

Code	Description	Links
200	OK	No links

GET /api/care-links/by-caregiver/{caregiverId}

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/care-links/by-caregiver/8' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/care-links/by-caregiver/8
```

Server response

Code	Details
200	Response body<pre>{ "id": 1, "caregiver": { "id": 8, "username": "DrtHouse", "role": "CAREGIVER" }, "senior": { "id": 5, "username": "Bettywhite", "role": "SENIOR" } }</pre> Response headers<pre>connection: keep-alive content-type: application/json date: Sun, 12 Oct 2025 19:55:13 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

Responses

Code	Description	Links
200	OK	No links

DELETE /api/care-links

caregiverId * required
integer(\$int32)
(query)

seniorId * required
integer(\$int32)
(query)

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
'http://localhost:8080/api/care-links?caregiverId=3&seniorId=1' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/api/care-links?caregiverId=3&seniorId=1
```

Server response

Code	Details
204	Response headers<pre>connection: keep-alive date: Sun, 12 Oct 2025 20:24:52 GMT keep-alive: timeout=60</pre>

Responses

Code	Description	Links
204	No Content	No links