## **Review**

```
updateReview(review, text, reviewer, reviewee, rating)
       Set avgRating to (avgRating + rating)/numReviews+1
       Set numReviews to numReviews+1
       Add a new review to reviewee with text, reviewer, and rating
getReview(review)
       return review
deleteReview(review)
       delete review
getText()
       return text
setText(text)
       Set text field to text
deleteText()
       Set text to ""
getReviewer()
       return reviewer
setReviewer(reviewer)
       Set reviewer field to reviewer
getReviewee()
       return reviewee
setReviewee(reviewee)
       Set reviewee field to reviewee
getRating()
       return rating
setRating(rating)
       Set rating field to rating
getAverageRating()
       return averageRating
```

## **Message**

```
deleteMessage()
      Delete message
getMessageBody()
      return messageBody
setMessageBody(messageBody)
      Set messageBody field to messageBody
deleteMessageBody()
      Set messageBody to ""
setMessageFormat(messageFormat)
      Set messageFormat field to messageFormat
getMessageType()
      return messageType
setMessageType(messageType)
       Set messageType field to messageType
setRecipients(recipients)
      set recipients field to recipients
getRecipients()
      return recipients
addAttachment()
      Set attachment to Dialog Box Input
      return attachment
recordVideo()
      Set video to new video from camera
      return video
recordAudio()
      Set audio to new audio from microphone
      return audio
addEmoji()
      Set emoji to requested emoji
      return emoji
```

## <u>User</u>

```
deleteUser()
       Delete user
updateUser(name, username, email)
       Set name field to name
       Set username field to username
       Set email to email
setEmail(email)
       Set email field to email
getEmail()
       Return email
updateEmail(newEmail)
       Set email to newEmail
setName(name)
       Set name field to name
getName()
       return name
updateName(newName)
       Set name to newName
setUsername(username)
       Set username field to username
getUsername()
       return userUsername
getListOfReviewsMade()
       return userListOfReviewsMade
getListOfReviewsReceived()
       return userListOfReviewsReceived
getFriendsList()
       return userFriendsList
deleteFriend(friend)
```

```
Delete friend from friendsList
```

addFriend(friendName)

Add friendName to friendsList

enableNotifications()

Set notificationsEnabled to TRUE

disableNotifications()

Set notificationsEnabled to FALSE

enableLocation()

Set locationEnabled to TRUE

disableLocation()

Set locationEnabled to FALSE

setLocation(GoogleDirections)

Set location to GoogleDirections

getLocation()

return location

isUsernameActive()

IF username is active

return TRUE

ELSE

return FALSE

#### **Civilian**

displayHelpOptions()

Show GUI for help options

selectHelpOption(selectedHelpOption)

Set selectedHelpOption field to selectedHelpOption

updateHelpSelection(selection)

Set selectedHelpOption to selection

deleteHelpSelection()

Set selectedHelpOption to ""

```
submitHelpRequest()
       helpRequest = New helpRequest
updateHelpRequest(request)
       Set helpRequest to request
deleteHelpRequest(request)
       Delete request
setRequestDescription(requestDescription)
       Set requestDescription field to requestDescription
updateRequestDescription(requestDescription)
       Set requestDescription field to requestDescription
deleteRequestDescription()
       Set requestDescription to ""
enableAcceptanceNotification()
       Set notifyWhenRequestAccepted to TRUE
disableAcceptanceNotification()
       Set notifyWhenRequestAccepted to FALSE
helpRequestAccepted()
       IF request was accepted
              Set requestAccepted to TRUE
       ELSE
              Set requestAccepted to FALSE
Hero
getListOfRequests()
       return listOfRequests
acceptRequest(civilian)
       Set acceptedRequest to civilian
       Message("Your request has been accepted!", Set recipients to civilian)
dropAcceptedRequest(acceptedRequest)
       Set acceptedRequest to ""
       Message("Your request has been dropped!", recipients=acceptedRequest.initiator)
getRequestInformation(acceptedRequest)
```

## return acceptedRequest.info

```
GPS
getCivilianLocation()
       return civilianLocation
getGuildMemberLocation()
       return guildMemberLocation
getDirections()
       return GoogleDirections
updateDirections(person)
       Set GoogleDirections location to person
deleteDirections()
       Delete current GoogleDirections
Guild
getGuildName()
       return guildName
setGuildName(newGuildName)
       Set guildName to newGuildName
getGuildOwner()
       return guildOwner
setGuildOwner(newGuildOwner)
       Set guildOwner to newGuildOwner
getGuildMembers()
       return guildMembers
inviteHero(name)
       Send invitation to hero
       message("You have been invited to join a guild!", Set recipient to name)
deleteGuild()
       Delete guild
```

# leaveGuild()

Set guildName to ""
Set guildOwner to ""
Set guildMembers to ""

## joinGuild(name)

Set guildOwner field to the guild owner Set guildMembers field to the guild members Set guildName field to the guild name