






Figure 5: Scatter plots of the balanced accuracy for the standard and adapted detectors over the four testing sets.

	BA(%)			TPR(%)			TNR(%)			$\Delta\text{AUC}_{(\times 10)}$	Visual example
Original											
R50-ND	89.8			79.7			100.0			—	
R50-E2P	84.7			72.0			97.5			—	
CLIP-D	93.5			89.6			97.5			—	
AD1											
R50-ND	87.5	94.6	+7.1	83.0	91.2	+8.2	92.0	98.0	+6.0	+2.8	
R50-E2P	83.9	84.4	-0.6	76.4	80.8	+4.4	87.0	92.5	-5.5	+5.9	
CLIP-D	91.0	95.8	+4.9	93.4	96.2	+2.7	88.5	95.5	+7.0	+1.9	
AD2											
R50-ND	87.9	95.4	+7.5	80.8	91.8	+11.0	95.0	99.0	+4.0	+2.1	
R50-E2P	82.9	87.2	+4.3	70.3	82.4	+12.1	92.0	95.5	-3.5	+9.0	
CLIP-D	93.5	96.8	+3.2	89.6	94.5	+4.9	97.5	99.0	+1.5	+1.5	
AD3											
R50-ND	89.6	96.7	+7.1	79.1	93.4	+14.3	100.0	100.0	+0.0	+0.4	
R50-E2P	84.4	98.5	+14.1	70.9	100.0	+29.1	97.0	98.0	-1.0	+14.2	
CLIP-D	93.6	97.5	+4.0	90.1	95.6	+5.5	97.0	99.5	+2.5	+1.8	
AD4											
R50-ND	90.4	96.4	+6.0	80.8	92.9	+12.1	100.0	100.0	+0.0	+0.4	
R50-E2P	84.7	98.2	+13.5	72.0	99.5	+27.5	97.0	97.5	-0.5	+13.7	
CLIP-D	94.2	97.4	+3.2	92.3	97.2	+4.9	96.0	97.5	+1.5	+1.2	
AD5											
R50-ND	89.3	96.4	+7.1	78.6	92.9	+14.3	100.0	100.0	+0.0	+0.4	
R50-E2P	85.0	98.2	+13.2	73.1	99.5	+26.4	97.0	97.0	+0.0	+13.1	
CLIP-D	93.3	97.9	+4.6	89.6	96.7	+7.1	97.0	99.0	+2.0	+1.7	
SS-TM01											
R50-ND	91.2	96.2	+5.0	82.4	92.9	+10.4	99.5	100.0	-0.5	+0.5	
R50-E2P	81.6	92.9	+11.2	91.8	91.8	+0.0	71.5	94.0	+22.5	+13.0	
CLIP-D	90.8	97.6	+6.8	96.2	96.7	+0.5	85.5	98.5	+13.0	+2.3	
SS-SP01											
R50-ND	90.4	96.7	+6.3	80.8	93.4	+12.6	100.0	100.0	+0.0	+0.5	
R50-E2P	84.7	93.6	+8.9	87.4	90.1	+2.7	82.0	97.0	+15.0	+11.4	
CLIP-D	91.2	97.6	+6.4	92.3	96.2	+3.8	90.0	99.0	+9.0	+2.1	
SS-SM01											
R50-ND	89.8	96.4	+6.6	79.7	92.9	+13.2	100.0	100.0	+0.0	+0.5	
R50-E2P	87.3	95.2	+7.9	78.0	98.4	+20.3	92.0	96.5	-4.5	+9.9	
CLIP-D	92.8	96.8	+4.0	90.1	96.2	+6.0	95.5	97.5	+2.0	+1.9	
SS-WN01											
R50-ND	86.8	95.9	+9.1	73.6	91.8	+18.1	100.0	100.0	+0.0	+0.6	
R50-E2P	75.7	95.1	+19.4	54.9	96.7	+41.8	93.5	96.5	-3.0	+20.0	
CLIP-D	89.9	96.5	+6.6	92.3	94.5	+2.2	87.5	98.5	+11.0	+2.7	




Figure 6: Performance of the standard (blue) and adapted (orange) detectors on the investigated presets for the PRE data.