Blockchain and Cryptocurrencies

Week 3 — Chapter 1.5: Basic Tools — Two Simple Cryptocurrencies

Prof. Dr. Peter Thiemann

Albert-Ludwigs-Universität Freiburg, Germany

SS 2020

Contents

Goofycoin

2 Scroogecoin

Rules of Goofycoin

Rule 1

Goofy can create new coins whenever he wants. These new coins belong to him.

Rules of Goofycoin

Rule 1

Goofy can create new coins whenever he wants. These new coins belong to him.

Rule 2

Whoever owns a coin can transfer it to someone else.

Rules of Goofycoin

Rule 1

Goofy can create new coins whenever he wants. These new coins belong to him.

Rule 2

Whoever owns a coin can transfer it to someone else.

Remark

- Basis: Hash pointers and public key signatures
- Every entity in the Goofycoin world is identified by a public key (hash).
- Nobody but Goofy can create coins.

Creation of a Goofycoin

Recipe for Goofy

- generate a unique coin ID, say, unique_coin_id
- create the string "CreateCoin "+ unique_coin_id
- sign the resulting string
- ⇒ Goofy owns this Goofycoin

Transfer of a Goofycoin

Recipe for sender Goofy

Transfer from Goofy to Alice

- create a statement that says "pay [coin] to [Alice]"
 - [coin] is a hash pointer to the coin in question
 - [Alice] refers to Alice's public key
- Goofy signs the entire statement
- This statement now stands for the coin!
- → Alice owns this coin

Transfer of a Goofycoin

Recipe for sender Goofy


Transfer from Goofy to Alice

- create a statement that says "pay [coin] to [Alice]"
 - [coin] is a hash pointer to the coin in question
 - [Alice] refers to Alice's public key
- Goofy signs the entire statement
- This statement now stands for the coin!
- ⇒ Alice owns this coin

General Recipe: Transfer from Alice to Bob

- sender Alice creates a statement "pay [coin] to [Bob]"
- sender Alice signs this statement
- Bob owns the resulting coin

Illustration




Validity Check

Coin validation

Bob receives a coin from Mr X.


It is valid if

- the coin has the form "CreateCoin" where
 - its signature verifies for Mr X,
 - and Mr X is Goofy; or
- the coin has the form "pay [coin] to [id]" where
 - ▶ [id] is Mr X,
 - the hash pointer [coin] is valid,
 - the signature of the coin verifies for the previous owner of the [coin], and
 - [coin] is validly received from its previous owner




Double Spending Attack

• suppose Alice signed her transfer to Bob




Double Spending Attack

- suppose Alice signed her transfer to Bob
- afterwards she could sign another transfer for the same coin to Caleb




Double Spending Attack

- suppose Alice signed her transfer to Bob
- afterwards she could sign another transfer for the same coin to Caleb
- the received coin validates for both, Bob and Caleb




Double Spending Attack

- suppose Alice signed her transfer to Bob
- afterwards she could sign another transfer for the same coin to Caleb
- the received coin validates for both, Bob and Caleb
- ⇒ Alice is spending the same coin twice



Double Spending Attack

- suppose Alice signed her transfer to Bob
- afterwards she could sign another transfer for the same coin to Caleb
- the received coin validates for both, Bob and Caleb
- ⇒ Alice is spending the same coin twice
- ⇒ insecure! Goofycoin is unsuitable as a cryptocurrency!



Contents

Goofycoin

2 Scroogecoin

Rules of Scroogecoin

Rule 1

Scrooge can create new coins whenever he wants. These coins belong to designated owners.

Rules of Scroogecoin

Rule 1

Scrooge can create new coins whenever he wants. These coins belong to designated owners.

Rule 2

Scrooge is the guardian of an append-only transaction log (aka blockchain). He needs to sign off on any transaction.

Rules of Scroogecoin

Rule 1

Scrooge can create new coins whenever he wants. These coins belong to designated owners.


Rule 2

Scrooge is the guardian of an append-only transaction log (aka blockchain). He needs to sign off on any transaction.

Remark

- Basis: blockchain
- Every entity in Scroogecoin world identified by a public key
- Only Scrooge can create coins
- Only Scrooge can perform transactions

The Scroogecoin Blockchain



- root hash signed by Scrooge
- each block contains a transaction, a transaction ID, and a hash pointer to the previous block
- everything (blockchain and signed root hash) public

Scroogecoin Transactions

Two kinds of transactions

- CreateCoins
- PayCoins

Transaction CreateCoins

```
{"transID": 41,
  "type": "CreateCoins",
  "coins_created": [
    {"num": 0, "value": 3.2, "recipient": "C336F45C354D"},
    {"num": 1, "value": 1.4, "recipient": "96B68A43D344"},
    {"num": 2, "value": 7.1, "recipient": "0B7FD2428F5A"}
]}
```

- creates three coins named by coin IDs 41.0, 41.1, and 41.2
- coin ID is pair of transaction ID and coin number
- arbitrary coin values
- all recipients are different
- valid if signed by Scrooge

Transaction PayCoins

```
{"transID": 42,
 "type": "PayCoins",
 "coins_consumed": ["41.2", "10.1", "10.0"],
 "coins created": [
 {"num": 0, "value": 7.1, "recipient": "C336F45C354D"},
 {"num": 1, "value": 2.9, "recipient": "E9DD2D492273"},
 "signatures" : [
  "<signature for 41.2>",
  "<signature for 10.1>",
  "<signature for 10.0>"
1}
```

- consumes coins 41.2, 10.1, and 10.0
- creates (two) new coin with same total value as the consumed coins
- for each consumed coin, the owner needs to sign off on the transaction

CreateCoins

Valid if signed by Scrooge

CreateCoins

Valid if signed by Scrooge

PayCoins

- All consumed coins are valid, i.e., they have been created by a preceding valid transaction in the blockchain
- None of the consumed coins has been consumed in a preceding transaction
- The total value of consumed coins is equal to the total value of the created coins
- The transaction is signed by all owners of consumed coins

CreateCoins

Valid if signed by Scrooge

PayCoins

- All consumed coins are valid, i.e., they have been created by a preceding valid transaction in the blockchain
- None of the consumed coins has been consumed in a preceding transaction
- The total value of consumed coins is equal to the total value of the created coins
- The transaction is signed by all owners of consumed coins

Invariant of the blockchain

Scrooge appends only valid transactions to the blockchain

CreateCoins

Valid if signed by Scrooge

PayCoins

- All consumed coins are valid, i.e., they have been created by a preceding valid transaction in the blockchain
- None of the consumed coins has been consumed in a preceding transaction
- The total value of consumed coins is equal to the total value of the created coins
- The transaction is signed by all owners of consumed coins

Invariant of the blockchain

Scrooge appends only valid transactions to the blockchain

Guarantee of the blockchain

Everyone can check validity of a transaction and whether it is contained in the blockchain

Properties of Scroogecoin

Immutable coins

- coins cannot be changed, split, or combined
- they have to be recreated by a transaction

Properties of Scroogecoin

Immutable coins

- coins cannot be changed, split, or combined
- they have to be recreated by a transaction

Problem: Scrooge

- single point of failure / centralized control
- cannot fake transactions because signatures cannot be faked
- can stop processing transactions for certain users
- can blackmail users to pay him for processing transactions
- can create arbitrarily many coins for anyone including himself
- can abandon the blockchain entirely

Challenge for a cryptocurrency

Can we decentralize?

- Can we get rid of a Scrooge-like entity?
- Can we work without a central authority while maintaining the advantages of the Scroogecoin?
- Is there a mechanism enabling all entities to agree on the current contents of the blockchain?
- Is there a decentralized mechanism to enable minting new coins in a reasonable way?

Challenge for a cryptocurrency

Can we decentralize?

- Can we get rid of a Scrooge-like entity?
- Can we work without a central authority while maintaining the advantages of the Scroogecoin?
- Is there a mechanism enabling all entities to agree on the current contents of the blockchain?
- Is there a decentralized mechanism to enable minting new coins in a reasonable way?

One answer

The ways of Bitcoin.

Thanks!