






















Item list m610 Advanced products








item number	item description	
m610 Advanced Controller		
WLK680225	Wolke m610 Adv Controller Unit, 115/230 VAC	
WLK680226-01	LANGUAGE KIT, m610 advanced, ENGLISH US	
WLK680226-02	LANGUAGE KIT, m610 advanced, TYPE CEE 7/7	
WLK680226-05	LANGUAGE KIT, m610 advanced, PLUG TYPE N	
WLK680226-06	LANGUAGE KIT, m610 advanced, PLUG TYPE B	
WLK680226-08	LANGUAGE KIT, m610 advanced, PLUG TYPE L	
WLK680226-18	LANGUAGE KIT, m610 advanced, PLUG TYPE K	
WLK680226-21	LANGUAGE KIT, m610 advanced, PLUG TYPE G	
WLK680226-38	LANGUAGE KIT, m610 advanced, PLUG TYPE J	
WLK680226-39	LANGUAGE KIT, m610 advanced, PLUG TYPE D	
print heads		
WLK620000	Printhead Blue, Standard-Wolke TIJ-ID	
WLK620001	Wolke TIJ-ID Printhead Red	
WLK620002	Wolke TIJ-ID Printhead Green	
WLK620003	Wolke TIJ-ID Printhead Gold	










item number	item description	
WLK620370	head plate for 1 head	
WLK620375	head plate for 2 heads	
WLK620622	head plate for 2 heads, without offset	
WLK620328	head plate for 3 heads	
WLK620380	head plate for 4 heads	
WLK620371	head plate for 1 head, for bidirectional print	
WLK620376	head plate for 2 heads, for bidirectional print	
WLK620377	head plate for 3 heads, for bidirectional print	
WLK620381	head plate for 4 heads, for bidirectional print	
print head - accessories		
WLK680252	Blue lock lever for print head, incl. aglet A2x24, alu	
WLK680253	Red lock lever for print head, incl. aglet A2x24, alu	
WLK680254	Green lock lever for print head, incl. aglet A2x24, alu	

item number	item description	
WLK680255	Gold lock lever for print head, incl. aglet A2x24, alu	
WLK620450	alignment tool for multi head configuration	
photocell for print head		
WLK610111	Standard photocell set K1 with 2mm fibre optic cable, incl. cutting tool	
photocell - parts - accessories		
WLK610109	photocell K1 for 2mm fibre optic cable, 3-pol connector	
WLK610103	fibre optic cable mono/multimode, D=2mm,l=2m, head M4	
WLK610104	cable cutter for fibre optic cable	
WLK610120	plug for photocell connector 3-pole to be connected to print head, straight, IP67	
WLK610106	adapter plate for K1 sensor	










item number	item description	
WLK610107	spacer plate for K1 sensor for mounting the positioning wheel	
spare AC power cords		
WLK680227-01	SPARE, POWER CORD, m610 advance, ENGLISH US	
WLK680227-02	SPARE, POWER CORD, m610 advance, TYPE CEE 7/7	
WLK680227-05	SPARE, POWER CORD, m610 advance, TYPE N	
WLK680227-06	SPARE, POWER CORD, m610 advance, TYPE B	
WLK680227-08	SPARE, POWER CORD, m610 advance, TYPE L	
WLK680227-18	SPARE, POWER CORD, m610 advance, TYPE K	
WLK680227-21	SPARE, POWER CORD, m610 advance, TYPE G	
WLK680227-38	SPARE, POWER CORD, m610 advance, TYPE J	
WLK680227-39	SPARE, POWER CORD, m610 advance, TYPE D	
print head cable - standard, connector straight - straight		
WLK620401	print head cable, 1m	
WLK620403	print head cable, 3m	
WLK620404	print head cable, 4m	
WLK620405	print head cable, 5m	
WLK620406	print head cable, 6m	
WLK620407	print head cable, 7m	
WLK620408	print head cable, 8m	
WLK620409	print head cable, 9m	
WLK620410	print head cable, 10m	
print head cable - standard, connector angular - straight		
WLK680262	print head cable with 90 degree connector, 3m	
WLK680263	print head cable with 90 degree connector, 5m	
WLK680264	print head cable with 90 degree connector, 6m	
WLK680265	print head cable with 90 degree connector, 8m	
WLK680266	print head cable with 90 degree connector, 10m	
print head cable - wire armoured, connector straight - straight		
WLK620451	print head cable, wire armoured, 1m	
WLK620453	print head cable, wire armoured, 3m	
WLK620454	print head cable, wire armoured, 4m	
WLK620455	print head cable, wire armoured, 5m	
WLK620456	print head cable, wire armoured, 6m	
WLK620457	print head cable, wire armoured, 7m	
WLK620458	print head cable, wire armoured, 8m	
WLK620459	print head cable, wire armoured, 9m	
WLK620460	print head cable, wire armoured, 10m	
WLK620465	print head cable, wire armoured, 15m	
WLK620466	print head cable, wire armoured, 20m	
WLK620468	print head cable, wire armoured, 25m	



item number	item description	
print head cable - wire armoured, connector angular - straight		
WLK680268	print head cable, wire armoured, 5m, angular-straight-metal connectors	Not Shown
WLK680267	print head cable, wire armoured, 15m angular-straight-metal connectors	Not Shown
print head cable accessories		
WLK620473	connector for print head cable, 16 - pole straight, IP 67, series 423	
shaft encoder		
WLK610340	shaftencoder - kit type B, incl. holder with flexible holder for clamp flansh	
WLK610331	shaftencoder type B, standard clamp flansh, 10mm shaft, 8-pole flansh connector	
WLK610332	shaftencoder type D, heavy duty clamp flansh, 10mm shaft, 8-pole flansh connector	
WLK610338	shaftencoder type H, hollow shaft encoder with 3 m cable and 12-pole flansh connector	







item number	item description	
shaft encoder - flexible holder		
WLK610333	flexible holder for clamp flansh, encoder type B+D for mounting to alu tube 25x25mm	
shaft encoder - measuring wheels		
WLK610341	measuring wheel, d=10, D=67.33mm, massive alu for shaftencoder type B+D	
WLK610342	measuring wheel, d=10, D=63,66mm, alu with napped rubber; for encoder type B+D	
WLK610343	measuring wheel, d=10, D=63,66mm, hytrel for encoder type B+D	
WLK610344	measuring wheel, d=10, D=63,66mm, alu with axial and circumferentially knurl	
shaft encoder - connection cable angular - straight		
WLK610531	8-pole connector cable, for encoder type B+D, 3m angular at encoder, straight at m600	
WLK610532	8-pole connector cable, for encoder type B+D, 6m angular at encoder, straight at m600	
WLK610534	8-pole connector cable, for encoder type B+D, 10m angular at encoder, straight at m600	
shaft encoder - extension cable straight -straight		
WLK610502	extension cable for shaftencoder,wire armoured, 2m for encoder type A, B and D	
WLK610503	extension cable for shaftencoder,wire armoured, 3m for encoder type A, B and D	
WLK610506	extension cable for shaftencoder,wire armoured, 6m for encoder type A, B and D	
WLK610510	extension cable for shaftencoder,wire armoured,10m for encoder type A, B and D	

item number	item description	
shaft encoder - extension cable straight - angular		
WLK610533	extension cable for shaftencoder, wire armoured, 3m with 90° conector,for encoder type A, B and D	
WLK610536	extension cable for shaftencoder,wire armoured, 6m with 90° conector,for encoder type A, B and D	
shaft encoder accessories		
WLK610308	connector for shaftencoder, 12-pole	
WLK610351	coupling, d1=10mm, d2=10mm, brass coating	
WLK610352	coupling, d1=10mm, d2=10mm, elastic plastic	
holder bars		
WLK610312	holder bar, 25x25mm, 650mm	
WLK610411	holder bar 25x25mm, length 170mm, for blue print heads	
WLK610460	holder bar 25x25 mm, length 400 mm for red/green print heads	
WLK610470	holder bar 25x25 mm, length 600 mm, for red/ green print heads	

item number	item description	
WLK610480	holder bar 25x25 mm, length 400 mm for golden print heads	
WLK610412	holder bar 25x25x2 mm, aluminium anodized length 300mm, incl. cover cap	
WLK610413	holder bar 25x25x2 mm, aluminium anodized length 400 mm, incl. cover cap	
WLK610402	cross clamp 25x25 mm, without lever for square bar 25x25 mm, double - sided	
WLK610401	cross clamp 25x25 mm, with lever double-sided for square bar	
WLK610403	flange clamp, for alu tube 25x25 mm	
WLK610404	base clamp, for alu tube 25x25 mm	
WLK610455	alignment tool in cross clamp version, both directions adjustable	
WLK610421	holder bar stainless steel 200mm, D=18mm, for print head blue	

item number	item description	
WLK610422	holder tube stainless steel 400mm, D=18mm incl. 2 cover caps	
WLK610423	holder tube stainless steel 300mm, D=18mm. incl. 2 cover caps	
WLK610425	flange clamp, for stainless steel tube D-18mm	
WLK610426	base clamp for stainless steel tube D-18mm	
WLK610427	cross clamp for stainless steel tube D-18mm, with lever	
WLK610428	cross clamp for stainless steel tube D-18mm, without lever	
WLK610429	holder bar stainless steel 200mm, D=18, for print head green/red	
WLK610430	holder bar stainless steel 200mm, D=18, for print head gold	
holder units - spare parts		
WLK610452	semi circular clamp block (2 pcs)	

item number	item description	
parallelogram		
WLK610200	parallelogram with positioning wheel	
WLK610210	parallelogram with runner	
WLK610208	adapter for red/green/gold print head to parallelogram	
parallelogram - parts - accessories - spare parts		
WLK610201	parallelogram without mountings	
WLK610211	runner, new, with screws, M4x8	
WLK620212	positioning wheel, new, with screws, M3x6	
WLK610203	2 short tension spring, for printing from the side	
WLK610204	2 long tension springs, for printing from above as replacement for the parallelogram	

item number	item description	
I/O connector, 5V + 24V DC		
WLK610173	I/O connector, 3m, 5V + 24V DC open at one side	
WLK610174	I/O connector, 4m, 5V + 24V DC open at one side	
WLK610175	I/O connector, 5m, 5V + 24V DC open at one side	
WLK610176	I/O connector, 6m, 5V + 24V DC open at one side	
WLK610177	I/O connector, 7m, 5V + 24V DC open at one side	
WLK610178	I/O connector, 8m, 5V + 24V DC open at one side	
WLK610179	I/O connector, 9m, 5V + 24V DC open at one side	
WLK610180	I/O connector, 10m, 5V + 24V DC open at one side	
I/O extension cable		
WLK610182	I/O extension cable, 3m with 14-pole connector and coupler	
WLK610183	I/O extension cable, 6m with 14-pole connector and coupler	
WLK610185	I/O extension cable, 8m with 14-pole connector and coupler	
WLK610184	I/O extension cable, 10m with 14-pole connector and coupler	
I/O accessories		
WLK610170	I/O connector, 5V+24V, 14-pole	
warning beacon		
WLK620522	warning beacon, LED, green/yellow/red with magnetic foot and strain relieve	
WLK620512	warning beacon LED, green/yellow/red with installation angle and strain relieve	

item number	item description	
documents		
WLK463154-01	WOLKE m610 Advanced OPERATOR MANUAL, ENGLISH US	
WLK463154-02	WOLKE m610 Advanced OPERATOR MANUAL, FRENCH	
WLK463154-03	WOLKE m610 Advanced OPERATOR MANUAL, GERMAN	
WLK463154-04	WOLKE m610 Advanced OPERATOR MANUAL, SPANISH	
WLK463154-05	WOLKE m610 Advanced OPERATOR MANUAL, PORTUGUESE (BR)	
WLK463154-08	WOLKE m610 advanced OPERATOR MANUAL, ITALIAN	
WLK463154-09	WOLKE m610 advanced OPERATOR MANUAL, DUTCH	
WLK463154-16	WOLKE m610 advanced OPERATOR MANUAL, FINNISH	
WLK463154-17	WOLKE m610 advanced OPERATOR MANUAL, SWEDISH	
WLK463154-18	WOLKE m610 advanced OPERATOR MANUAL, DANISH	
WLK463154-21	WOLKE m610 advanced OPERATOR MANUAL, ENGLISH UK	
WLK463154-23	WOLKE m610 advanced OPERATOR MANUAL, POLISH	
WLK463154-24	WOLKE m610 advanced OPERATOR MANUAL, TURKISH	
WLK463154-26	WOLKE m610 advanced OPERATOR MANUAL, HUNGARIAN	
WLK463154-28	WOLKE m610 advanced OPERATOR MANUAL, SLOVENIAN	
WLK463146	USB, OPERATOR MANUAL, m610 advanced	
Inks & Accessories		
WLK660070A	Global Black, 42ml	
WLK660082A	Global Solvent, 42ml	
WLK667482A	Universal Black, 42ml	
WLK660068A	Premium Black, 42ml	
WLK660075A	Water Resistant Black, 42ml	
WLK660080	Black Solvent, 42ml	
WLK660081A	Flex Solvent, 42	
WLK660001A	Standard Black, 42ml	
WLK660035	Protection caps for cartridge, transparent	