



















item number	item	
WLK620370	head plate for 1 head, low construction, symmetric for red, green and golden print heads	
WLK620375	head plate for 2 heads, low construction for red, green and golden print head	
WLK620622	head plate for 2 heads, low construction, without offset, for red, green and golden print head	
WLK620380	head plate for 4 heads, low construction for red, green and golden print heads	
WLK620371	head plate for 1 head, low construction, for bidirectional print, for red, green and golden print heads	
WLK620376	head plate for 2 heads, low construction, for bidirectional print, for red, green and golden print heads	
WLK620377	head plate for 3 heads, low construction, for bidirectional print, for red, green and golden print heads	
WLK620381	head plate for 4 heads, low construction, for bidirectional print, for red, green and golden print heads	
print head - accessories		
WLK620450	alignment tool for multi head configuration	
photocell for print head		
WLK610111	photocell set K1 with 2mm fibre optic cable, incl. cutting tool	
photocell - parts - accessories		
WLK610109	photocell K1 for 2mm fibre optic cable, 3-pol connector	







item number	item	
WLK610103	fibre optic cable mono/multimode, D=2mm,l=2m, head M4	
WLK610104	cable cutter for fibre optic cable	
WLK610120	plug for photocell connector 3-pole to be connected to print head, straight, IP67	
WLK610106	adapter plate for K1 sensor	
WLK610107	spacer plate for K1 sensor for mounting the positioning wheel	



photocell - external

WLK610167	reflex sensor with dust indicator	
WLK610150	proximity switch, M18, capacitive, connector M12, for dusty surroundings	
WLK610165	sensor cable M12,5m, m600 I/O connector 1+4	
WLK610157	LV-H37, laser sensor head with 2m cable and connector for LV-21AP	
WLK610156	LV-21AP, amplifier for laser sensors, with 2m cable and mounted m600 I/O connector	


print head cable - standard, connector straight - straight

WLK620401	print head cable, 1m	
WLK620403	print head cable, 3m	
WLK620404	print head cable, 4m	
WLK620405	print head cable, 5m	
WLK620406	print head cable, 6m	
WLK620407	print head cable, 7m	
WLK620408	print head cable, 8m	
WLK620409	print head cable, 9m	





item number	item	
WLK620410	print head cable, 10m	
print head cable standard, connector angular - straight		
WLK620413	print head cable with 90 degree connector, 3m	
WLK620414	print head cable with 90 degree connector, 4m	
WLK620415	print head cable with 90 degree connector, 5m	
WLK620416	print head cable with 90 degree connector, 6m	
WLK620417	print head cable with 90 degree connector, 7m	
WLK620418	print head cable with 90 degree connector, 8m	
WLK620419	print head cable with 90 degree connector, 9m	
WLK620420	print head cable with 90 degree connector, 10m	
print head cable - wire armoured, connector straight - straight		
WLK620451	print head cable, wire armoured, 1m	
WLK620453	print head cable, wire armoured, 3m	
WLK620454	print head cable, wire armoured, 4m	
WLK620455	print head cable, wire armoured, 5m	
WLK620456	print head cable, wire armoured, 6m	
WLK620457	print head cable, wire armoured, 7m	
WLK620458	print head cable, wire armoured, 9m	
WLK620459	print head cable, wire armoured, 9m	
WLK620460	print head cable, wire armoured, 10m	
WLK620465	print head cable, wire armoured, 15m	
WLK620466	print head cable, wire armoured, 20m	
WLK620468	print head cable, wire armoured, 25m	
print head cable - wire armoured, connector angular - straight		
WLK620469	print head cable, wire armoured, 5m, angular-straight	
WLK620467	print head cable, wire armoured, 15m angular-straight	
print head cable accessories		
	[REDACTED]	
	[REDACTED]	
	[REDACTED]	
	[REDACTED]	
	[REDACTED]	
shaft encoder		
WLK610340	shaftencoder - kit type B, incl. holder with flexible holder for clamp flansh	
WLK610331	shaftencoder type B, standard clamp flansh, 10mm shaft, 8-pole flansh connector	

item number	item	
WLK610332	shaftencoder type D, heavy duty clamp flansh, 10mm shaft, 8-pole flansh connector	
WLK610338	shaftencoder type H, hollow shaft encoder with 3 m cable and 12-pole flansh connector	


shaft encoder - flexible holder

WLK610333	flexible holder for clamp flansh, encoder type B+D for mounting to alu tube 25x25mm	
-----------	--	--


shaft encoder - measuring wheels

WLK610341	measuring wheel, d=10, D=67.33mm, massive alu for shaftencoder type B+D	
WLK610342	measuring wheel, d=10, D=63,66mm, alu with napped rubber; for encoder type B+D	
WLK610343	measuring wheel, d=10, D=63,66mm, hytrel for encoder type B+D	
WLK610344	measuring wheel, d=10, D=63,66mm, alu with axial and circumferentially knurl	


shaft encoder - connection cable angular - straight


WLK610531	8-pole connector cable, for encoder type B+D, 3m angular at encoder, straight at m600	
WLK610532	8-pole connector cable, for encoder type B+D, 6m angular at encoder, straight at m600	
WLK610534	8-pole connector cable, for encoder type B+D, 10m angular at encoder, straight at m600	

shaft encoder - extension cable straight -straight








WLK610502	extension cable for shaftencoder,wire armoured, 2m for encoder type A, B and D	
WLK610503	extension cable for shaftencoder,wire armoured, 3m for encoder type A, B and D	
WLK610506	extension cable for shaftencoder,wire armoured, 6m for encoder type A, B and D	
WLK610510	extension cable for shaftencoder,wire armoured,10m for encoder type A, B and D	

shaft encoder - extension cable straight - angular




WLK610533	extension cable for shaftencoder, wire armoured, 3m with 90° conector,for encoder type A, B and D	
-----------	--	---

item number	item	
WLK610536	extension cable for shaftencoder, wire armoured, 6m with 90° connector, for encoder type A, B and D	












shaft encoder accessories


WLK610308	connector for shaftencoder, 12-pole	
WLK610520	y-cable for shaftencoder, to connect one encoder to two m600	
WLK610351	coupling, d1=10mm, d2=10mm, brass coating	
WLK610352	coupling, d1=10mm, d2=10mm, elastic plastic	
WLK610312	holder bar, 25x25mm, 650mm	
WLK610345	magnetic sensor LIMES LI20,5V ;0,025mm resolution 5m PUR cable with plug for m600 encoder connection	
WLK610336	magnetic band LIMES B1, 10mm width length available graded per metre	

holder bars






WLK610411	holder bar 25x25mm, length 170mm, for blue print heads	
WLK610460	holder bar 25x25 mm, length 400 mm for red/green print heads	
WLK610470	holder bar 25x25 mm, length 600 mm, for red/green print heads	

item number	item	
WLK610480	holder bar 25x25 mm, length 400 mm for golden print heads	
WLK610412	holder bar 25x25x2 mm, aluminium anodized length 300mm, incl. cover cap	
WLK610413	holder bar 25x25x2 mm, aluminium anodized length 400 mm, incl. cover cap	
WLK610402	cross clamp 25x25 mm, without lever for square bar 25x25 mm, double - sided	
WLK610401	cross clamp 25x25 mm, with lever double-sided for square bar	
WLK610403	flange clamp, for alu tube 25x25 mm	
WLK610404	base clamp, for alu tube 25x25 mm	
WLK610455	alignment tool in cross clamp version, both directions adjustable	
WLK610421	holder bar stainless steel 200mm, D=18mm, for print head blue	
WLK610422	holder tube stainless steel 400mm, D=18mm incl. 2 cover caps	
WLK610423	holder tube stainless steel 300mm, D=18mm. incl. 2 cover caps	


item number	item	
WLK610425	flange clamp, for stainless steel tube D-18mm	
WLK610426	base clamp for stainless steel tube D-18mm	
WLK610427	cross clamp for stainless steel tube D-18mm, with lever	
WLK610428	cross clamp for stainless steel tube D-18mm, without lever	
WLK610429	holder bar stainless steel 200mm, D=18, for print head green/red	
WLK610430	holder bar stainless steel 200mm, D=18, for print head gold	
WLK610457	Adjusting unit for print heads	
WLK610458	Mounting plate print head green/red	
WLK610459	Mounting plate print head blue	
WLK610461	Mounting plate print head gold	
parallelogram		
WLK610200	parallelogram with positioning wheel (new)	
WLK610210	parallelogram with runner	

item number	item	
WLK610208	adapter for red/green/gold print head to parallelogram	


parallelogram - parts - accessories - spare parts

WLK610201	parallelogram without mountings	
WLK610211	runner, new, with screws, M4x8	
WLK620212	positioning wheel, new, with screws, M3x6	
WLK610203	2 short tension spring, for printing from the side	
WLK610204	2 long tension springs, for printing from above as replacement for the parallelogram	




I/O connector, 5V + 24V DC

WLK610173	I/O connector, 3m, 5V + 24V DC open at one side	
WLK610174	I/O connector, 4m, 5V + 24V DC open at one side	
WLK610175	I/O connector, 5m, 5V + 24V DC open at one side	
WLK610176	I/O connector, 6m, 5V + 24V DC open at one side	
WLK610177	I/O connector, 7m, 5V + 24V DC open at one side	
WLK610178	I/O connector, 8m, 5V + 24V DC open at one side	
WLK610179	I/O connector, 9m, 5V + 24V DC open at one side	
WLK610180	I/O connector, 10m, 5V + 24V DC open at one side	

I/O extension cable

WLK610182	I/O extension cable, 3m with 14-pole connector and coupler	
WLK610183	I/O extension cable, 6m with 14-pole connector and coupler	
WLK610185	I/O extension cable, 8m with 14-pole connector and coupler	
WLK610184	I/O extension cable, 10m with 14-pole connector and coupler	

I/O accessories

item number	item	
WLK610170	I/O connector, 5V+24V, 14-pole	
warning beacon		
WLK620522	warning beacon, LED, green/yellow/red with magnetic foot and strain relieve	
WLK620512	warning beacon LED, green/yellow/red with installation angle and strain relieve	
eltex power supply		
interface cable		
demo printing unit		