Agent Rush

Give every agent a world.

Native Rust agents. Disposable execution.
Evidence whose authority stays outside the model.

Build progress · Blast Radius Zero · November 4, 2026 UTC
Local implementation; cloud qualification and submission remain outstanding.

Agent Rush

Capability without host authority.

An agent should request an environment—not inherit the controller's shell, credentials or Docker socket.



Logical subordinate contexts coordinate work. The actual OS isolation boundary belongs to the worker.

Agent Rush

Allocation that matches enforcement.


Boundary	Implemented policy
Memory	Hard envelopes; 25% host headroom, minimum 256 MiB
Admission	Two concurrent jobs; atomic memory + slot checks
Memory growth	Admitted between sandbox attempts; no in-place promise
CPU / process / scratch	1 vCPU task ceiling, equal shares, 64 PIDs, 80 MiB tmpfs
Orchestration	Iterative child contexts, owner memory, 12 shared calls
Worker startup	Nine real probes; host/image report expires after two hours

Policies and fixture-tested logic are implemented. Enforcement still requires a passing report on a real qualified worker.

Agent Rush

A workspace for actual execution.

Rust-served UI · authenticated tasks · visible queue, artifacts, evidence and cleanup.



Actual local UI capture; unavailable services are shown honestly

What the local probes proved.

5 / 6

Real bounded container checks passed before the host preflight was tightened.

- Host/socket/secret/network containment
- Timeout, output and scratch limits
- Cancellation and cleanup

1 failed

Memory allocation exceeded its requested cap.

Docker reported no memory, CPU or PID controllers.

runsc used `--ignore-cgroups`.

The worker now refuses this host.

Agent Rush

Proof is a product feature.

- Actual exit status, bounded output and deterministic checks
- Artifact bytes, names and SHA-256 digests
- Execution timestamps, configured limits and cleanup state
- Vultr model usage receipts when real inference is connected
- Conservative cost reservations and leases retained on uncertain cleanup

JSON validity and zero exit status do not prove arbitrary program semantics. No invented utilization or peak-memory measurements are displayed.

Agent Rush

Build status, without shortcuts.

Surface	Observed status
Native Rust API, controller, broker and node	Implemented; 74 Rust tests passed after review fixes
Desktop/mobile product flow	Two Chromium tests passed
Real Vultr inference and hosting	Blocked by API proxy policy; model/rates unverified
Private GitHub creation	API returns Forbidden; no source pushed
Nested Docker, browser and desktop	Not enabled or qualified
Public demo and live video	Not delivered; requires cloud acceptance

Not a claim of full Agent Zero plugin parity or a finished submission

Spend only when the test needs it.

$0

Project Vultr resources and inference created so far.

- $300 authorization ceiling
- At least $50 retained in reserve
- Two-hour maximum temporary test window
- No GPU, autoscaling or idle demo fleet

Next acceptance gates

1. Restore permitted cloud/GitHub access.
2. Verify model pricing and available account credit.
3. Qualify a worker with real cgroup enforcement.
4. Run genuine inference → execution → evidence.
5. Record the demo, preserve proof and delete temporary resources.