

API Template

Description

This is an api to fetch books

Base URL

The base URL for all API requests is:

`https://example-library-api.com`

Endpoints

GET /books

Returns a list of all books in the library.

Parameters

- `limit` (optional): The maximum number of books to return. Default is 10.
- `offset` (optional): The number of books to skip before starting to return results. Default is 0.

Response

Returns a JSON object with the following properties:

- `count`: The total number of books in the library.
- `results`: An array of book objects, each with the following properties:
 - `id`: The unique identifier of the book.
 - `title`: The title of the book.
 - `author`: The author of the book.
 - `description`: A brief description of the book.
 - `publication_date`: The publication date of the book.

Example

Request:

```
GET /books?limit=5&offset=10
```

Response:

```
{
  "count": 50,
  "results": [
    {
      "id": 11,
      "title": "The Great Gatsby",
      "author": "F. Scott Fitzgerald",
      "description": "A novel about the decadent excesses of the Jazz Age.",
      "publication_date": "1925-04-10"
    },
    {
      "id": 12,
      "title": "To Kill a Mockingbird",
      "author": "Harper Lee",
      "description": "A novel about racial injustice in the American South.",
      "publication_date": "1960-07-11"
    },
    ...
  ]
}
```

Errors

This API uses the following error codes:

- **400 Bad Request**: The request was malformed or missing required parameters.

- `401 Unauthorized` : The API key provided was invalid or missing.
- `404 Not Found` : The requested resource was not found.
- `500 Internal Server Error` : An unexpected error occurred on the server.