Use Case Name: Like a Show

Primary Actor: Authenticated User

Description:

Allows an authenticated user with the CAN_LIKE_SHOWS permission to like a show. The like is stored in the database and associated with the user's account.

Preconditions:

1. The user is logged in.
2. The user has permission to like shows.
3. The requested show exists in the database.

Main Success Scenario:

1. The user selects a show they want to like.
2. The system receives the request to like the selected show.
3. The system verifies that the user is logged in.
4. The system checks that the user has permission to like shows.
5. The system validates the show's ID.
6. The system retrieves the authenticated user's ID.
7. The system creates a record in the show_likes table associating the user with the selected show.
8. The system confirms that the show has been liked.

Alternative Flows:

- **A1: User is not logged in.** The system prevents the user from liking the show.
- **A2: User does not have permission.** The system prevents the user from liking the show.
- **A3: Invalid show ID.** The system rejects the request.
- **A4: Show does not exist.** The system cannot create the like because the show is not present in the database.
- **A5: User has already liked the show.** The current implementation does not allow a duplicate like.

Postconditions:

- A successful request creates a record in show_likes.
- The record associates the authenticated user with the selected show.
- The like is stored in the database.

Use Case Name: Unlike a Show

Primary Actor: Authenticated User

Description:

Allows an authenticated user with the CAN_LIKE_SHOWS permission to remove their like from a previously liked show.

Preconditions:

1. The user is logged in.
2. The user has permission to like shows.
3. The requested show ID is valid.
4. The show has previously been liked by the user.

Main Success Scenario:

1. The user selects a show they previously liked.
2. The system receives the request to unlike the selected show.
3. The system verifies that the user is logged in.
4. The system checks that the user has permission to unlike shows.
5. The system validates the show's ID.
6. The system retrieves the authenticated user's ID.
7. The system searches for a matching record in the show_likes table.
8. The system deletes the matching record.
9. The system confirms that the show has been unliked.

Alternative Flows:

- **A1: User is not logged in.** The system prevents the user from unliking the show.
- **A2: User does not have permission.** The system prevents the user from unliking the show.
- **A3: Invalid show ID.** The system rejects the request.
- **A4: User has not liked the show.** The system informs the user that no existing like was found.

Postconditions:

- The matching record is removed from show_likes.
- The user no longer has a recorded like for that show.
- Other users' likes for the same show remain unchanged.