

Strong Base with High Level of
STURDINESS, DURABILITY & SAFETY



Application of Product



Seafood



Frozen & other food



Ice Cream



Dairy



Poultry

Allwin[®]
roto plast

An ISO 9001:2008 certified company



753/B, B/h. Cadila Corporate Campus,
 Sarkhej-Dholka Road, Vill.: Bhat, Tal.: Daskroi,
 Dist.: Ahmedabad-382210, India



+91 9426177529, +91 9687640802



sales@allwinrotoplast.com



www.allwinrotoplast.com

Who We Are?
 Allwin Roto Plast was incorporated in the year 2006 as a partnership firm in Ahmedabad, Gujarat. Today Allwin has become a name synonymous to Quality and Innovative Products in Roto Moulding Plastic Industry.

Why Allwin?
 We at Allwin always strive to give new products and work on new skills, insights and ideas. Innovation is the vital part of our development, improvement and progress. It is our values and business ethics that bind us together.

Our Capabilities and Infrastructure
 Well-equipped infrastructure spread across the area of 26000 Sq. Feet with latest and advanced technology machines and highly skilled team of people.

Our Specialities
 Insulated Ice Boxes Insulated Fish Tubs, Plastic Pallets, Bins and Crates. We also provide custom moulding products as per requirement of customers and end users.

Application of Our Products
 Our products are been used in industry segments like Food Processing, Chemicals, Pharmaceutical, Dairy, FMCG, Sea Food Handling, Cold Storages Etc.

Our Market
 Our products are widely used in India and we export to regions like Middle East, Asia Pacific, Europe and America.



Roto Mould Plastic Pallets




(3 Runners, 2 Way Entry)

Model	Size	Load Capacity
ARP1212R32	1200 L x 1200 W x 160 H	Upto 3.5 Tons
ARP1210R32	1200 L x 1000 W x 160 H	Upto 3.0 Tons
ARP1010R32	1000 L x 1000 W x 150 H	Upto 2.0 Tons
ARP1008R32	1000 L x 800 W x 150 H	Upto 1.5 Tons


(3 Runners, 4 Way Entry)

Model	Size	Load Capacity
ARP1212R34	1200 L x 1200 W x 160 H	Upto 3.5 Tons
ARP1210R34	1200 L x 1000 W x 160 H	Upto 3.0 Tons



(9 Legs, 4 Way Entry)

Model	Size	Load Capacity
ARP1212L9	1200 L x 1200 W x 160 H	Upto 3.0 Tons
ARP1210L9	1200 L x 1000 W x 160 H	Upto 2.5 Tons
ARP1010L9	1000 L x 1000 W x 150 H	Upto 2.0 Tons



Application of Product



Retail



Distribution



Export



Warehousing



Automotive

Features



Durable



Hygienic



-50 to 100 Degree



Easy to clean & Maintain

Insulated Tubs



ARP 70 S

Capacity (Ltrs.)	: 70 L
External Dimension (LxWxH in mm.)	: 750x490x390
Internal Dimension (LxWxH in mm.)	: 685x425x285




ARP 260 S

Capacity (Ltrs.)	: 260 L
External Dimension (LxWxH in mm.)	: 915x720x800
Internal Dimension (LxWxH in mm.)	: 820x625x560

ARP 100 S

Capacity (Ltrs.)	: 100 L
External Dimension (LxWxH in mm.)	: 815x535x440
Internal Dimension (LxWxH in mm.)	: 740x470x335




ARP 310 S

Capacity (Ltrs.)	: 310 L
External Dimension (LxWxH in mm.)	: 915x710x780
Internal Dimension (LxWxH in mm.)	: 865x660x590



ARP 220 S

Capacity (Ltrs.)	: 220 L
External Dimension (LxWxH in mm.)	: 970x585x655
Internal Dimension (LxWxH in mm.)	: 900x520x515



ARP 460 S

Capacity (Ltrs.)	: 460 L
External Dimension (LxWxH in mm.)	: 1230x1025x660
Internal Dimension (LxWxH in mm.)	: 1166x961x430

Insulated Tubs



ARP 660 S

Capacity (Ltrs.)	: 660 L
External Dimension (LxWxH in mm.)	: 1230x1025x825
Internal Dimension (LxWxH in mm.)	: 1166x961x600



ARP 1250 S

Capacity (Ltrs.)	: 1250 L
External Dimension (LxWxH in mm.)	: 1830x915x915
Internal Dimension (LxWxH in mm.)	: 1760x840x845



ARP 1000 S

Capacity (Ltrs.)	: 1000 L
External Dimension (LxWxH in mm.)	: 1470x1160x960
Internal Dimension (LxWxH in mm.)	: 1390x1100x710

Application of Product



Seafood



Frozen & other food



Ice Cream



Dairy



Poultry

Insulated Icebox



ARP 20-1

Capacity (Ltrs.)	: 20 L
External Dimension (LxWxH in mm.)	: 365x300x335
Internal Dimension (LxWxH in mm.)	: 695x320x320

ARP 22-1

Capacity (Ltrs.)	: 22 L
External Dimension (LxWxH in mm.)	: 470x380x225
Internal Dimension (LxWxH in mm.)	: 430x332x160



ARP 25-1

Capacity (Ltrs.)	: 25* L
External Dimension (LxWxH in mm.)	: 390x320x335
Internal Dimension (LxWxH in mm.)	: 345x275x280



ARP 35-1

Capacity (Ltrs.)	: 35* L
External Dimension (LxWxH in mm.)	: 390x320x435
Internal Dimension (LxWxH in mm.)	: 345x275x370





ARP 35-C

Capacity (Ltrs.)	: 35 L
External Dimension (LxWxH in mm.)	: 600x420x260
Internal Dimension (LxWxH in mm.)	: 550x370x180



ARP 40-IB

Capacity (Ltrs.)	: 40 L
External Dimension (LxWxH in mm.)	: 350x350x680
Internal Dimension (LxWxH in mm.)	: 280x280x610

ARP 35-M

Capacity (Ltrs.)	: 35 L
External Dimension (LxWxH in mm.)	: 522x332x360
Internal Dimension (LxWxH in mm.)	: 472x282x270



ARP 50-IB*

Capacity (Ltrs.)	: 50 L
External Dimension (LxWxH in mm.)	: 560x405x400
Internal Dimension (LxWxH in mm.)	: 515x360x305



ARP-R

Capacity (Ltrs.)	: 5 L
External Dimension (LxWxH in mm.)	: DIA 267 x H 192
Internal Dimension (LxWxH in mm.)	: DIA 204 x H 145



ARP 60-IB*

Capacity (Ltrs.)	: 60 L
External Dimension (LxWxH in mm.)	: 575x425x425
Internal Dimension (LxWxH in mm.)	: 510x360x375

*Model available with plain & vending lid



ARP 80-IB

Capacity (Ltrs.)	: 80 L
External Dimension (LxWxH in mm.)	: 640x330x700
Internal Dimension (LxWxH in mm.)	: 560x250x610



ARP 110-IBVL*

Capacity (Ltrs.)	: 110 L
External Dimension (LxWxH in mm.)	: 750x530x525
Internal Dimension (LxWxH in mm.)	: 660x435x390

ARP 97-IBVL*

Capacity (Ltrs.)	: 97 L
External Dimension (LxWxH in mm.)	: 660x508x710
Internal Dimension (LxWxH in mm.)	: 510x375x570



Locking facility



ARP 120-IBVL*

Capacity (Ltrs.)	: 120 L
External Dimension (LxWxH in mm.)	: 610x610x630
Internal Dimension (LxWxH in mm.)	: 510x510x485




ARP 100-IB

Capacity (Ltrs.)	: 100 L
External Dimension (LxWxH in mm.)	: 780x555x455
Internal Dimension (LxWxH in mm.)	: 690x465x355



ARP 150-IBCT*

Capacity (Ltrs.)	: 150 L
External Dimension (LxWxH in mm.)	: 815x590x735
Internal Dimension (LxWxH in mm.)	: 660x435x580



Rubber Strap

ARP 150-IB*

Capacity (Ltrs.)	: 150 L
External Dimension (LxWxH in mm.)	: 830x585x590
Internal Dimension (LxWxH in mm.)	: 730x485x460

ARP 150-IBTVLLL

Capacity (Ltrs.)	: 150 L
External Dimension (LxWxH in mm.)	: 905x502x725
Internal Dimension (LxWxH in mm.)	: 750x370x580



ARP 250-IBVLL

Capacity (Ltrs.)	: 250 L
External Dimension (LxWxH in mm.)	: 1040x600x765
Internal Dimension (LxWxH in mm.)	: 865x485x610

*Model available with plain & vending lid



Application of Product



Seafood



Frozen & other food



Ice Cream



Dairy



Poultry



ARP 60 DB

Size	Capacity
300 L x 300 W x 680 H	60 Ltrs.



ARP 80 DB

Size	Capacity
430 L x 430 W x 875 H	80 Ltrs.



ARP 110 DB

Size	Capacity
515 L x 515 W x 920 H	110 Ltrs.



ARP DB S

Size
525 L x 360 W x 1040 H

ARP DB SS

Size
1090 L x 360 W x 1040 H

ARP DB SSS

Size
1760 L x 360 W x 1040 H

Insulated Tubs



ARP 70 S

Capacity (Ltrs.)	: 70 L
External Dimension (LxWxH in mm.)	: 750x490x390
Internal Dimension (LxWxH in mm.)	: 685x425x285



ARP 460 S

Capacity (Ltrs.)	: 460 L
External Dimension (LxWxH in mm.)	: 1230x1025x660
Internal Dimension (LxWxH in mm.)	: 1166x961x430

ARP 100 S

Capacity (Ltrs.)	: 100 L
External Dimension (LxWxH in mm.)	: 815x535x440
Internal Dimension (LxWxH in mm.)	: 740x470x335



ARP 660 S

Capacity (Ltrs.)	: 660 L
External Dimension (LxWxH in mm.)	: 1230x1025x825
Internal Dimension (LxWxH in mm.)	: 1166x961x600



ARP 220 S

Capacity (Ltrs.)	: 220 L
External Dimension (LxWxH in mm.)	: 970x585x655
Internal Dimension (LxWxH in mm.)	: 900x520x515



ARP 1000 S

Capacity (Ltrs.)	: 1000 L
External Dimension (LxWxH in mm.)	: 1470x1160x960
Internal Dimension (LxWxH in mm.)	: 1390x1100x710

ARP 260 S

Capacity (Ltrs.)	: 260 L
External Dimension (LxWxH in mm.)	: 915x720x800
Internal Dimension (LxWxH in mm.)	: 820x625x560



ARP 1250 S

Capacity (Ltrs.)	: 1250 L
External Dimension (LxWxH in mm.)	: 1830x915x915
Internal Dimension (LxWxH in mm.)	: 1760x840x845



Application of Product



Seafood



Frozen & other food



Ice Cream



Dairy



Poultry

ARP 310 S

Capacity (Ltrs.)	: 310 L
External Dimension (LxWxH in mm.)	: 915x710x780
Internal Dimension (LxWxH in mm.)	: 865x660x590



