

**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)
CB SCHEME**
CB TEST CERTIFICATE

Product

Photovoltaic Module (Crystalline Silicon)

Name and address of the applicant

GOLDI SOLAR PRIVATE LIMITED
Block No.149, Plot No. J & K1, Bs. IOC Petrol Pump
Pipodara NH 8, Dist
Surat, Gujarat 394110 India

Name and address of the manufacturer

GOLDI SOLAR PRIVATE LIMITED
Block No.149, Plot No. J & K1, Bs. IOC Petrol Pump
Pipodara NH 8, Dist
Surat, Gujarat 394110 India

Name and address of the factory

Note: When more than one factory, please report on page 2

GOLDI SOLAR PRIVATE LIMITED
Block No.149, Plot No. J & K1, Bs. IOC Petrol Pump
Pipodara NH 8, Dist
Surat, Gujarat 394110 India

☐ Additional Information on page 2

Ratings and principal characteristics

Maximum system voltage 1500V DC
Maximum over-current protection rating: 20A
See Test Report, "Product Electrical Ratings" for electrical ratings
for all models.



Trademark / Brand (if any)

Type of Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

GOLDI032FXXXPRC24B Series, See Page 2

Additional information (if necessary may also be reported on page 2)

☐ Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 61215-1-1:2016, IEC 61215-1:2016, IEC 61215-2:2016

As shown in the Test Report Ref. No. which forms part of this Certificate

E478476-4788869234-D1 issued on 2019-11-28

This CB Test Certificate is issued by the National Certification Body



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
UL (Denko), Borupvang 5A DK-2750 Ballerup, DENMARK
UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2019-12-05

Signature:



Jolanta M. Wroblewska



Ref. Certif. No.

US-34919-UL**Model Details:**

GOLDI032FXXXPRC24B Series where XXX denotes maximum power (Pmp) from 150 to 170 with 5 W steps. B = 1 Digit "Code of Black Module", blank of "Code of white Module"

GOLDI032F150PRC12, GOLDI032F150PRC12B
GOLDI032F155PRC12, GOLDI032F155PRC12B
GOLDI032F160PRC12, GOLDI032F160PRC12B
GOLDI032F165PRC12, GOLDI032F165PRC12B
GOLDI032F170PRC12, GOLDI032F170PRC12B

GOLDI032FXXXPY24B Series where XXX denotes maximum power (Pmp) from 135 to 155 with 5 W steps. B = 1 Digit "Code of Black Module", blank of "Code of white Module"

GOLDI032F135PY12, GOLDI032F135PY12B
GOLDI032F140PY12, GOLDI032F140PY12B
GOLDI032F145PY12, GOLDI032F145PY12B
GOLDI032F150PY12, GOLDI032F150PY12B
GOLDI032F155PY12, GOLDI032F155PY12B

GOLDI036FXXXPRC24B Series where XXX denotes maximum power (Pmp) from 165 to 195 with 5 W steps. B = 1 Digit "Code of Black Module", blank of "Code of white Module"

GOLDI036F165PRC12, GOLDI036F165PRC12B
GOLDI036F170PRC12, GOLDI036F170PRC12B
GOLDI036F175PRC12, GOLDI036F175PRC12B
GOLDI036F180PRC12, GOLDI036F180PRC12B
GOLDI036F185PRC12, GOLDI036F185PRC12B
GOLDI036F190PRC12, GOLDI036F190PRC12B
GOLDI036F195PRC12, GOLDI036F195PRC12B

GOLDI036FXXXPY24B Series where XXX denotes maximum power (Pmp) from 150 to 175 with 5 W steps. B = 1 Digit "Code of Black Module", blank of "Code of white Module"

GOLDI036F150PY12, GOLDI036F150PY12B
GOLDI036F155PY12, GOLDI036F155PY12B
GOLDI036F160PY12, GOLDI036F160PY12B
GOLDI036F165PY12, GOLDI036F165PY12B
GOLDI036F170PY12, GOLDI036F170PY12B
GOLDI036F175PY12, GOLDI036F175PY12B

Additional information (if necessary)

☒ UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

☐ UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

☐ UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

☐ UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2019-12-05

Signature:

Jolanta M. Wroblewska



Ref. Certif. No.

US-34919-UL

Model Details:

GOLDI048FXXXP24B Series where XXX denotes maximum power (Pmp) from 225 to 260 with 5 W steps. B = 1 Digit "Code of Black Module", blank of "Code of white Module"

GOLDI048F225PRC12, GOLDI048F225PRC12B

GOLDI048F230PRC12, GOLDI048F230PRC12B

GOLDI048F235PRC12, GOLDI048F235PRC12B

GOLDI048F240PRC12, GOLDI048F240PRC12B

GOLDI048F245PRC12, GOLDI048F245PRC12B

GOLDI048F250PRC12, GOLDI048F250PRC12B

GOLDI048F255PRC12, GOLDI048F255PRC12B

GOLDI048F260PRC12, GOLDI048F260PRC12B

GOLDI048FXXXPY24B Series where XXX denotes maximum power (Pmp) from 205 to 235 with 5 W steps. B = 1 Digit "Code of Black Module", blank of "Code of white Module"

GOLDI048F205PY12, GOLDI048F205PY12B

GOLDI048F210PY12, GOLDI048F210PY12B

GOLDI048F215PY12, GOLDI048F215PY12B

GOLDI048F220PY12, GOLDI048F220PY12B

GOLDI048F225PY12, GOLDI048F225PY12B

GOLDI048F230PY12, GOLDI048F230PY12B

GOLDI048F235PY12, GOLDI048F235PY12B

GOLDI054FXXXP24B Series where XXX denotes maximum power (Pmp) from 250 to 290 with 5 W steps. B = 1 Digit "Code of Black Module", blank of "Code of white Module"

GOLDI054F250PRC24, GOLDI054F250PRC24B

GOLDI054F255PRC24, GOLDI054F255PRC24B

GOLDI054F260PRC24, GOLDI054F260PRC24B

GOLDI054F265PRC24, GOLDI054F265PRC24B

GOLDI054F270PRC24, GOLDI054F270PRC24B

GOLDI054F275PRC24, GOLDI054F275PRC24B

GOLDI054F280PRC24, GOLDI054F280PRC24B

GOLDI054F285PRC24, GOLDI054F285PRC24B

GOLDI054F290PRC24, GOLDI054F290PRC24B

GOLDI054FXXXPY24B Series where XXX denotes maximum power (Pmp) from 230 to 265 with 5 W steps. B = 1 Digit "Code of Black Module", blank of "Code of white Module"

GOLDI054F230PY12, GOLDI054F230PY12B

GOLDI054F235PY12, GOLDI054F235PY12B

GOLDI054F240PY12, GOLDI054F240PY12B

GOLDI054F245PY12, GOLDI054F245PY12B

GOLDI054F250PY12, GOLDI054F250PY12B

GOLDI054F255PY12, GOLDI054F255PY12B

GOLDI054F260PY12, GOLDI054F260PY12B

GOLDI054F265PY12, GOLDI054F265PY12B

Additional information (if necessary)



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2019-12-05

Signature:

Jolanta M. Wroblewska



Ref. Certif. No.

US-34919-UL

Model Details:

GOLDI060FXXXPRC24B Series where XXX denotes maximum power (Pmp) from 280 to 325 with 5 W steps. B = 1 Digit "Code of Black Module", blank of "Code of white Module"

GOLDI060F280PRC24, GOLDI060F280PRC24B

GOLDI060F285PRC24, GOLDI060F285PRC24B

GOLDI060F290PRC24, GOLDI060F290PRC24B

GOLDI060F295PRC24, GOLDI060F295PRC24B

GOLDI060F300PRC24, GOLDI060F300PRC24B

GOLDI060F305PRC24, GOLDI060F305PRC24B

GOLDI060F310PRC24, GOLDI060F310PRC24B

GOLDI060F315PRC24, GOLDI060F315PRC24B

GOLDI060F320PRC24, GOLDI060F320PRC24B

GOLDI060F325PRC24, GOLDI060F325PRC24B

GOLDI060FXXXPY24B Series where XXX denotes maximum power (Pmp) from 255 to 295 with 5 W steps. B = 1 Digit "Code of Black Module", blank of "Code of white Module"

GOLDI060F255PY24, GOLDI060F255PY24B

GOLDI060F260PY24, GOLDI060F260PY24B

GOLDI060F265PY24, GOLDI060F265PY24B

GOLDI060F270PY24, GOLDI060F270PY24B

GOLDI060F275PY24, GOLDI060F275PY24B

GOLDI060F280PY24, GOLDI060F280PY24B

GOLDI060F285PY24, GOLDI060F285PY24B

GOLDI060F290PY24, GOLDI060F290PY24B

GOLDI060F295PY24, GOLDI060F295PY24B

GOLDI066FXXXPRC24B Series where XXX denotes maximum power (Pmp) from 310 to 355 with 5 W steps. B = 1 Digit "Code of Black Module", blank of "Code of white Module"

GOLDI066F310PRC24, GOLDI066F310PRC24B

GOLDI066F315PRC24, GOLDI066F315PRC24B

GOLDI066F320PRC24, GOLDI066F320PRC24B

GOLDI066F325PRC24, GOLDI066F325PRC24B

GOLDI066F330PRC24, GOLDI066F330PRC24B

GOLDI066F335PRC24, GOLDI066F335PRC24B

GOLDI066F340PRC24, GOLDI066F340PRC24B

GOLDI066F345PRC24, GOLDI066F345PRC24B

GOLDI066F350PRC24, GOLDI066F350PRC24B

GOLDI066F355PRC24, GOLDI066F355PRC24B

Additional information (if necessary)



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2019-12-05

Signature:

Jolanta M. Wroblewska



Ref. Certif. No.

US-34919-UL

Model Details:

GOLDI066FXXXPY24B Series where XXX denotes maximum power (Pmp) from 280 to 325 with 5 W steps. B = 1 Digit "Code of Black Module", blank of "Code of white Module"

GOLDI066F280PY24, GOLDI066F280PY24B

GOLDI066F285PY24, GOLDI066F285PY24B

GOLDI066F290PY24, GOLDI066F290PY24B

GOLDI066F295PY24, GOLDI066F295PY24B

GOLDI066F300PY24, GOLDI066F300PY24B

GOLDI066F305PY24, GOLDI066F305PY24B

GOLDI066F310PY24, GOLDI066F310PY24B

GOLDI066F315PY24, GOLDI066F315PY24B

GOLDI066F320PY24, GOLDI066F320PY24B

GOLDI066F325PY24, GOLDI066F325PY24B

GOLDI072FXXXPRC24B Series where XXX denotes maximum power (Pmp) from 340 to 400 with 5 W steps. B = 1 Digit "Code of Black Module", blank of "Code of white Module"

GOLDI072F340PRC24, GOLDI072F340PRC24B

GOLDI072F345PRC24, GOLDI072F345PRC24B

GOLDI072F350PRC24, GOLDI072F350PRC24B

GOLDI072F355PRC24, GOLDI072F355PRC24B

GOLDI072F360PRC24, GOLDI072F360PRC24B

GOLDI072F365PRC24, GOLDI072F365PRC24B

GOLDI072F370PRC24, GOLDI072F370PRC24B

GOLDI072F375PRC24, GOLDI072F375PRC24B

GOLDI072F380PRC24, GOLDI072F380PRC24B

GOLDI072F385PRC24, GOLDI072F385PRC24B

GOLDI072F390PRC24, GOLDI072F390PRC24B

GOLDI072F395PRC24, GOLDI072F395PRC24B

GOLDI072F400PRC24, GOLDI072F400PRC24B

GOLDI072FXXXPY24B Series where XXX denotes maximum power (Pmp) from 315 to 360 with 5 W steps. B = 1 Digit "Code of Black Module", blank of "Code of white Module"

GOLDI072F315PY24, GOLDI072F315PY24B

GOLDI072F320PY24, GOLDI072F320PY24B

GOLDI072F325PY24, GOLDI072F325PY24B

GOLDI072F330PY24, GOLDI072F330PY24B

GOLDI072F335PY24, GOLDI072F335PY24B

GOLDI072F340PY24, GOLDI072F340PY24B

GOLDI072F345PY24, GOLDI072F345PY24B

GOLDI072F350PY24, GOLDI072F350PY24B

GOLDI072F355PY24, GOLDI072F355PY24B

GOLDI072F360PY24, GOLDI072F360PY24B

Additional information (if necessary)



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2019-12-05

Signature:

Jolanta M. Wroblewska