



भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution,
Govt. of India)

मानक भवन, 9 बहादुर शाह जफर मार्ग, नई दिल्ली - 110002

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi - 110002

दूरभाष/Phone: +91-11-23230856/2323010131/23233375/23239402

ई-मेल/E-mail: registration@bis.gov.in

वेबसाइट/Website: <https://bis.gov.in/>, <https://www.crsbis.in/BIS/>

Our Ref: Registration/CRS 2022-1425/R-72006149

Date:05-05-2022

Subject : Licence Document

Manufacturing Unit :	Goldi Sun Private Limited CITY SURVEY NO 920, VIJALPORE ROAD, TA., DIS., NAVSARI, GUJARAT,India-396445 dharmesh.v@goldisolar.com 07211171324	
----------------------	--	---

Dear Sir,

1. With reference to your Application, we are pleased to inform you that it has been decided to grant you licence as per details given below :

Product Category:	CRYSTALLINE SILICON TERRESTRIAL PHOTOVOLTAIC (PV) MODULES (Si wafer based)
Product Name:	Crystalline Silicon Terrestrial Photovoltaic (PV) modules (Si wafer based)
IS NO :	IS 14286 : 2010/ IEC 61215 : 2005, IS/IEC 61730 (PART 1) : 2004 & IS/IEC 61730 (PART 2) : 2004
Brand (As Declared by Manufacturer) :	GOLDI
Model :	[Brand -> GOLDI, Models -> GS10-B108-GF-390, GS10-B108-GF-395, GS10-B108-GF-400, GS10-B108-GF-405, GS10-B108-TF-390, GS10-B108-TF-395, GS10-B108-TF-400, GS10-B108-TF-405, GS10-B108-WF-390, GS10-B108-WF-395, GS10-B108-WF-400, GS10-B108-WF-405, GS10-B120-GF-435, GS10-B120-GF-440, GS10-B120-GF-445, GS10-B120-GF-450, GS10-B120-TF-435, GS10-B120-TF-440, GS10-B120-TF-445, GS10-B120-TF-450, GS10-B120-WF-435, GS10-B120-WF-440, GS10-B120-WF-445, GS10-B120-WF-450, GS10-B132-GF-480, GS10-B132-GF-485, GS10-B132-GF-490, GS10-B132-GF-495, GS10-B132-TF-480, GS10-B132-TF-485, GS10-B132-TF-490, GS10-B132-TF-495, GS10-B132-WF-480, GS10-B132-WF-485, GS10-B132-WF-490, GS10-B132-WF-495, GS10-B144-GF-525, GS10-B144-GF-530, GS10-B144-GF-535, GS10-B144-GF-540, GS10-B144-TF-525, GS10-B144-TF-530, GS10-B144-TF-535, GS10-B144-TF-540, GS10-B144-WF-525, GS10-B144-WF-530, GS10-B144-WF-535, GS10-M144-WF-540]
Factory Address :	CITY SURVEY NO 920, VIJALPORE ROAD, TA., DIS., NAVSARI, GUJARAT,India-396445

2. The licence is being granted for your unit located at the address and for the brand and models mentioned at serial no 1 above.

3. The number assigned to this Licence is **R-72006149** which has been made operative from **05-05-2022** and is valid upto **04-05-2024** . The Licence Number should invariably be referred to in your future correspondence.

4. The rights and privileges under the licence shall not be exercised by any other factory / organization at any other location. This licence is not transferable. In the event of shifting of the manufacturing machinery from the registered premises to some other place use of the licence Number shall be stopped and BIS shall be informed.

5. The licensee shall comply with the provisions of the Act, rules and regulations framed thereunder and as amended from time to time.

6. The licensee shall follow the guidelines for the use of Standard Mark and labeling requirements as per Annex-I.

7. The licensee shall not use the licence in any manner which contravenes the provisions of Act, rules and regulations framed thereunder and as amended from time to time.

8. Upon expiry of validity, stoppage or suspension or cancellation of licence, you shall discontinue forthwith the self declaration of conformity to the relevant Indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto.

9. For renewal of licence, the licensee shall have to apply to BIS three months in advance before expiration of the licence and application form for renewal is available on BIS website.

10. The licence is not transferable. Kindly acknowledge receipt of this letter.

Thanking you,

Yours faithfully,
(Saksham Vasudev)
Scientist-B
Telfax : +91-11-23230856
E-mail: registration@bis.gov.in

Note: This is a system generated letter. Hence signature is not required.
To verify authentication of letter, kindly scan the QR code on this letter.

Annex - 1

The guidelines for use of Standard Mark for Scheme-C are per 3(1) of BIS (Conformity Assessment) Regulations,2017 are given below:

- i) The monogram of the 'Standard Mark' consists of the pictorial representation, drawn in the exact style as indicated in the figure in the figure in Annexure I. Its photographic reductin and enlargement is permitted.
- ii)The 'Standard Mark' can be displayed in single colour or multi-colour as per the details given below. The colour scheme for the Standard Mark to be used in multi colour shall be use as indicated below.
- iii) The licensee shall diplay the 'Standard Mark' on the article and/or the packaging, as the case may be, in a manner so as to be easily visible. It shall be legible, indelible and non-remobable. Further, the durability of marking shall be as per the provisions of the relevant Indian Standard, wherever applicable. The diplay of IS number, Registration number and words shall not be less than Arial forn size 6.
- iv) Any device with a integrated display scenen may present the Standard Mark electronically (e-labelling) in lieu of a physical presentation on the product.

[illegible]

H1	200
H2	100
H3	39.3
H4	21.6
H5	17.7
L1	91.0
L2	84.3
L3	25.2
L4	40.4
L5	3.36
D1	23.5
D2	23.5
D3	7.52
D4	19.6
D5	42.4
D6	8.57
B1	240.49
B2	175.48
B3	66.26
B4	12.00
B5	8.24

a) For printing purposes, colours shall be "Oriental Blue" and "Monopol Red" as per IS 1222:1992. 'Ink, duplicating for twin cylinder rotary machines (third revision)'

b) For sign board purposes, colours shall be "French Blue" (No.166) Red" (No.537) as per IS 5:1994 "Colours for ready mixed paints and enamels (fourth revision)".

The font style and size used is Arial-85 pt.

IS -----



R - XXXXXXXXX

For details information on BIS, consult the e-BIS Portal (www.manakonline.in).
Please use BIS CARE APP for verification of ISI-marked goods and hallmarked gold jewellery.



Our Ref: REGISTRATION/CRS 2022-1425/R-72006149

Date:19-06-2023

Inclusion Id: 69631

Subject :Inclusion of Additional Model(s)

MANUFACTURING UNIT :	Goldi Sun Private Limited CITY SURVEY NO 920, VIJALPORE ROAD, TA., DIS., NAVSARI, GUJARAT,India-396445 dharmesh.v@goldisolar.com 07211171324	
----------------------	--	--

Dear Sir,

1. This has reference to your request for inclusion of models of "**CRYSTALLINE SILICON TERRESTRIAL PHOTOVOLTAIC (PV) MODULES (Si wafer based)**" as per **IS 14286 : 2010/ IEC 61215 : 2005, IS/IEC 61730 (Part 1) : 2004 & IS/IEC 61730 (Part 2) : 2004** in Licence No. **R-72006149** already granted to you which is valid upto 04-05-2024.

2. It is intimated that the additional Models as per details given below have been agreed to be included in your scope of Licence. **R-72006149 w.e.f. 19-06-2023:**

Product Category	CRYSTALLINE SILICON TERRESTRIAL PHOTOVOLTAIC (PV) MODULES (Si wafer based)
Product Name	Crystalline Silicon Terrestrial Photovoltaic (PV) modules (Si wafer based)
IS No.	IS 14286 : 2010/ IEC 61215 : 2005, IS/IEC 61730 (Part 1) : 2004 & IS/IEC 61730 (Part 2) : 2004
Brand (As Declared by Manufacturer):	GOLDI
Inclusion of Additional Models (w.e.f. 19-06-2023)	GS10-B108-GF-410, GS10-B108-GF-415, GS10-B108-TF-410, GS10-B108-TF-415 , GS10-B120-GF-455, GS10-B120-GF-460, GS10-B120-TF-455, GS10-B120-TF-460, GS10-B132-GF-500, GS10-B132-GF-505, GS10-B132-TF-500, GS10-B132-TF-505,GS10-B144-GF-545, GS10-B144-GF-550,GS10-B144-TF-545, GS10-B144-TF-550
Factory Address	CITY SURVEY NO 920, VIJALPORE ROAD, TA., DIS., NAVSARI, GUJARAT,India-396445

3. Other terms and conditions of the licence shall remain same.

4. This letter is being issued with the approval of competent authority.

Kindly acknowledge receipt of this letter.

Thanking you,

Yours faithfully,
(Sonali Gupta)
Scientist-B
Telfax : +91-11-23230856
E-mail: registration@bis.gov.in

Note: This is a system generated letter. Hence signature is not required.
To verify authentication of letter, kindly scan the QR code on this letter.

For details information on BIS, consult the e-BIS Portal (www.manakonline.in).
Please use BIS CARE APP for verification of ISI-marked goods and hallmarked gold jewellery.



Ref. Certif. No.

US-40494-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Photovoltaic (PV) Module(s)

Name and address of the applicant

Goldi Sun Pvt Ltd
Office No 1010
10th Floor, Infinity Tower
Lal Darwaja, Surat, Gujarat 395008
India

Name and address of the manufacturer

Goldi Sun Private Limited
(Subsidiary of Goldi Solar Private Limited)
City Survey No.920, Vijalpore Road, Ta Dist. Navsari
Gujarat-396445.
INDIA

Name and address of the factory

Goldi Sun Private Limited
(Subsidiary of Goldi Solar Private Limited)
City Survey No.920, Vijalpore Road, Ta Dist. Navsari
Gujarat-396445,
INDIA

Note: When more than one factory, please report on page 2

Ratings and principal characteristics

☒ [Additional Information on page 2](#)
Maximum System Voltage: 1500 V
Maximum over current protection rating: 25A.
See CB Test Report for additional ratings of all models.

Trademark (if any)



Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

Mono PERC Bifacial Models:
144 Half cut cell Models:
GS10-B144-TF-XXX, Where XXX stands for the power range from 525~540,
in steps of 5W

☒ [Additional Information on page 2](#)

Additional information (if necessary may also be reported on page 2)

Additionally evaluated to: EN IEC 61730-1:2018, EN IEC 61730-2:2018

☐ [Additional Information on page 2](#)

A sample of the product was tested and found to be in conformity with

IEC 61730-2:2016, IEC 61730-1:2016

As shown in the Test Report Ref. No. which forms part of this Certificate

E524542-4790121768-D2 issued on 2022-06-24

This CB Test Certificate is issued by the National Certification Body



- ☒ UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- ☐ UL (Denko), Borupvang 5A DK-2750 Ballerup, DENMARK
- ☐ UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- ☐ UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2022-06-30

Signature:

Jolanta M. Wroblewska



Ref. Certif. No.

US-40494-UL

Factory(ies):

Goldi Solar Private Limited
Block No 149, Plot No J & K/1, Beside IOC petrol
pump, Pipodara, NH-48, Surat, Gujarat, 394110
India

Additional Model Detail(s):

GS10-M144-BF-XXX, Where XXX stands for the power range from 525~540, in steps of 5W
132 Half cut cell Models:
GS10-B132-TF-XXX, Where XXX stands for the power range from 480~495, in steps of 5W
GS10-M132-BF-XXX, Where XXX stands for the power range from 480~495, in steps of 5W
120 Half cut cell Models:
GS10-B120-TF-XXX, Where XXX stands for the power range from 435~450, in steps of 5W
GS10-M120-BF-XXX, Where XXX stands for the power range from 435~450, in steps of 5W
108 Half cut cell Models:
GS10-B108-TF-XXX, Where XXX stands for the power range from 390~405, in steps of 5W
GS10-M108-BF-XXX, Where XXX stands for the power range from 390~405, in steps of 5W

Additional information (if necessary)



- ☒ UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- ☐ UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- ☐ UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- ☐ UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Signature:

Jolanta M. Wroblewska

Date: 2022-06-30



Ref. Certif. No.

US-40475-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Photovoltaic (PV) Module(s)

Name and address of the applicant

Goldi Sun Pvt Ltd
Office No 1010
10th Floor, Infinity Tower
Lal Darwaja, Surat Surat, Gujarat 395008
India

Name and address of the manufacturer

Goldi Sun Private Limited
(Subsidiary of Goldi Solar Private Limited)
City Survey No.920, Vijalpore Road, Ta Dist. Navsari
Gujarat-396445.
INDIA

Name and address of the factory

Goldi Sun Private Limited
(Subsidiary of Goldi Solar Private Limited)
City Survey No.920, Vijalpore Road, Ta Dist. Navsari
Gujarat-396445,
INDIA

Note: When more than one factory, please report on page 2

Ratings and principal characteristics

☒ [Additional Information on page 2](#)
Maximum System Voltage: 1500 V
Maximum over current protection rating: 25A.
See CB Test Report for additional ratings of all models.

Trademark (if any)



Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

Mono PERC Bifacial Models:
144 Half cut cell Models:
GS10-B144-TF-XXX, Where XXX stands for the power range from 525~540,
in steps of 5W

Additional information (if necessary may also be reported on page 2)

☒ [Additional Information on page 2](#)
Additionally evaluated to: EN 61215-1:2016, EN 61215-1-1:2016, EN 61215-2:2017
☐ [Additional Information on page 2](#)

A sample of the product was tested and found to be in conformity with

IEC 61215-1:2016, IEC 61215-2:2016, IEC 61215-1-1:2016

As shown in the Test Report Ref. No. which forms part of this Certificate

E524542-4790121768-D1 issued on 2022-06-29

This CB Test Certificate is issued by the National Certification Body



- ☒ UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- ☐ UL (Denko), Borupvang 5A DK-2750 Ballerup, DENMARK
- ☐ UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- ☐ UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2022-06-30

Signature:

Jolanta M. Wroblewska



Ref. Certif. No.

US-40475-UL

Factory(ies):

Goldi Solar Private Limited
Block No 149, Plot No J & K/1, Beside IOC petrol
pump, Pipodara, NH-48, Surat, Gujarat, 394110
India

Additional Model Detail(s):

GS10-M144-BF-XXX, Where XXX stands for the power range from 525~540, in steps of 5W
132 Half cut cell Models:
GS10-B132-TF-XXX, Where XXX stands for the power range from 480~495, in steps of 5W
GS10-M132-BF-XXX, Where XXX stands for the power range from 480~495, in steps of 5W
120 Half cut cell Models:
GS10-B120-TF-XXX, Where XXX stands for the power range from 435~450, in steps of 5W
GS10-M120-BF-XXX, Where XXX stands for the power range from 435~450, in steps of 5W
108 Half cut cell Models:
GS10-B108-TF-XXX, Where XXX stands for the power range from 390~405, in steps of 5W
GS10-M108-BF-XXX, Where XXX stands for the power range from 390~405, in steps of 5W

Additional information (if necessary)



- ☒ UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- ☐ UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- ☐ UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- ☐ UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Signature:

Jolanta M. Wroblewska

Date: 2022-06-30