



Product Service

Attestation of Conformity

No. E8A 110557 0012 Rev. 00

Holder of Certificate: **MINDRA GREEN ENERGY LLP**
102, Devraj Industrial Park, OFF, Pirana Piplaj Road
Piplaj
Ahmedabad, Gujarat 382405
INDIA

Name of Object: **Converter**
(PV grid-interactive inverter)

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with all essential requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. For details see: www.tuvsud.com/ps-cert

Test report no.: 687721601004B

Date, 2020-12-28

(Laurent Yuan)

Page 1 of 2

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. E8A 110557 0012 Rev. 00

Model(s): MIND 1000, MIND 1500, MIND 1900, MIND 2000, MIND 2200, MIND 2600, MIND 2900, MIND 3000, MIND 3200

Description of Object:

Rated Input: See below table for details

Model	MIND 1000	MIND 1500	MIND 1900	MIND 2000	MIND 2200	MIND 2600	MIND 2900	MIND 3000	MIND 3200
V _{max} PV	500 Vd.c.	500 Vd.c.	500 Vd.c.	500 Vd.c.	500 Vd.c.	500 Vd.c.	500 Vd.c.	500 Vd.c.	500 Vd.c.
I _{sc} PV	13,2 Ad.c.	13,2 Ad.c.	13,2 Ad.c.	13,2 Ad.c.	13,2 Ad.c.	15,6 Ad.c.	15,6 Ad.c.	15,6 Ad.c.	15,6 Ad.c.
Max. continuous output current	4,5 Aa.c.	7 Aa.c.	8,5 Aa.c.	9 Aa.c.	9,5 Aa.c.	11,5 Aa.c.	12,5 Aa.c.	14 Aa.c.	14 Aa.c.
Nominal output power	1000 W	1500 W	1900 W	2000 W	2200 W	2600 W	2900 W	3000 W	3200 W
Nominal AC Frequency	50 Hz/ 60 Hz	50 Hz/ 60 Hz	50 Hz/ 60 Hz	50 Hz/ 60 Hz	50 Hz/ 60 Hz	50 Hz/ 60 Hz	50 Hz/ 60 Hz	50 Hz/ 60 Hz	50 Hz/ 60 Hz
Nominal AC voltage	230 Va.c.	230 Va.c.	230 Va.c.	230 Va.c.	230 Va.c.	230 Va.c.	230 Va.c.	230 Va.c.	230 Va.c.
Power factor (full load)	>0,99	>0,99	>0,99	>0,99	>0,99	>0,99	>0,99	>0,99	>0,99
Protective class	I	I	I	I	I	I	I	I	I
Ingress protection	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65

Tested according to:

EN 61000-6-3:2007/A1:2011
EN 61000-6-2:2005

Page 2 of 2

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

CERTIFICATE

No. Z2 110557 0005 Rev. 00

Holder of Certificate: **MINDRA GREEN ENERGY LLP**
102, Devraj Industrial Park, OFF, Pirana Piplaj Road
Piplaj
Ahmedabad, Gujarat 382405
INDIA

Certification Mark:



Product: **Converter**
(PV grid-interactive inverter)

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 64290160254902A

Valid until: 2025-01-02

Date, 2020-12-21

(Billy Qiu)

CERTIFICATE

No. Z2 110557 0005 Rev. 00

Model(s): MIND 1000, MIND 1500, MIND 1900,
MIND 2000, MIND 2200, MIND 2600,
MIND 2900, MIND 3000, MIND 3200

Parameters:

Model	MIND 1000	MIND 1500	MIND 1900	MIND 2000	MIND 2200
Vmax PV	500 Vd.c.	500 Vd.c.	500 Vd.c.	500 Vd.c.	500 Vd.c.
MPPT range (full load)	105 ~ 400 Vd.c.	145 ~ 400 Vd.c.	180 ~ 400 Vd.c.	190 ~ 400 Vd.c.	208 ~ 400 Vd.c.
Isc PV	13.2 Ad.c.	13.2 Ad.c.	13,2 Ad.c.	13.2 Ad.c.	13,2 Ad.c.
Max. continuous output current	4.5 Aa.c.	7 Aa.c.	8.5 Aa.c.	9 Aa.c.	9.5 Aa.c.
Nominal output power	1000 W	1500 W	1900 W	2000 W	2200 W
Nominal AC Frequency	50 Hz	50 Hz	50 Hz	50 Hz	50 Hz
Nominal AC voltage	230 Va.c.				
Power factor (full load)	>0.99				
Protective class	I				
Ingress protection	IP65				

Model	MIND 2600	MIND 2900	MIND 3000	MIND 3200
Vmax PV	500 Vd.c.	500 Vd.c.	500 Vd.c.	500 Vd.c.
MPPT range (full load)	208 ~ 400 Vd.c.	232 ~ 400 Vd.c.	240 ~ 400 Vd.c.	256 ~ 400 Vd.c.
Isc PV	15,6 Ad.c.	15,6 Ad.c.	15.6 Ad.c.	15,6 Ad.c.
Max. continuous output current	11.5 Aa.c.	12.5 Aa.c.	14 Aa.c.	14 Aa.c.
Nominal output power	2600 W	2900 W	3000 W	3200 W
Nominal AC Frequency	50 Hz	50 Hz	50 Hz	50 Hz
Nominal AC voltage	230 Va.c.			
Power factor (full load)	>0.99			
Protective class	I			
Ingress protection	IP65			



Product Service

CERTIFICATE

No. Z2 110557 0005 Rev. 00

**Tested
according to:**

IEC 62109-1(ed.1)
EN 62109-1:2010
IEC 62109-2(ed.1)
EN 62109-2:2011
IEC 61727(ed.2)
IEC 62116(ed.2)

**Production
Facility(ies):**

076189



Product Service

CERTIFICATE

No. Z2 110557 0007 Rev. 00

Holder of Certificate: **MINDRA GREEN ENERGY LLP**
102, Devraj Industrial Park, OFF, Pirana Piplaj Road
Piplaj
Ahmedabad, Gujarat 382405
INDIA

Certification Mark:



Product: **Converter**
(PV grid-interactive inverter)

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 64290160254804A

Valid until: 2025-01-02

Date, 2020-12-21

(Billy Qiu)

CERTIFICATE

No. Z2 110557 0007 Rev. 00

Model(s): MIND 1000, MIND 1500, MIND 1900,
MIND 2000, MIND 2200, MIND 2600,
MIND 2900, MIND 3000, MIND 3200

Parameters:

Model	MIND 1000	MIND 1500	MIND 1900	MIND 2000	MIND 2200
Vmax PV	500 Vd.c.	500 Vd.c.	500 Vd.c.	500 Vd.c.	500 Vd.c.
MPPT range (full load)	105 ~ 400 Vd.c.	145 ~ 400 Vd.c.	180 ~ 400 Vd.c.	190 ~ 400 Vd.c.	208 ~ 400 Vd.c.
Isc PV	13.2 Ad.c.	13.2 Ad.c.	13,2 Ad.c.	13.2 Ad.c.	13,2 Ad.c.
Max. continuous output current	4.5 Aa.c.	7 Aa.c.	8.5 Aa.c.	9 Aa.c.	9.5 Aa.c.
Nominal output power	1000 W	1500 W	1900 W	2000 W	2200 W
Nominal AC Frequency	50 Hz/60 Hz	50 Hz/60 Hz	50 Hz	50 Hz/60 Hz	50 Hz
Nominal AC voltage	230 Va.c.				
Power factor (full load)	>0.99				
Protective class	I				
Ingress protection	IP65				

Model	MIND 2600	MIND 2900	MIND 3000	MIND 3200
Vmax PV	500 Vd.c.	500 Vd.c.	500 Vd.c.	500 Vd.c.
MPPT range (full load)	208 ~ 400 Vd.c.	232 ~ 400 Vd.c.	240 ~ 400 Vd.c.	256 ~ 400 Vd.c.
Isc PV	15,6 Ad.c.	15,6 Ad.c.	15.6 Ad.c.	15,6 Ad.c.
Max. continuous output current	11.5 Aa.c.	12.5 Aa.c.	14 Aa.c.	14 Aa.c.
Nominal output power	2600 W	2900 W	3000 W	3200 W
Nominal AC Frequency	50 Hz	50 Hz	50/60 Hz	50 Hz
Nominal AC voltage	230 Va.c.			
Power factor (full load)	>0.99			
Protective class	I			
Ingress protection	IP65			



Product Service

CERTIFICATE

No. Z2 110557 0007 Rev. 00

**Tested
according to:**

IEC 62109-1(ed.1)
EN 62109-1:2010
IEC 62109-2(ed.1)
EN 62109-2:2011

**Production
Facility(ies):**

076189



Product Service

Attestation of Conformity

No. N8A 110557 0008 Rev. 00

Holder of Certificate: **MINDRA GREEN ENERGY LLP**
102, Devraj Industrial Park, OFF, Pirana Piplaj Road
Piplaj
Ahmedabad, Gujarat 382405
INDIA

Product: **Converter**
(PV grid-interactive inverter)

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. For details see: www.tuvsud.com/ps-cert

Test report no.: 64290160254804A

Date, 2020-12-21

(Billy Qiu)

Page 1 of 3

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. N8A 110557 0008 Rev. 00

Model(s): MIND 1000, MIND 1500, MIND 1900,
MIND 2000, MIND 2200, MIND 2600,
MIND 2900, MIND 3000, MIND 3200

Parameters:

Model	MIND 1000	MIND 1500	MIND 1900	MIND 2000	MIND 2200
Vmax PV	500 Vd.c.	500 Vd.c.	500 Vd.c.	500 Vd.c.	500 Vd.c.
MPPT range (full load)	105 ~ 400 Vd.c.	145 ~ 400 Vd.c.	180 ~ 400 Vd.c.	190 ~ 400 Vd.c.	208 ~ 400 Vd.c.
Isc PV	13.2 Ad.c.	13.2 Ad.c.	13,2 Ad.c.	13.2 Ad.c.	13,2 Ad.c.
Max. continuous output current	4.5 Aa.c.	7 Aa.c.	8.5 Aa.c.	9 Aa.c.	9.5 Aa.c.
Nominal output power	1000 W	1500 W	1900 W	2000 W	2200 W
Nominal AC Frequency	50 Hz/60 Hz	50 Hz/60 Hz	50 Hz	50 Hz/60 Hz	50 Hz
Nominal AC voltage	230 Va.c.				
Power factor (full load)	>0.99				
Protective class	I				
Ingress protection	IP65				

Model	MIND 2600	MIND 2900	MIND 3000	MIND 3200
Vmax PV	500 Vd.c.	500 Vd.c.	500 Vd.c.	500 Vd.c.
MPPT range (full load)	208 ~ 400 Vd.c.	232 ~ 400 Vd.c.	240 ~ 400 Vd.c.	256 ~ 400 Vd.c.
Isc PV	15,6 Ad.c.	15,6 Ad.c.	15.6 Ad.c.	15,6 Ad.c.
Max. continuous output current	11.5 Aa.c.	12.5 Aa.c.	14 Aa.c.	14 Aa.c.
Nominal output power	2600 W	2900 W	3000 W	3200 W
Nominal AC Frequency	50 Hz	50 Hz	50/60 Hz	50 Hz
Nominal AC voltage	230 Va.c.			
Power factor (full load)	>0.99			
Protective class	I			
Ingress protection	IP65			

Page 2 of 3

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. N8A 110557 0008 Rev. 00

**Tested
according to:**

EN 62109-1:2010
EN 62109-2:2011

Page 3 of 3

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany



Product Service

Test Verification

Dated: 2020-11-07

Applicant: MINDRA GREEN ENERGY LLP
102, Devraj Industrial Park, OFF, Pirana Piplaj Road,
Piplaj Ahmedabad, Gujarat 382405, INDIA

Product: PV Grid-interactive Inverter

Model: MIND 1000, MIND 1500, MIND 1900, MIND 2000,
MIND 2200, MIND 2600, MIND 2900, MIND 3000,
MIND 3200

Tested according to: IEC 61683:1999;
IEC 60068-2-1:2007;
IEC 60068-2-2:2007;
IEC 60068-2-14:2009;
IEC 60068-2-30:2005;

Test report No.: 64.290.16.02550.03A

TÜV SÜD Certification and Testing (China) Co., Ltd. Guangzhou Branch

Section Manager
[Billy Qiu]

This Verification confirms that the test results of the presented product in the above listed test report are in compliance with the specified requirements. This Verification is part of the full test report(s) and should be read in conjunction with it.