



Student Name: Ridhima Gulati
Branch: AIT-CSE (Cyber Security)
Semester: 4
Subject Name: Database Management System

UID: 24BCY70132
Section/Group: 24AIT_KRG-G2
Date of Performance: 18/04/2026
Subject Code: 24CSH-298

WORKSHEET 9

AIM: To design and implement a package-like structure using schema in PostgreSQL that contains procedures/functions and shared cursors to retrieve employee details, demonstrating modular and reusable database programming.

S/W Requirement: Database Management System:

- Oracle Database Express Edition (Oracle XE)
- PostgreSQL Database

Database Administration Tool / Client Tool:

- Oracle SQL Developer (for Oracle XE)
- pgAdmin (for PostgreSQL)

OBJECTIVES:

To implement modular database programming using schema (as package equivalent), functions, and shared cursors in PostgreSQL.

PROBLEM STATEMENT:

In enterprise systems, related database operations must be grouped together for better maintainability, reusability, and performance. While Oracle provides packages, PostgreSQL achieves similar functionality using schemas and functions.

PRACTICAL/EXPERIMENT STEPS:

Design a package-like structure that:

1. Contains procedures/functions to fetch employee details
2. Uses a shared cursor to retrieve employee records
3. Demonstrates execution of functions

TABLE STRUCTURE:

```
drop table employees;  
  
CREATE TABLE employees (  
    emp_id SERIAL PRIMARY KEY,  
    emp_name VARCHAR(50),  
    salary NUMERIC,  
    dept_id INT  
);
```

Data Output Messages Notifications

CREATE TABLE

Query returned successfully in 290 msec.

```
INSERT INTO employees (emp_name, salary, dept_id) VALUES  
( 'Aman', 50000, 10),  
( 'Riya', 60000, 20),  
( 'Raj', 55000, 10),  
( 'Neha', 70000, 30);
```

1. IMPLEMENTATION

Package Creation (Schema in PostgreSQL)

PROGRAM:

```
CREATE SCHEMA IF NOT EXISTS emp_package;  
  
CREATE OR REPLACE FUNCTION emp_package.get_all_employees()  
RETURNS refcursor AS $$  
DECLARE  
    emp_cursor refcursor := 'emp_cur'; -- Named cursor  
BEGIN  
    OPEN emp_cursor FOR  
        SELECT * FROM employees;  
  
    RETURN emp_cursor;  
END;  
$$ LANGUAGE plpgsql;
```

OUTPUT:

```
CREATE OR REPLACE FUNCTION emp_package.get_employee_by_dept(p_dept_id INT)
RETURNS refcursor AS $$
DECLARE
    emp_cursor refcursor := 'dept_cur'; -- Named cursor
BEGIN
    OPEN emp_cursor FOR
        SELECT * FROM employees
        WHERE dept_id = p_dept_id;

    RETURN emp_cursor;
END;
$$ LANGUAGE plpgsql;
```

```
BEGIN;

SELECT emp_package.get_all_employees();

FETCH ALL IN "emp_cur";

COMMIT;
```

	emp_id [PK] integer	emp_name character varying (50)	salary numeric	dept_id integer
1	1	Aman	50000	10
2	2	Riya	60000	20
3	3	Raj	55000	10
4	4	Neha	70000	30

```
BEGIN;

SELECT emp_package.get_employee_by_dept(10);

FETCH ALL IN "dept_cur";

COMMIT;
```

	emp_id [PK] integer	emp_name character varying (50)	salary numeric	dept_id integer
1	1	Aman	50000	10
2	3	Raj	55000	10

LEARNING OUTCOMES:

- Understand the concept of packages and their equivalent in PostgreSQL
- Differentiate between schema and package
- Implement functions with shared cursors



- Execute cursor-based data retrieval using FETCH
- Develop modular and reusable database logic used in organizations like Oracle Corporation and SAP

CONCLUSION:

The experiment successfully demonstrated the implementation of a package-like structure in PostgreSQL using schema and functions. By using shared cursors and modular logic, efficient and reusable database operations were achieved. This approach aligns with real-world enterprise practices, improving maintainability and scalability of database systems.