

Post-Quantum Cryptography Migration

Part 8 - Building & Shipping Software: Application Dev Stacks & Languages

Compiled by the Spaced Research Ledger

Last updated: 2026-08-29

The software that developers actually build with, web servers, language runtimes, database drivers, and browsers, mostly does not implement cryptography. It inherits it. When OpenSSL, Go, or the operating system's TLS stack turns post-quantum on, thousands of products above them change behavior at once.

This report follows that inheritance through four layers. Section 1 covers web servers and proxies, Section 2 the language runtimes, Section 3 database and messaging drivers, and Section 4 the browsers.

The inheritance is now mostly delivered for key exchange. Browsers have shipped hybrid post-quantum by default for over a year, and Edge has gone further, removing the off switch entirely. Servers built on OpenSSL 3.5, Go, or Apple's frameworks negotiate it without code changes. The visible gap runs along one seam: whatever sits on Windows or Java waits for opt-in settings or a September release.

The stragglers matter because they are load-bearing. Envoy, the proxy inside most service meshes, closed its post-quantum tracking issue as not planned. MongoDB documents nothing newer than OpenSSL 3.0. And signatures trail key exchange everywhere, with servers only now growing the code to select an ML-DSA certificate.

1. Web Servers & Proxies

Web servers and reverse proxies terminate the world's TLS connections, so their support decides whether a website can actually speak post-quantum. Almost none of them implement TLS themselves. Each inherits from a cryptographic library, which makes this section a map of who links against what, and who has wired the new options through.

Recent Developments

The Windows side arrived last but arrived. IIS relies on the Schannel component, whose hybrid post-quantum support reached general availability in July 2026 [1]. Three hybrid groups are exposed, none enabled by default, and administrators must switch one on explicitly [1]. Only TLS 1.3 qualifies, with older versions permanently excluded [1].

Caddy, at the other pole, has key agreement on by default and waits only on Go's signature support [2]. Tomcat's pure-Java path is capped by the JDK, whose hybrid TLS lands with JDK 27 [3].

Current State

The OpenSSL family inherits cleanly. Apache httpd gains support transparently through the library it links, with a one-line configuration directive to enable the hybrid group [4]. Researchers have built fully post-quantum Apache stacks for experimentation [5]. Open-source nginx picks the algorithms up from OpenSSL

3.5 [6], while the commercial NGINX Plus added support earlier through the add-on provider [7], covering whatever the provider offers [8]. Verification is a handshake check away [9], and Ubuntu's newest releases enable the hybrid group for nginx by default [10].

The Go and AWS-LC camps default on. Caddy shipped the standardized hybrid group by default in April 2025 [11]. It tracks the newest Go release specifically to inherit security features fast [11], and retired the pre-standard group as ML-KEM finalized [12]. HAProxy ships AWS-LC as its library, which carries the post-quantum curves natively [13]. Its maintainers closed a feature request as working as designed, treating post-quantum as the library's job [14].

Envoy is the notable holdout. Upstream Envoy does not support the standardized algorithms, and its tracking issue, which named the exact library commits needed, was closed as not planned [15]. Its TLS documentation does not mention post-quantum at all [16]. Tomcat, meanwhile, is building the signature side: recent releases select ML-DSA certificates from the client hello [17] and restrict TLS groups per host configuration [18].

They also layer post-quantum certificates onto classical contexts in the OpenSSL connector [19]. Windows completes the picture with certificate issuance now generally available beneath IIS [20].

Unresolved Conflicts

Envoy's status depends on who you ask. Upstream closed its post-quantum issue as not planned [15]. Yet Red Hat's OpenShift Service Mesh, built on Envoy, announced configurable hybrid key exchange for its gateways and proxies in March 2026 [21].

A downstream build carrying newer BoringSSL would explain both, but neither source says so. Separately, a deployment guide asserts Envoy's library has shipped Kyber support since 2023 under the draft name, a claim in tension with the upstream issue [22]. A negotiated handshake against a stock Envoy build would settle it.

2. Language Runtime TLS Surfaces

Most applications make secure connections through their language's standard library. Whatever Go, Java, .NET, Python, or Swift negotiate becomes what millions of programs negotiate. This section covers each runtime's TLS surface, where the pattern is a familiar one: key exchange is largely done, signatures are just beginning, and Java's calendar matters to everyone downstream.

Recent Developments

The runtimes converged within a few months of each other. Go 1.26 put all three hybrid groups in its defaults [23], and Go 1.27 added a standard ML-DSA package reaching into certificates and TLS [24]. Java's hybrid key exchange was delivered for JDK 27 [25], with backports planned to every long-term release through 2027 [26]. Windows Schannel, the stack beneath .NET's default TLS, went generally available in July, disabled by default and TLS 1.3 only [27][27].

Node.js now statically links OpenSSL 3.5, turning post-quantum on by default for its AWS connections [28], where the AWS SDK had supported hybrid key exchange since April [29]. Python's main cryptography package added native ML-KEM and ML-DSA, one pip install away [30]. Apple enabled hybrid key exchange by

default across its 26-generation networking APIs [31], with the Swift server stack matching [32]. In C, wolfSSL went fully native [33] and its provider adds validated algorithms to any OpenSSL application [34].

Current State

Go remains the cleanest story. Hybrid key exchange has been on by default since Go 1.24 whenever preferences are unset [35], a change that also removed the draft group [36]. The named constants are registered [37], with an escape hatch to revert [38]. The blemish is FIPS mode: the X25519 hybrid is listed as approved but always fails under the strictest setting [39], and the workaround disables the valid alternatives too [40].

Java is primitives now, TLS in September. The algorithms arrived in JDK 24 [41], with TLS integration deliberately deferred because the standards did not exist yet [42]. JEP 527 integrated into early-access builds [43], enabling the X25519 hybrid by default with no code changes [44], but general availability waits for the JDK 27 release [45].

.NET pairs native algorithms with an opt-in transport. .NET 10 ships all three standards in its cryptography namespace [46], as new types outside the classical base class [47], with Bouncy Castle remaining the cross-platform alternative [48]. C and C++ applications inherit from OpenSSL's defaults [49], on a long-term release supported to 2030 [49]. They can equally inherit from BoringSSL's earlier rollout in the Chromium world [50], or from liboqs through the provider [51]. Linux crypto policies steer the result on enterprise distributions [52].

The others range from transparent to vacant. Python's TLS behavior is entirely the linked OpenSSL's [53], with tooling to verify what was negotiated [53] and a hybrid-by-default research library at the fringe [54]. Rust's mainstream TLS ships the hybrid group behind a feature flag [55], superseding the experimental crate [56]. A survey finds core Rust crypto crates not prioritizing the standards [57], and wolfSSL's Rust support is still a roadmap item [58]. For Elixir, PHP, and Ruby, no established post-quantum information was found at all [49].

3. Database & Messaging Drivers

Between applications and their data sit drivers and brokers, the connections that carry credentials and every query. Almost all of them borrow TLS from OpenSSL or a language runtime, so their post-quantum status is inherited, undocumented, or both. This section covers the data layer, where one database vendor has actually done the work.

Recent Developments

MySQL became the first major database to ship deliberate support. From version 26.7.0 it uses the post-quantum algorithms OpenSSL 3.5 provides, covering TLS 1.3 key exchange with optional signature advertisement [59], preferring hybrid groups by default with classical fallback [60]. The signature side is explicitly opt-in and does not conjure certificates [59]. One caution travels with it: key exchange is on by default, signatures are not, and collapsing the two into one support claim overstates the default [59].

Elsewhere the motion is inherited or requested. gRPC's C core defaulted to post-quantum key exchange in its July release [61], Kafka's ceiling tracks the JDK backport schedule [62], and Redis has an open feature request [63]. Postgres shows the edges: a client tool fails on ML-DSA server certificates that the command line accepts [64]. A JDBC security release fixed a channel-binding bug touching the new algorithms [65].

Current State

Inheritance does the quiet work. Postgres's libpq has no TLS of its own, linking the system OpenSSL unchanged across versions [66]. Hybrid key exchange therefore works transparently in Python drivers once the library is new enough [67]. Redis has required OpenSSL for TLS since version 6 with the same dependency structure [68].

Kafka inherits from the JVM's TLS entirely [69], which means JDK 27's default hybrid groups reach it with no Kafka changes [70]. gRPC splits by language: the C core vendors BoringSSL [71], which shipped ML-KEM after standardization [72]. grpc-go rides Go's defaults, confirmed by its appearance in the Go FIPS bug report [73] [74].

The gaps are documentation-shaped. MongoDB's TLS pages reference nothing newer than OpenSSL 3.0 and no post-quantum group [75]. MySQL's own engineers had noted that upgrading the bundled library alone would not enable support, a plan the 26.7.0 release then fulfilled [76].

4. Browsers

Browsers are where the migration touched the public first, and where it is furthest along. Every major engine now negotiates hybrid post-quantum key exchange by default, which is why most people are already protected without knowing it. This section covers the rollout, the disappearing off switches, and the one vendor whose story does not quite agree with itself.

Recent Developments

The rollout is entering its no-going-back phase. Chrome's default dates to version 124 with the draft group [77]. On Windows, the operating system beneath Edge gained its own configurable hybrid groups in July [78]. Apple's 26-generation release extends past the browser entirely, with the algorithms in its developer framework and even the iPhone-to-Watch link [79].

Current State

Chrome set the pattern everyone follows. It shipped the standardized hybrid group as default in version 131 [80], and its enterprise override policy is deprecated with a version 146 end date [81]. Its certificate plan runs through Merkle Tree Certificates rather than traditional post-quantum X.509, with phases sketched into 2027 [82]. The measured result: over two-thirds of human TLS traffic to one large network now uses hybrid key exchange [83].

Edge mirrors Chrome and then leads it. The same default arrived at version 131 [80], the override policy died on schedule [84], and as of version 147 it is removed entirely, making post-quantum key agreement mandatory [85]. A separate WebRTC policy waits in the wings, not yet default [86].

Firefox covered the most surfaces. Desktop default came at version 132, behind a preference [80], extending to Android and to QUIC connections [80], and to WebRTC's handshake in version 146 [87]. Tor Browser inherits the default from its Firefox base [80].

Safari ships defaults with a compatibility warning. Connections on the 26-generation systems automatically advertise the hybrid group through the system networking frameworks beneath Safari [88]. Apple itself flags the risk: some legacy servers cannot handle the larger hello message and will fail to connect [88].

Unresolved Conflicts

Apple's rollout description is self-inconsistent. Its support documentation says qualifying systems advertise the hybrid exchange automatically and uniformly [88]. An industry survey instead calls the Safari and WebKit rollout uneven across builds with no user-facing toggle [83]. Packet captures across current Apple builds would settle which is right.

About This Report

The Spaced Research Ledger is an automated system that gathers claims from live public sources, checks each one against its origin, and records every disagreement instead of merging it. Every stage runs on a different AI model, drawn from four to seven systems across competing labs, so no single model both finds a claim and judges it. The Spaced Research Ledger is designed and maintained by Ridley DiSiena.

Sources

1. techcommunity.microsoft.com — 4536649 - <https://techcommunity.microsoft.com/blog/post-quantum-crypto-tech-blog/asp-net-kestrel-and-schannel-ga-with-tls-1-3-post-quantum-cryptography/4536649> - as of 2026-07-14
2. PQC support - SSL/TLS - <https://developers.cloudflare.com/ssl/post-quantum-cryptography/pqc-support/> - as of 2026-06-24
3. sweharris.org — 2026 06 07 pqc compliant - <https://www.sweharris.org/post/2026-06-07-pqc-compliant/> - as of 2026-06-07
4. brnrd.eu — openssl 35 is pqc enabled and an lts release - <https://brnrd.eu/security/2025-03-22/openssl-35-is-pqc-enabled-and-an-lts-release.html> - as of 2025-03-22
5. researchgate.net — 397973435 Development of an HTTP3 Web Server Supporting Post Quantum Cryptography - https://www.researchgate.net/publication/397973435_Development_of_an_HTTP3_Web_Server_Supporting_Post-Quantum_Cryptography - as of 2025-11-24
6. blog.nginx.org — pqc nginx - <https://blog.nginx.org/blog/pqc-nginx>
7. docs.nginx.com — releases - <https://docs.nginx.com/nginx/releases/>

8. community.f5.com — 341048 - <https://community.f5.com/kb/technicalarticles/post-quantum-cryptography-building-resilience-against-tomorrow%E2%80%99s-threats/341048>
9. linode.com — post quantum encryption nginx ubuntu2404 - <https://www.linode.com/docs/guides/post-quantum-encryption-nginx-ubuntu2404/>
10. Post Quantum Support in the upcoming 26.04 LTS - <https://discourse.ubuntu.com/t/post-quantum-support-in-the-upcoming-26-04-lts/76840> - as of 2026-02-12
11. github.com — releases - <https://github.com/caddyserver/caddy/releases> - as of 2025-04-18
12. github.com — 6540 - <https://github.com/caddyserver/caddy/issues/6540> - as of 2024-08-26
13. haproxy.com — how to enable post quantum cryptography and tls termination with haproxy - <https://www.haproxy.com/blog/how-to-enable-post-quantum-cryptography-and-tls-termination-with-haproxy>
14. github.com — 3171 - <https://github.com/haproxy/haproxy/issues/3171> - as of 2025-10-24
15. github.com — 42893 - <https://github.com/envoyproxy/envoy/issues/42893> - as of 2026-01-07
16. envoyproxy.io — ssl - https://www.envoyproxy.io/docs/envoy/latest/intro/arch_overview/security/ssl
17. mail-archive.com — msg186762 - <https://www.mail-archive.com/dev@tomcat.apache.org/msg186762.html>
18. mail-archive.com — msg186657 - <https://www.mail-archive.com/dev@tomcat.apache.org/msg186657.html>
19. tomcat.apache.org — changelog - <https://tomcat.apache.org/tomcat-10.1-doc/changelog.html>
20. directaccess.richardhicks.com — amp - <https://directaccess.richardhicks.com/2026/05/18/microsoft-ad-cs-adds-post-quantum-cryptography-support-with-m1-dsa/amp/> - as of 2026-05-18
21. Introducing OpenShift Service Mesh 3.3 with post-quantum cryptography - <https://www.redhat.com/en/blog/openshift-service-mesh-33-adds-post-quantum-cryptography> - as of 2026-03-17
22. systemshardening.com — tls post quantum hybrid deployment - <https://www.systemshardening.com/articles/network/tls-post-quantum-hybrid-deployment/> - as of 2026-05-08
23. common.go - Go - <https://cs.opensource.google/go/go/+master:src/crypto/tls/common.go> - as of 2026-08-25
24. Go 1.27 brings generic methods, post-quantum crypto and a new JSON engine - Northeast Times - <https://northeasttimes.com/2026/08/02/go-1-27-brings-generic-methods-post-quantum-crypto-and-a-new-json-engine/> - as of 2026-08-02
25. JEP 527: Post-Quantum Hybrid Key Exchange for TLS 1.3 - <https://openjdk.org/jeps/527> - as of 2026-08-17
26. Post-Quantum Cryptography in Long-Term Support JDK Releases - <https://blogs.oracle.com/java/post-quantum-cryptography-in-long-term-support-jdk-releases> - as of 2026-08-06
27. ASP.NET, Kestrel and Schannel GA with TLS 1.3 Post-Quantum Cryptography (Microsoft) - <https://techcommunity.microsoft.com/blog/post-quantum-crypto-tech-blog/asp-net-kestrel-and-schannel-ga-with-tls-1-3-post-quantum-cryptography/4536649> - as of 2026-07-14

28. Enabling hybrid post-quantum TLS - AWS SDKs and Tools - <https://docs.aws.amazon.com/sdkref/latest/guide/pqtls-details.html> - as of 2026-08-26
29. AWS Secrets Manager clients now support hybrid post-quantum TLS - <https://aws.amazon.com/about-aws/whats-new/2026/04/aws-secrets-manager-post-quantum-tls/> - as of 2026-04-14
30. Shipping post-quantum cryptography to Python - The Trail of Bits Blog - <https://blog.trailofbits.com/2026/06/30/shipping-post-quantum-cryptography-to-python/> - as of 2026-06-30
31. Prepare your network for quantum-secure encryption in TLS - <https://support.apple.com/en-us/122756> - as of 2026-06-18
32. swift-nio-ssl - Swift Package Index - <https://swiftpackageindex.com/apple/swift-nio-ssl> - as of 2026-06-08
33. wolfSSL 5.9.2 release blog - wolfSSL - <https://www.wolfssl.com/wolfssl-5-9-2-release-blog/> - as of 2026-06-30
34. wolfProvider Post-Quantum Cryptography: ML-KEM and ML-DSA - wolfSSL - <https://www.wolfssl.com/wolfprovider-post-quantum-cryptography-ml-kem-and-ml-dsa/> - as of 2026-07-02
35. Post-Quantum Cryptography in Kubernetes | Kubernetes - <https://kubernetes.io/blog/2025/07/18/pqc-in-k8s/> - as of 2025-02-01
36. crypto/tls: add X25519MLKEM768 and use by default; remove x25519Kyber768Draft00 · Issue #69985 · golang/go - <https://github.com/golang/go/issues/69985> - as of 2024-10-22
37. tls package - crypto/tls - Go Packages - <https://pkg.go.dev/crypto/tls>
38. crypto/tls: X25519MLKEM768 not enabled by default #75453 - <https://github.com/golang/go/issues/75453>
39. crypto/tls: 25519MLKEM768 breaks fips140 · Issue #78298 · golang/go - <https://github.com/golang/go/issues/78298> - as of 2026-03-23
40. crypto/tls: X25519MLKEM768 listed in allowedCurvePreferencesFIPS but always fails under GODEBUG=fips140=only · Issue #78178 · golang/go - <https://github.com/golang/go/issues/78178> - as of 2026-03-16
41. Post-Quantum Cryptography in Long-Term Support JDK Releases | java - <https://blogs.oracle.com/java/post-quantum-cryptography-in-long-term-support-jdk-releases> - as of 2025-03-01
42. JEP 496: Quantum-Resistant Module-Lattice-Based Key Encapsulation Mechanism - <https://openjdk.org/jeps/496>
43. Post-Quantum Hybrid Key Exchange for TLS 1.3 - Inside.java - <https://inside.java/2026/02/17/tls-post-quantum-hybrid-key-exchange/> - as of 2026-02-17
44. Quality Outreach Heads-up - JDK 27: Post-Quantum Hybrid Key Exchange for TLS 1.3 - Inside.java - <https://inside.java/2026/05/17/quality-heads-up/> - as of 2026-05-17
45. The Post-Quantum Security Timeline for Java: JEP 496, JEP 527, and What Teams Should Do Now - Java Code Geeks - <https://www.javacodegeeks.com/2026/04/the-post-quantum-security-timeline-for-java-jep-496-jep-527-and-what-teams-should-do-now.html>

46. Post-Quantum Cryptography APIs Now Generally Available on Microsoft Platforms | Microsoft Community Hub - <https://techcommunity.microsoft.com/blog/microsoft-security-blog/post-quantum-cryptography-apis-now-generally-available-on-microsoft-platforms/4469093> - as of 2025-11-18
47. Post-Quantum Cryptography in .NET 10 | by Anderson Godoy | Medium - <https://medium.com/@anderson.buenogod/post-quantum-cryptography-in-net-10-4da2779dcd2a>
48. ML-KEM and ML-DSA Post-Quantum Cryptography in Windows | Strathweb. A free flowing tech monologue. - <https://www.strathweb.com/2025/08/ml-kem-and-ml-dsa-post-quantum-cryptography-in-windows/>
49. Post-Quantum Readiness · OpenSSL Corporation - <https://openssl-corporation.org/post-quantum.html> - as of 2026-08-15
50. A Survey of Post-Quantum Cryptography Support in Cryptographic Libraries - <https://arxiv.org/pdf/2508.16078> - as of 2024-09-01
51. Faster Post-Quantum TLS 1.3 Based on ML-KEM: Implementation and Assessment - <https://arxiv.org/pdf/2404.13544>
52. Post-Quantum Cryptography in Linux: ML-KEM, TLS & SSH - <https://www.golinuxcloud.com/post-quantum-cryptography-linux/>
53. Verify Post-Quantum TLS Negotiation from Python `requests` on Linux - DEV Community - https://dev.to/daan_acohen/verify-post-quantum-tls-negotiation-from-python-requests-on-linux-719
54. quantum-safe: Bridging the Post-Quantum Production Gap with a Hybrid-by-Default Python Cryptography Library - <https://arxiv.org/pdf/2605.17061>
55. rustls_post_quantum - Rust - https://docs.rs/rustls-post-quantum/latest/rustls_post_quantum/
56. rustls-post-quantum - crates.io: Rust Package Registry - <https://crates.io/crates/rustls-post-quantum/0.2.1> - as of 2024-12-11
57. The State of Post-Quantum Cryptography in Rust: The Belt is Vacant | Project Eleven - <https://www.projecteleven.com/blog/the-state-of-post-quantum-cryptography-in-rust-the-belt-is-vacant> - as of 2026-05-05
58. Rust support for post-quantum cryptography - wolfSSL - <https://www.wolfssl.com/rust-support-for-post-quantum-cryptography/> - as of 2026-03-12
59. blogs.oracle.com — post quantum cryptography support in mysql - <https://blogs.oracle.com/mysql/post-quantum-cryptography-support-in-mysql> - as of 2026-07-28
60. blogs.oracle.com — mysql july 2026 ga releases now available - <https://blogs.oracle.com/mysql/mysql-july-2026-ga-releases-now-available> - as of 2026-07-28
61. Releases · grpc/grpc - <https://github.com/grpc/grpc/releases> - as of 2026-07-22
62. blogs.oracle.com — post quantum cryptography in long term support jdk releases - <https://blogs.oracle.com/java/post-quantum-cryptography-in-long-term-support-jdk-releases> - as of 2026-08-06
63. [NEW] support for post-quantum TLS · Issue #15474 · redis/redis - <https://github.com/redis/redis/issues/15474> - as of 2026-07-16

64. Postgres post-quantum SSL support with ML-DSA-44, ML-DSA-65, ML-DSA-87 server-certs · Issue #41720 · dbeaver/dbeaver - <https://github.com/dbeaver/dbeaver/issues/41720> - as of 2026-08-09
65. PostgreSQL JDBC 42.7.12 Security Release - <https://www.postgresql.org/about/news/postgresql-jdbc-42712-security-release-3340/> - as of 2026-07-06
66. postgresql.org — libpq ssl - <https://www.postgresql.org/docs/current/libpq-ssl.html>
67. Post-Quantum TLS documentation and testing for PostgreSQL connections · Issue #1844 · psycopg/psycopg2 - <https://github.com/psycopg/psycopg2/issues/1844> - as of 2026-06-24
68. redis.io — encryption - https://redis.io/docs/latest/operate/oss_and_stack/management/security/encryption/
69. kafka.apache.org — encryption and authentication using ssl - <https://kafka.apache.org/39/security/encryption-and-authentication-using-ssl/> - as of 2025-12-20
70. inside.java — quality heads up - <https://inside.java/2026/05/17/quality-heads-up/> - as of 2026-05-17
71. crates.io — grpcio - <https://crates.io/crates/grpcio>
72. arxiv.org — 2508.16078 - <https://arxiv.org/pdf/2508.16078>
73. pkg.go.dev — tls - <https://pkg.go.dev/crypto/tls> - as of 2026-06-02
74. github.com — 78298 - <https://github.com/golang/go/issues/78298> - as of 2026-03-23
75. mongodb.com — security transport encryption - <https://www.mongodb.com/docs/v8.0/core/security-transport-encryption/>
76. blogs.oracle.com — upgrade to openssl 3.5 - <https://blogs.oracle.com/mysql/upgrade-to-openssl-3-5> - as of 2026-04-22
77. evertrust.io — hybrid post quantum certificates - <https://evertrust.io/blog/hybrid-post-quantum-certificates/> - as of 2026-06-03
78. ASP.NET, Kestrel and Schannel GA with TLS 1.3 Post-Quantum Cryptography (Microsoft) - <https://techcommunity.microsoft.com/blog/post-quantum-crypto-tech-blog/asp-net-kestrel-and-schannel-ga-with-tls-1-3-post-quantum-cryptography/4536649> - as of 2026-07-14
79. apple.gadgethacks.com — apple post quantum cryptography github code explained imessage tls and vpn - <https://apple.gadgethacks.com/news/apple-post-quantum-cryptography-github-code-explained-imessage-tls-and-vpn/> - as of 2026-06-01
80. developers.cloudflare.com — pqc support - <https://developers.cloudflare.com/ssl/post-quantum-cryptography/pqc-support/>
81. support.google.com — 2657289 - <https://support.google.com/chrome/a/answer/2657289?hl=en>
82. blog.google — cultivating a robust and efficient quantum safe https - <https://blog.google/security/cultivating-a-robust-and-efficient-quantum-safe-https/> - as of 2026-02-27
83. Post-Quantum Cryptography Support in Web Browsers - <https://www.encryptionconsulting.com/pqc-support-in-web-browsers/> - as of 2026-03-31
84. learn.microsoft.com — postquantumkeyagreementenabled - <https://learn.microsoft.com/en-us/deployedge/microsoft-edge-browser-policies/postquantumkeyagreementenabled> - as of 2026-03-20
85. PostQuantumKeyAgreementEnabled - <https://learn.microsoft.com/en-us/deployedge/microsoft-edge-policies/postquantumkeyagreementenabled> - as of 2026-05-21

86. learn.microsoft.com — webrtcpostquantumkeyagreement -
<https://learn.microsoft.com/en-us/deployedge/microsoft-edge-policies/webrtcpostquantumkeyagreement>
87. firefox.com — releasenotes - <https://www.firefox.com/en-US/firefox/146.0/releasenotes/>
88. support.apple.com — 122756 - <https://support.apple.com/en-us/122756>